

**City of Redondo Beach**

**415 Diamond Street  
Redondo Beach, CA  
90277**

**August 2025**

**Prepared by:**



Office Locations:  
Los Angeles, Orange County,  
Long Beach, Riverside, Ventura, San Diego,  
Fresno, Merced, Berkeley, San Francisco

Tel: (949) 248-8490  
Fax: (949) 248-8499

*Copyright ©2025, Yorke Engineering, LLC*

# Noise Impact Study for Four Pickleball Courts at Alta Vista Park in Redondo Beach, CA

# **Noise Impact Study for Four Pickleball Courts at Alta Vista Park in Redondo Beach, CA**

Prepared for:

**City of Redondo Beach  
415 Diamond Street  
Redondo Beach, CA 90277**

August 2025

## Table of Contents

|            |                                                                                        |           |
|------------|----------------------------------------------------------------------------------------|-----------|
| <b>1.0</b> | <b>INTRODUCTION .....</b>                                                              | <b>1</b>  |
| 1.1        | Purpose and Objectives .....                                                           | 1         |
| 1.2        | Project Description and Location .....                                                 | 1         |
| <b>2.0</b> | <b>NOISE FUNDAMENTALS .....</b>                                                        | <b>2</b>  |
| 2.1        | Definition and Measurement of Noise .....                                              | 2         |
| 2.2        | Noise Descriptors .....                                                                | 3         |
| 2.3        | Noise Range.....                                                                       | 4         |
| 2.4        | Sound Propagation .....                                                                | 4         |
| <b>3.0</b> | <b>NOISE STANDARDS .....</b>                                                           | <b>4</b>  |
| 3.1        | State of California 2017 General Plan Guidelines .....                                 | 4         |
| 3.2        | City of Redondo Beach General Plan, Environmental Hazards/Natural Hazards Element .... | 5         |
| 3.3        | City of Redondo Beach Municipal Code, Chapter 24, Noise Regulation .....               | 5         |
| <b>4.0</b> | <b>EXISTING LAND USES AND SENSITIVE RECEPTORS.....</b>                                 | <b>8</b>  |
| 4.1        | Sensitive Receptors .....                                                              | 8         |
| 4.2        | Surrounding Land Uses.....                                                             | 8         |
| <b>5.0</b> | <b>NOISE MEASUREMENTS.....</b>                                                         | <b>8</b>  |
| <b>6.0</b> | <b>FUTURE COMMUNITY NOISE IMPACTS .....</b>                                            | <b>1</b>  |
| 6.1        | Noise Analysis Methodology.....                                                        | 1         |
| 6.2        | Noise Sources .....                                                                    | 1         |
| 6.3        | Sensitive Receptors .....                                                              | 2         |
| 6.4        | Noise Impacts .....                                                                    | 12        |
| 6.5        | Consideration of Impulsive Sound Characteristics.....                                  | 12        |
| <b>7.0</b> | <b>CONCLUSIONS .....</b>                                                               | <b>17</b> |
| <b>8.0</b> | <b>REFERENCES.....</b>                                                                 | <b>18</b> |

## Table of Appendices

### APPENDIX A – NOISE MEASUREMENT FIELD NOTES

### APPENDIX B – RAW NOISE METER DATA

## List of Figures

|                                                                             |   |
|-----------------------------------------------------------------------------|---|
| Figure 1-1: Location of the Proposed Pickleball Court .....                 | 2 |
| Figure 2-1: Typical Noise Levels and Effects on People .....                | 3 |
| Figure 5-1: Sound Level Meter Locations .....                               | 9 |
| Figure 6-1: Pickleball Noise Levels Projections for West Courts (dBA) ..... | 2 |
| Figure 6-2: Pickleball Noise Level Contours for West Courts (dBA) .....     | 3 |
| Figure 6-3: Pickleball Noise Level Contours for West Courts (CNEL) .....    | 4 |
| Figure 6-4: Pickleball Noise Levels Projections for East Courts (dBA) ..... | 5 |
| Figure 6-5: Pickleball Noise Level Contours for East Courts (dBA) .....     | 6 |
| Figure 6-6: Pickleball Noise Level Contours for East Courts (CNEL) .....    | 7 |

## List of Tables

|                                                                                                      |    |
|------------------------------------------------------------------------------------------------------|----|
| Table 3-1: State of California Land Use Compatibility for Community Noise Environments .....         | 5  |
| Table 3-2: Presumed Ambient Noise Levels .....                                                       | 6  |
| Table 3-3: Maximum Permissible Interior Dwelling Sound Levels .....                                  | 7  |
| Table 4-1: List of Nearest Sensitive Receptors .....                                                 | 8  |
| Table 5-1: Summary of Noise Measurements .....                                                       | 1  |
| Table 6-1: Sound Power Levels in Octave Band Format for Proposed Pickleball Courts (dBA) ..          | 1  |
| Table 6-2: Receiver Predicted Pickleball Noise Level Impacts for West Courts (dBA) .....             | 8  |
| Table 6-3: Receiver Predicted Pickleball Noise Level Impacts for East Courts (dBA) .....             | 10 |
| Table 6-4: Adjusted Receiver Predicted Pickleball Noise Level Impacts for West Courts (dBA)<br>..... | 13 |
| Table 6-5: Adjusted Receiver Predicted Pickleball Noise Level Impacts for East Courts (dBA)          | 15 |

## List of Acronyms and Abbreviations

|                  |                                                |
|------------------|------------------------------------------------|
| ANSI             | American National Standards Institute          |
| CNEL             | Community Noise Equivalent Level               |
| dB               | Decibel                                        |
| dBA              | A-Weighted Decibel                             |
| Hz               | Hertz                                          |
| ISO              | International Organization for Standardization |
| L <sub>dn</sub>  | Day-Night Noise Level                          |
| L <sub>eq</sub>  | Equivalent Energy Level                        |
| L <sub>max</sub> | Maximum Level of Noise                         |
| OPR              | [California] Office of Planning and Research   |
| RMS              | Root Mean Squared                              |
| SLM              | sound level meter                              |

# Noise Impact Study for Four Pickleball Courts at Alta Vista Park in Redondo Beach, CA

## 1.0 INTRODUCTION

### 1.1 Purpose and Objectives

The City of Redondo Beach (the City) is proposing to convert one of the existing tennis courts at Alta Vista Park in Redondo Beach, CA to four Pickleball courts (Project). Yorke Engineering LLC (Yorke) has been retained by the City to conduct a Noise Impact Study for the proposed Project. The purpose of the study is to assess noise exposure at nearby noise sensitive residential uses and determine which of the two selected tennis courts will least impact the neighboring residents and identify which tennis court is best suited for conversion to four pickleball courts.

The City requested Yorke's support to perform ambient noise measurements in the vicinity, assess the noise impacts of the proposed pickleball activities at each tennis court on the nearby residential properties, and propose noise control measures, if applicable.

Yorke has evaluated the potential for adverse noise impacts on nearest residential receptors during the proposed pickleball activities. This report contains:

- A review of the State of California 2017 General Plan Guidelines;
- A review of the City of Redondo Beach's General Plan and Municipal Noise Ordinance;
- The results of noise measurements taken on June 11-12, 2025;
- Acoustical modeling results; and
- A noise data analysis.

### 1.2 Project Description and Location

The proposed Project includes conversion of one of the existing tennis courts at Alta Vista Park in Redondo Beach, CA to four Pickleball courts (Project).

Alta Vista Park is located at 715 Julia Ave in Redondo Beach, CA. The two existing tennis courts being considered for conversion to pickleball courts are the south courts as shown in Figure 1-1. Court #1 (i.e., west court) is shown in red, and Court #2 (i.e., east court) is shown in yellow. Figure 1-1 also shows the surrounding area, roadways, and the nearest sensitive receptors.

Pickleball would be played during the normal operating hours of the Community/Tennis Center: Monday to Friday from 8:00 a.m. to 9:00 p.m. and Saturday and Sunday from 8:00 a.m. to 7:00 p.m.

\_\_\_\_\_



**Figure 2-1: Typical Noise Levels and Effects on People**

| Common Outdoor Activities         | Noise Level (dBA) | Common Indoor Activities                    |
|-----------------------------------|-------------------|---------------------------------------------|
|                                   | 110               | Rock band                                   |
| Jet flyover at 1,000 feet         |                   |                                             |
|                                   | 100               |                                             |
| Gas lawnmower at 3 feet           |                   |                                             |
|                                   | 90                |                                             |
| Diesel truck at 50 feet at 50 mph |                   | Food blender at 3 feet                      |
|                                   | 80                | Garbage disposal at 3 feet                  |
| Noisy urban area, daytime         |                   |                                             |
| Gas lawnmower, 100 feet           | 70                | Vacuum cleaner at 10 feet                   |
| Commercial area                   |                   | Normal speech at 3 feet                     |
| Heavy traffic at 300 feet         | 60                |                                             |
|                                   |                   | Large business office                       |
| Quiet urban daytime               | 50                | Dishwasher in next room                     |
|                                   |                   |                                             |
| Quiet urban nighttime             | 40                | Theater, large conference room (background) |
| Quiet suburban nighttime          |                   |                                             |
|                                   | 30                | Library                                     |
| Quiet rural nighttime             |                   | Bedroom at night, concert hall (background) |
|                                   | 20                |                                             |
|                                   |                   | Broadcast/recording studio                  |
|                                   | 10                |                                             |
|                                   | 0                 |                                             |

Source: California Department of Transportation, Technical Noise Supplement, September 2013.

## 2.2 Noise Descriptors

Maximum Level of Noise ( $L_{max}$ ) is the highest (peak) instantaneous sound level measured during a specific period of time. Environmental noise descriptors are generally based on time weighted averages, rather than instantaneous noise levels. Average noise levels emitted by various sources are often expressed as equivalent energy level ( $L_{eq}$ ).  $L_{max}$  is the root mean squared (RMS) maximum level of a noise source or environment measured on a sound level meter during a designated time interval (e.g., 15, 30, or 60 minutes) using fast meter response.  $L_{max}$  is not used in environmental noise impact analyses because it captures only a single peak noise level, not the cumulative average exposure over time, which is what truly affects human health, annoyance, and regulatory compliance.

Because sound levels at a particular location typically vary over the course of the day and because people tend to be more sensitive to noise in the evening and at night than during the morning and afternoon, sound levels are commonly averaged over a 24-hour period, weighted for night and evening sensitivity by adding a 5 dBA penalty for noise occurring in the evening (7 p.m.-10 p.m.) and a 10 dBA penalty for nighttime noise (10 p.m.-7 a.m.) for the Community Noise Equivalent Level (CNEL) and only a nighttime penalty for the Day-Night Noise Level ( $L_{dn}$ ). These two expressions of average sound levels are nearly equivalent, and while this Noise Element usually refers to CNEL, standards cited from certain State and federal regulations may use  $L_{dn}$ .

## **2.3 Noise Range**

Decibel scales are logarithmic, such that an increase from 30 to 40 dB represents a tenfold increase in sound level, while an increase from 30 to 50 dB represents a hundredfold increase. Human perception of sound loudness, however, is subjective. Everyday sounds normally range from 30 dBA (very quiet, such as a soft whisper) to 100 dBA (very loud, such as the noise produced by a jet takeoff at a distance of 200 feet). Conversational speech is about 60 dBA at 3 feet. In general, noise may become a nuisance at levels of 45 dBA CNEL or greater, e.g., speech interference. Psychological and physiological stress are common with noise levels in the 65 to 75 dBA CNEL range, and hearing loss can occur at sustained noise levels of 75 dBA CNEL or more (Jansen 1969).

## **2.4 Sound Propagation**

Sound is transmitted in air by pressure variations from its source to the surroundings. Sound levels will decrease exponentially as the inverse square of the distance between the source and the receiver (receptor) increases, i.e., exclusive of other physical factors, doubling the distance from a source decreases the sound intensity by a factor of four. While absorption by air is one of the factors attributing to the weakening of a sound during transmission, distance plays a more important role in noise reduction during transmission. Depending on the source of the sound, for every doubling of distance, the level will be reduced between 3 and 6 dB. The reduction of a sound is called attenuation. Other factors for noise attenuation are terrain absorption and shielding (insertion loss).

To attenuate the line-of-sight noise transmission, sound walls between a noise source and a receiver (receptor) are often used for noise control, e.g., along freeways. Additional barriers such as interceding buildings, rough terrain, hills, and heavy vegetation can also reduce noise levels. Typically, sound walls will reduce noise levels by 5 to 10 dB. The higher the wall is, the greater the noise reduction will be. Effective noise barriers can reduce noise levels by 10 to 15 dB. A sound barrier is most effective when placed close to the noise source or receiver.

## **3.0 NOISE STANDARDS**

### **3.1 State of California 2017 General Plan Guidelines**

The California Governor's Office of Land Use and Climate Innovation (LCI 2017) general plan noise element guidelines include recommended exterior and interior noise level standards for local jurisdictions to identify and prevent the creation of incompatible land uses due to noise, e.g., residential next to industrial. The guidelines contain a table that describes the compatibility of various land uses with a range of environmental noise levels in terms of CNEL. Table 3-1, Land Use Compatibility for Community Noise Environments, reproduces the guidelines for determining community noise exposure limits for various land use categories. The guidelines also present adjustment factors that may be used to develop noise acceptability standards that reflect the noise control goals of the community, the particular community's sensitivity to noise, and the community's assessment of the relative importance of noise pollution.

**Table 3-1: State of California Land Use Compatibility for Community Noise Environments**

| Land Use Category                                              | Community Noise Exposure ( $L_{dn}$ or CNEL, dBA) |                          |                       |                      |
|----------------------------------------------------------------|---------------------------------------------------|--------------------------|-----------------------|----------------------|
|                                                                | Normally Acceptable                               | Conditionally Acceptable | Normally Unacceptable | Clearly Unacceptable |
| Residential – Low Density, Single-Family, Duplex, Mobile Homes | 50-60                                             | 55-70                    | 70-75                 | 75-85                |
| Residential – Multiple Family                                  | 50-65                                             | 60-70                    | 70-75                 | 70-85                |
| Transient Lodging – Motel, Hotels                              | 50-65                                             | 60-70                    | 70-80                 | 80-85                |
| Schools, Libraries, Churches, Hospitals, Nursing Homes         | 50-70                                             | 60-70                    | 70-80                 | 80-85                |
| Auditoriums, Concert Halls, Amphitheaters                      | NA                                                | 50-70                    | NA                    | 65-85                |
| Sports Arenas, Outdoor Spectator Sports                        | NA                                                | 50-75                    | NA                    | 70-85                |
| Playgrounds, Neighborhood Parks                                | 50-70                                             | NA                       | 65-75                 | 75-85                |
| Golf Courses, Riding Stables, Water Recreation, Cemeteries     | 50-70                                             | NA                       | 70-80                 | 80-85                |
| Office Buildings, Business Commercial and Professional         | 50-70                                             | 65-75                    | 75-85                 | NA                   |
| Industrial, Manufacturing, Utilities, Agriculture              | 50-75                                             | 70-80                    | 75-85                 | NA                   |

Source: LCI 2017

### 3.2 City of Redondo Beach General Plan, Environmental Hazards/Natural Hazards Element

Section 4.2, Noise, of the Environmental Hazards Element of the City of Redondo Beach General Plan references the State of California's Land Use Compatibility standards and states that the City's Municipal Code was developed in accordance with the State of California's Land Use Compatibility standards to provide local noise limits through setting out a series of maximum permissible exterior and interior sound levels by land use categories.

### 3.3 City of Redondo Beach Municipal Code, Chapter 24, Noise Regulation

The City's Municipal Code includes various directives pertaining to noise. Title 4, Chapter 24, Noise Regulation, establishes regulations to protect the inhabitants of the City against all common forms of nuisances. Article 3, Exterior Noise Limits, and Article 4, Interior Noise Standards, establish permissible sound levels by land use category, as shown in Tables 3-2 and 3-3.

Pursuant to the Code, the noise standards for the various categories of land use districts identified shall be the higher of either the presumed or actual measured ambient noise and shall apply to all such property within a designated category as follows:

**Table 3-2: Presumed Ambient Noise Levels**

| Receiving Land Use District Category                                | Time Period       | Presumed Ambient Level (dBA) |
|---------------------------------------------------------------------|-------------------|------------------------------|
| Low Density Residential<br>R-1-A, R-1, R-2, P-D-R,<br>P-U-D Overlay | 10 p.m. to 7 a.m. | 45                           |
|                                                                     | 7 a.m. to 10 p.m. | 50                           |
| Medium Density Residential<br>R-3, R-4, P-D-R, P-U-D<br>Overlay     | 10 p.m. to 7 a.m. | 50                           |
|                                                                     | 7 a.m. to 10 p.m. | 55                           |
| High Density Residential<br>R-5, R-6, P-D-R, P-U-D<br>Overlay, C-I  | 10 p.m. to 7 a.m. | 55                           |
|                                                                     | 7 a.m. to 10 p.m. | 60                           |
| Commercial NSC, CSC,<br>GC, P-D-C                                   | 10 p.m. to 7 a.m. | 60                           |
|                                                                     | 7 a.m. to 10 p.m. | 65                           |
| Industrial P-D-I                                                    | 10 p.m. to 7 a.m. | 60                           |
|                                                                     | 7 a.m. to 10 p.m. | 65                           |
| Industrial P-I                                                      | 10 p.m. to 7 a.m. | 70                           |
|                                                                     | 7 a.m. to 10 p.m. | 70                           |

**Section 4-24.301:**

(a): *Correction for time characteristics.* No person shall operate, or cause to be operated, any source of sound at any location within the City or allow the creation of any noise on property owned, leased, occupied, or otherwise controlled by such person which causes the noise level when measured on any other property to exceed:

- (1) The noise standard of the receiving land use district for a cumulative period of more than 30 minutes in any hour; or
- (2) The noise standard of the receiving land use district plus 5 dB for a cumulative period of more than 15 minutes in any hour; or
- (3) The noise standard of the receiving land use district plus 10 dB for a cumulative period of more than five minutes in any hour; or
- (4) The noise standard of the receiving land use district plus 15 dB for a cumulative period of more than one minute in any hour; or
- (5) The noise standard of the receiving land use district plus 20 dB for any period of time.

(b) *Levels exceeding the noise limit categories.* If the measured ambient level exceeds that permissible as set forth in subsections (1), (2), (3), and (4) of subsection (a) of this section, the allowable noise exposure standard shall be increased in 5 dB increments as appropriate to encompass or reflect such ambient noise level. In the event the ambient noise level exceeds the

noise level set forth in subsection (5) of subsection (a) of this section, the maximum allowable noise level shall be increased to reflect the maximum ambient noise level.

(c) *Correction for location of noise source.* If the measurement location is on a boundary between two different land use district categories, the noise level limit applicable to the lower land use district category, plus 5 dB shall apply.

(d) *Correction for ambient noise levels when alleged offending sources cannot be shut down.* If possible, the ambient noise shall be measured at the same location along the property line utilized in subsection (a) of this section with the alleged offending noise source inoperative. If for any reason the alleged offending noise source cannot be shut down, then the ambient noise shall be estimated by performing a measurement in the same general area of the source, but at a sufficient distance such that the offending noise from the source is inaudible. If the difference between the noise levels with the noise source operating and not operating, with the utilization of either of the above-described methods of measurement, is 6 dB or greater, then the noise measurement of the alleged source can be considered valid.

(e) *Correction for character of sound.* In the event the alleged offensive noise contains a steady audible tone, such as a whine, screech, or hum, or is a repetitive noise, such as hammering or riveting, the standard limits set forth in this section shall be reduced by 5 dB.

**Section 4-24.401:**

The following noise standards for various categories of land use presented as follows, unless otherwise specifically indicated, shall apply to all such structures within a designated land use district category with the windows in their normal seasonal configuration:

**Table 3-3: Maximum Permissible Interior Dwelling Sound Levels**

| Receiving Land Use District Category | Time Period       | Allowable Interior Noise Level (dBA) |
|--------------------------------------|-------------------|--------------------------------------|
| Residential                          | 10 p.m. to 7 a.m. | 40                                   |
|                                      | 7 a.m. to 10 p.m. | 45                                   |
| School                               | 7 a.m. to 10 p.m. | 45                                   |
| Hospital and designated quiet areas  | 10 p.m. to 7 a.m. | 40                                   |

(a) *Correction for time characteristics.* No person shall operate, or cause to be operated, any source of sound at any location within the City or allow the creation of any noise which causes the noise level, when measured inside the receiving structure, to exceed:

- (1) The noise standard for that land use district category as specified for a cumulative period of more than five minutes in any hour; or
- (2) The noise standard plus 5 dB for a cumulative period of more than one minute in any hour; or
- (3) The noise standard plus 10 dB for any period of time.

## 4.0 EXISTING LAND USES AND SENSITIVE RECEPTORS

### 4.1 Sensitive Receptors

Sensitive noise receptors (receivers) are defined as types of uses that are interrupted by relatively low levels of noise. Such receptors include residential uses, schools, hospitals, places of worship, and similar uses.

### 4.2 Surrounding Land Uses

Alta Vista Park, where the proposed Project will be located, is surrounded by residential neighborhoods on the north, south, east, and west. The proposed pickleball courts will be bounded by existing tennis courts on the north, Juanita Avenue on the west, and the rest of the Alta Vista Park, which includes the administration building, parking lots, and baseball courts, on the east and south. The nearest sensitive receptors are listed in Table 4-1.

**Table 4-1: List of Nearest Sensitive Receptors**

| Nearest Receptor Location with Respect to the Proposed Pickleball Courts | Nearest Sensitive Receptor |                   |                                                     |
|--------------------------------------------------------------------------|----------------------------|-------------------|-----------------------------------------------------|
|                                                                          | Type                       | Street Address    | Distance from the Proposed Pickleball Courts (feet) |
| West                                                                     | Residential                | 731 S Juanita Ave | 135-195                                             |
| South                                                                    | Residential                | 744 S Juanita Ave | 315-375                                             |
| North                                                                    | Residential                | 710 Camino Real   | 560-620                                             |
| East                                                                     | Residential                | 1001 Camino Real  | 975-1,035                                           |

## 5.0 NOISE MEASUREMENTS

On June 11-12, 2025, Yorke conducted short- and long-term noise measurements near the proposed pickleball courts, with and without pickleball activities, as indicated on Figure 5-1. A Casella Type 1 sound level meter (SLM) was used for the long-term noise measurement and a Quest SoundPro SE/DL Type 2 SLM was used for the short-term noise measurements. The long-term measurement was taken at Location 1 on top of a boom truck at a height of approximately 13 feet, which is similar to the height of the balconies of the nearest residences. Short-term noise measurements were taken at Location 2, west side of Juanita Avenue in front of the property line of the nearest residences, with and without pickleball activities. Short-term noise measurements were also taken at Location 3, at the proposed pickleball courts, with pickleball activities..

Table 5-1 summarizes the results of the long-term and short-term measurements for each of the locations. Field notes and raw noise meter data are provided in Appendices A and B, respectively. As shown in Table 5-1, the pre-project baseline ambient noise levels with no pickleball activities range from 54.9 to 58.9 dBA. In order to be conservative, noise levels from the long-term noise measurement were used for this analysis.

**Figure 5-1: Sound Level Meter Locations**



**Table 5-1: Summary of Noise Measurements**

| Sample Location | Sample No. | Meter Sample ID | Measurement Type | Time On    | Time Off   | L <sub>eq</sub> Average (dBA) | L <sub>max</sub> <sup>a</sup> Peak (dBA) | Pickleball taking place? (Yes, No)            | Which Courts were Pickleball taking place at? (East, West, N/A) | Descriptions                                                                                                                                                                                                                                                   |
|-----------------|------------|-----------------|------------------|------------|------------|-------------------------------|------------------------------------------|-----------------------------------------------|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location 1      | 1          | 4210644         | Long-term        | 6/11/2025  | 6/12/2025  | 55.3                          | 83.5                                     | Yes, on 6/11/2025 from 1:31 p.m. to 2:25 p.m. | East and West                                                   | There was noise coming from traffic, kids on e-bikes, neighbors on their properties, activities in the park including a fire truck, tennis players, and pickleball activities, etc.                                                                            |
|                 |            |                 |                  | 1:31 p.m.  | 1:31 p.m.  |                               |                                          |                                               |                                                                 |                                                                                                                                                                                                                                                                |
|                 | 1-R        | 4210644         | Long-term        | 6/11/2025  | 6/12/2025  | 54.9                          | 78.5                                     | No                                            | N/A                                                             | There was ambient noise coming from traffic, kids on e-bikes, neighbors on their properties, activities in the park including a fire truck, tennis players, etc.                                                                                               |
|                 |            |                 |                  | 2:25 p.m.  | 1:31 p.m.  |                               |                                          |                                               |                                                                 |                                                                                                                                                                                                                                                                |
| Location 2      | 2          | BIU070007       | Short-term       | 6/11/2025  | 6/11/2025  | 58.9                          | 72.4                                     | No                                            | N/A                                                             | Background sample before pickleball playing was initiated. Cars passed on the street. A concrete truck inside the park poured concrete momentarily. The neighbor at 733 Juanita Avenue ran the engine of a Sea-Doo boat at 11:49am for a short period of time. |
|                 |            |                 |                  | 11:37 a.m. | 11:57 a.m. |                               |                                          |                                               |                                                                 |                                                                                                                                                                                                                                                                |

# Noise Impact Study for Four Pickleball Courts at Alta Vista Park in Redondo Beach

| Sample Location | Sample No. | Meter Sample ID | Measurement Type | Time On    | Time Off   | L <sub>eq</sub> Average (dBA) | L <sub>max</sub> <sup>a</sup> Peak (dBA) | Pickleball taking place? (Yes, No) | Which Courts were Pickleball taking place at? (East, West, N/A) | Descriptions                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------|------------|-----------------|------------------|------------|------------|-------------------------------|------------------------------------------|------------------------------------|-----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location 2      | 3          | BIU070007       | Short-term       | 6/11/2025  | 6/11/2025  | 58.8                          | 77.2                                     | Yes                                | East                                                            | Pickleball was played on the four temporary courts installed on the east side tennis court. The concrete truck was backing up inside the park which emitted a warning beeping sound. At 12:12pm a single firework was lit off in the parking lot on the south side inside the park. Cars were passing on the street and children on e-bikes. None of the tennis courts were in use. |
|                 |            |                 |                  | 12:07 p.m. | 12:28 p.m. |                               |                                          |                                    |                                                                 |                                                                                                                                                                                                                                                                                                                                                                                     |
|                 | 4          | BIU070007       | Short-term       | 6/11/2025  | 6/11/2025  | 58.2                          | 71.6                                     | Yes                                | West                                                            | Pickleball was played on the four temporary courts installed on the west side tennis court. Tennis was played on two courts. Cars were passing on the street. At 2:13 pm three of the pickle ball courts were being played on. At 2:16 pm children at the 735 Juanita Avenue were outside their home playing. Birds flew by and were chirping.                                      |
|                 |            |                 |                  | 2:06 p.m.  | 2:26 p.m.  |                               |                                          |                                    |                                                                 |                                                                                                                                                                                                                                                                                                                                                                                     |

## Noise Impact Study for Four Pickleball Courts at Alta Vista Park in Redondo Beach

| Sample Location | Sample No. | Meter Sample ID | Measurement Type | Time On    | Time Off   | L <sub>eq</sub> Average (dBA) | L <sub>max</sub> <sup>a</sup> Peak (dBA) | Pickleball taking place? (Yes, No) | Which Courts were Pickleball taking place at? (East, West, N/A) | Descriptions                                                                                                                                                                                                   |
|-----------------|------------|-----------------|------------------|------------|------------|-------------------------------|------------------------------------------|------------------------------------|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location 3      | 5          | BIU070007       | Short-term       | 6/11/2025  | 6/11/2025  | 57.3                          | 69.6                                     | Yes                                | East                                                            | Pickleball was played on four temporary courts installed on the east side tennis courts. Tennis was not played on any of the courts. Cars were passing on Juanita Avenue. At 12:39 an airplane flew by nearby. |
|                 |            |                 |                  | 12:30 p.m. | 12:50 p.m. |                               |                                          |                                    |                                                                 |                                                                                                                                                                                                                |
|                 | 6          | BIU070007       |                  | 6/11/2025  | 6/11/2025  | 66.0                          | 82.2                                     | Yes                                | West                                                            | Pickleball was played on four temporary courts installed on the west side tennis courts. Tennis was played on four of the six tennis courts. Cars were passing on Juanita Avenue.                              |
|                 |            |                 |                  | 1:21 p.m.  | 1:41 p.m.  |                               |                                          |                                    |                                                                 |                                                                                                                                                                                                                |

Notes:

- a) L<sub>max</sub> captures the loudest single moment of a noise event, even if that moment lasts just a fraction of a second. While it is useful for understanding peak noise, it does not reflect the overall exposure to noise over time. Because L<sub>max</sub> represents only the highest instantaneous sound level during a measurement period, and does not distinguish between sources, it cannot be reliably attributed to pickleball activities since ambient or transient noise is also present at the measurement location. L<sub>eq</sub> values are used in this analysis, since they account for both intensity and duration of noise over time, which better predicts human annoyance impacts.

## 6.0 FUTURE COMMUNITY NOISE IMPACTS

### 6.1 Noise Analysis Methodology

The Project impact evaluation was performed using SoundPlan Essential 5.1, an environmental noise propagation computer program that was developed to assist with noise propagation calculations for major noise sources and projects. The program calculates the sound pressure level at a location utilizing the sound emission properties of the source(s) and environmental propagation factors (sound spreading due to distance, ground affects, barriers, topography, as well as atmospheric attenuation). The program also includes a number of standardized methodologies that can be utilized to quantify the acoustic effect of these environmental factors. The specific standard employed by this program is that described in the International Organization for Standardization (ISO) Standard 9613, “Acoustics – Attenuation of sound during propagation outdoors.” The modeled ambient temperature was 10°C (50°F), and the assumed relative humidity was 70%. The ground absorption value utilized in the model was set to “0” for hard for the Project site and its surrounding areas. One area source representing four pickleball courts were modeled at the Project site based on a reference noise level of 57.3 dBA  $L_{eq}$  at 10 feet.

This study evaluates the potential acoustical impact of the proposed Project on the nearest sensitive receptors and compares it to the ambient noise levels and local noise standard to 1) determine which four proposed pickleball courts (east or west) would least impact the nearest sensitive receptors and 2) assess whether any control measures would be needed to reduce noise exposure to the community.

### 6.2 Noise Sources

Short-term noise measurements were taken during pickleball activities. Measured sound pressure level when pickleball activities are taking place simultaneously at the four proposed courts was 57.3 dBA  $L_{eq}$  at 10 feet.

Noise sources were entered in the modeling system as octave band sound power levels based on the measured sound pressure levels of the pickleball activities at the four proposed courts. Sound pressures were then converted to sound powers in SoundPlan. Table 6-1 lists the sound power levels of the proposed pickleball activities.

**Table 6-1: Sound Power Levels in Octave Band Format for Proposed Pickleball Courts (dBA)**

| Source Name | Logarithmic Sum (dBA) | Octave Band Centre Frequency (Hz), Sound Power Levels (dBA) |        |        |        |       |       |       |       |
|-------------|-----------------------|-------------------------------------------------------------|--------|--------|--------|-------|-------|-------|-------|
|             |                       | 63 Hz                                                       | 125 Hz | 250 Hz | 500 Hz | 1 kHz | 2 kHz | 4 kHz | 8 kHz |
| Pickleball  | 88.5                  | 62.3                                                        | 71.6   | 76.8   | 82.0   | 82.2  | 82.4  | 80.2  | 76.1  |

Source: SoundPlan Essential 5.1

Notes:

Sound Pressure ( $L_p$ )= 57.3 dBA at 10 ft.

Sound Power ( $L_w$ ) =  $L_p + 10 \log(A) = L_p + 22.1 \text{ dB}$

where A is Area of box shaped area in half space at distance (D) in meters.  $D = 10 \text{ ft} = 3 \text{ m}$

Therefore,  $L_w = 88.5 \text{ dBA}$

### 6.3 Sensitive Receptors


To assess the potential noise impacts for the proposed pickleball courts, 11 sensitive receptor (receiver) locations were used. The locations of these receptors are indicated by yellow dots in Figures 6-1 and 6-4.

Figure 6-1 shows the future noise level map at the sensitive receptor areas for the proposed west pickleball courts. Figure 6-2 presents noise level contours for daytime and evening hours, and Figure 6-3 presents noise level contours for CNEL, for the proposed west pickleball courts. Predicted operational noise levels, exclusive of ambient background, are anticipated to range between 27.4 and 45.0 dBA during the daytime and evening hours at the nearest sensitive receivers without any noise controls when pickleball is played at the west courts. Figure 6-4 shows the future noise level map at the sensitive receptor areas for the proposed east pickleball courts. Figure 6-5 presents noise level contours for daytime and evening hours, and Figure 6-6 presents noise level contours for CNEL, for the proposed east pickleball courts. Predicted operational noise levels, exclusive of ambient background, are anticipated to range between 27.9 and 42.5 dBA during the daytime and evening hours at the nearest sensitive receivers without any noise controls when pickleball is played at the east courts. Tables 6-2 and 6-3 show the results of the noise level predictions for the proposed pickleball courts at the nearest sensitive receivers for the proposed west and east pickleball courts, respectively. Predicted noise would be less at other sensitive receptors located at farther distances.

**Figure 6-1: Pickleball Noise Levels Projections for West Courts (dBA)**



Figure 6-2: Pickleball Noise Level Contours for West Courts (dBA)



**Figure 6-3: Pickleball Noise Level Contours for West Courts (CNEL)**




Figure 6-4: Pickleball Noise Levels Projections for East Courts (dBA)



Figure 6-5: Pickleball Noise Level Contours for East Courts (dBA)





Figure 6-6: Pickleball Noise Level Contours for East Courts (CNEL)



# Noise Impact Study for Four Pickleball Courts at Alta Vista Park in Redondo Beach

**Table 6-2: Receiver Predicted Pickleball Noise Level Impacts for West Courts (dBA)**

| Receiver No. | Receiver Name     | Floor | Ambient Noise Levels (dBA) |         |           |      | Predicted Noise Levels (dBA) |           |      | Combined Noise Levels (dBA) |         |           | Difference Between Ambient and Combined Noise Levels (dBA) |         |           |
|--------------|-------------------|-------|----------------------------|---------|-----------|------|------------------------------|-----------|------|-----------------------------|---------|-----------|------------------------------------------------------------|---------|-----------|
|              |                   |       | Daytime                    | Evening | Nighttime | CNEL | Daytime Evening              | Nighttime | CNEL | Daytime                     | Evening | Nighttime | Daytime                                                    | Evening | Nighttime |
| 1            | 701 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 28.3                         | 0.0       | 27.8 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |
| 1            | 701 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 31.6                         | 0.0       | 31.1 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |
| 2            | 710 Camino Real   | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 33.6                         | 0.0       | 33.1 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 2            | 710 Camino Real   | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 33.6                         | 0.0       | 33.1 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 3            | 717 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 38.4                         | 0.0       | 37.9 | 57.1                        | 53.0    | 46.8      | 0.1                                                        | 0.2     | 0.0       |
| 3            | 717 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 39.5                         | 0.0       | 39.1 | 57.1                        | 53.0    | 46.8      | 0.1                                                        | 0.2     | 0.0       |
| 4            | 731 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 44.3                         | 0.0       | 43.8 | 57.3                        | 53.4    | 46.8      | 0.2                                                        | 0.6     | 0.0       |
| 4            | 731 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 45.0                         | 0.0       | 44.5 | 57.3                        | 53.5    | 46.8      | 0.3                                                        | 0.7     | 0.0       |
| 5            | 733 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 42.7                         | 0.0       | 42.2 | 57.2                        | 53.2    | 46.8      | 0.2                                                        | 0.4     | 0.0       |
| 5            | 733 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 44.8                         | 0.0       | 44.4 | 57.3                        | 53.5    | 46.8      | 0.3                                                        | 0.6     | 0.0       |
| 6            | 744 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 37.2                         | 0.0       | 36.8 | 57.1                        | 53.0    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 6            | 744 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 37.2                         | 0.0       | 36.7 | 57.1                        | 53.0    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 7            | 753 Serpentine St | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 33.3                         | 0.0       | 32.9 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |
| 7            | 753 Serpentine St | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 35.5                         | 0.0       | 35.0 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 8            | 826 Camino Real   | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 34.0                         | 0.0       | 33.6 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 8            | 826 Camino Real   | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 34.0                         | 0.0       | 33.6 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 9            | 903 Serpentine St | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 37.0                         | 0.0       | 36.5 | 57.1                        | 53.0    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 9            | 903 Serpentine St | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 37.0                         | 0.0       | 36.5 | 57.1                        | 53.0    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 10           | 904 Camino Real   | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 30.2                         | 0.0       | 29.7 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |
| 10           | 904 Camino Real   | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 30.2                         | 0.0       | 29.7 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |

## Noise Impact Study for Four Pickleball Courts at Alta Vista Park in Redondo Beach

| Receiver No. | Receiver Name    | Floor | Ambient Noise Levels (dBA) |         |           |      | Predicted Noise Levels (dBA) |           |      | Combined Noise Levels (dBA) |         |           | Difference Between Ambient and Combined Noise Levels (dBA) |         |           |
|--------------|------------------|-------|----------------------------|---------|-----------|------|------------------------------|-----------|------|-----------------------------|---------|-----------|------------------------------------------------------------|---------|-----------|
|              |                  |       | Daytime                    | Evening | Nighttime | CNEL | Daytime Evening              | Nighttime | CNEL | Daytime                     | Evening | Nighttime | Daytime                                                    | Evening | Nighttime |
| 11           | 1001 Camino Real | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 27.4                         | 0.0       | 26.9 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |
| 11           | 1001 Camino Real | 1.F1  | 57.0                       | 52.8    | 46.8      | 62.0 | 27.4                         | 0.0       | 26.9 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |
| 11           | 1001 Camino Real | 2.F1  | 57.0                       | 52.8    | 46.8      | 62.0 | 27.4                         | 0.0       | 26.9 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |

### Notes:

- a) Ambient noise levels are based on the 24-hour noise measurements taken by Yorke on June 11-12, 2025.
- b) Daytime = 7 a.m. to 10 p.m.  
Evening = 7 p.m. to 10 p.m.  
Nighttime = 10 p.m. to 7 a.m.

# Noise Impact Study for Four Pickleball Courts at Alta Vista Park in Redondo Beach

**Table 6-3: Receiver Predicted Pickleball Noise Level Impacts for East Courts (dBA)**

| Receiver No. | Receiver Name     | Floor | Ambient Noise Levels (dBA) |         |           |      | Predicted Noise Levels (dBA) |           |      | Combined Noise Levels (dBA) |         |           | Difference Between Ambient and Combined Noise Levels (dBA) |         |           |
|--------------|-------------------|-------|----------------------------|---------|-----------|------|------------------------------|-----------|------|-----------------------------|---------|-----------|------------------------------------------------------------|---------|-----------|
|              |                   |       | Daytime                    | Evening | Nighttime | CNEL | Daytime Evening              | Nighttime | CNEL | Daytime                     | Evening | Nighttime | Daytime                                                    | Evening | Nighttime |
| 1            | 701 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 31.0                         | 0.0       | 30.5 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |
| 1            | 701 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 32.6                         | 0.0       | 32.1 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |
| 2            | 710 Camino Real   | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 33.7                         | 0.0       | 33.3 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 2            | 710 Camino Real   | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 33.7                         | 0.0       | 33.2 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 3            | 717 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 38.6                         | 0.0       | 38.1 | 57.1                        | 53.0    | 46.8      | 0.1                                                        | 0.2     | 0.0       |
| 3            | 717 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 38.6                         | 0.0       | 38.1 | 57.1                        | 53.0    | 46.8      | 0.1                                                        | 0.2     | 0.0       |
| 4            | 731 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 42.5                         | 0.0       | 42.1 | 57.2                        | 53.2    | 46.8      | 0.2                                                        | 0.4     | 0.0       |
| 4            | 731 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 42.5                         | 0.0       | 42.0 | 57.2                        | 53.2    | 46.8      | 0.2                                                        | 0.4     | 0.0       |
| 5            | 733 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 42.3                         | 0.0       | 41.8 | 57.2                        | 53.2    | 46.8      | 0.1                                                        | 0.4     | 0.0       |
| 5            | 733 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 42.4                         | 0.0       | 41.9 | 57.2                        | 53.2    | 46.8      | 0.1                                                        | 0.4     | 0.0       |
| 6            | 744 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 36.8                         | 0.0       | 36.3 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 6            | 744 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 36.8                         | 0.0       | 36.3 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 7            | 753 Serpentine St | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 34.5                         | 0.0       | 34.1 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 7            | 753 Serpentine St | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 35.0                         | 0.0       | 34.5 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 8            | 826 Camino Real   | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 34.9                         | 0.0       | 34.4 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 8            | 826 Camino Real   | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 34.9                         | 0.0       | 34.4 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 9            | 903 Serpentine St | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 36.8                         | 0.0       | 36.3 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 9            | 903 Serpentine St | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 36.8                         | 0.0       | 36.3 | 57.1                        | 52.9    | 46.8      | 0.0                                                        | 0.1     | 0.0       |
| 10           | 904 Camino Real   | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 30.9                         | 0.0       | 30.4 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |
| 10           | 904 Camino Real   | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 30.9                         | 0.0       | 30.4 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |

## Noise Impact Study for Four Pickleball Courts at Alta Vista Park in Redondo Beach

| Receiver No. | Receiver Name    | Floor | Ambient Noise Levels (dBA) |         |           |      | Predicted Noise Levels (dBA) |           |      | Combined Noise Levels (dBA) |         |           | Difference Between Ambient and Combined Noise Levels (dBA) |         |           |
|--------------|------------------|-------|----------------------------|---------|-----------|------|------------------------------|-----------|------|-----------------------------|---------|-----------|------------------------------------------------------------|---------|-----------|
|              |                  |       | Daytime                    | Evening | Nighttime | CNEL | Daytime Evening              | Nighttime | CNEL | Daytime                     | Evening | Nighttime | Daytime                                                    | Evening | Nighttime |
| 11           | 1001 Camino Real | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 27.9                         | 0.0       | 27.4 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |
| 11           | 1001 Camino Real | 1.F1  | 57.0                       | 52.8    | 46.8      | 62.0 | 27.9                         | 0.0       | 27.4 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |
| 11           | 1001 Camino Real | 2.F1  | 57.0                       | 52.8    | 46.8      | 62.0 | 27.9                         | 0.0       | 27.4 | 57.0                        | 52.9    | 46.8      | 0.0                                                        | 0.0     | 0.0       |

### Notes:

- a) Ambient noise levels are based on the 24-hour noise measurements taken by Yorke on June 11-12, 2025.
- b) Daytime = 7 a.m. to 10 p.m.  
Evening = 7 p.m. to 10 p.m.  
Nighttime = 10 p.m. to 7 a.m.

## 6.4 Noise Impacts

As discussed above, the City's Municipal Code Section 4-24.401 states that the allowable interior noise level for residential properties is 45 dBA from 7:00 a.m. to 10:00 p.m. With regard to exterior noise levels, Section 4-24.301 states that no person may operate, or cause to be operated, any source of sound at any location within the City or allow the creation of any noise on property owned, leased, occupied, or otherwise controlled by such person which causes the noise level when measured on any other property to exceed the presumed or actual measured ambient noise level for the various land use categories in the City's Municipal Code Section 4-24.301. As shown in Tables 6-2 and 6-3, playing pickleball at the proposed west or east courts will increase the ambient noise levels for the nearest sensitive receptors by 0.4-0.7 dBA. Increases in noise of less than 1 dBA is not discernable to human hearing, even under laboratory conditions. A measurement of 3 dBA is considered to be the minimum change that is needed for humans to detect a change in noise levels in outdoor environments. Thus, converting a tennis court to four pickleball courts is not expected to cause any significant impact. Interior noise levels will be maintained at current levels at nearby receptors.

Furthermore, while pickleball has a distinct sound character compared to tennis, noise measurements conducted at the courts (see Table 5-1, Location 3, Samples 5 and 6) indicate that its overall sound levels are not greater. Although limited to 20 minutes in duration and taken at the source rather than at the nearest sensitive receptors, Samples 5 and 6 provide a useful comparison of relative on-site noise. During pickleball-only activity, the sound level measured was 57.3 dBA. When both pickleball and tennis were played concurrently, the level increased to 66.0 dBA — a difference of 8.7 dBA. Given that a 10 dBA increase is generally perceived as a doubling of loudness, this result suggests that tennis, which is currently accepted and in regular use at the facility, is an established part of the existing sound environment. While these measurements do not reflect off-site impacts, they support the conclusion that converting one tennis court to four pickleball courts would not result in greater noise levels.

## 6.5 Consideration of Impulsive Sound Characteristics

Pickleball play involves impulsive sounds, particularly from paddle-ball impacts, which can be perceived as more prominent than continuous background noise. While the City's noise standards are based on Leq—a time-averaged metric that captures total sound energy—some guidance documents, including American National Standards Institute (ANSI) S12.9-4, recommend applying a 5 dB adjustment for strongly impulsive sounds in certain contexts, such as community annoyance evaluations.

To address this concern conservatively, a 5 dB penalty was applied to the predicted Leq values from the proposed pickleball courts (see Tables 6-4 and 6-5). Even with this adjustment, the adjusted predicted noise level remains below the existing measured ambient noise levels.

When combining the adjusted predicted noise with the existing ambient noise, the resulting increase in overall sound level ranges between 0.1-1.8 dBA. This change is still considered barely perceptible, as changes of less than 3 dBA are generally not distinguishable to the average listener under normal conditions. Therefore, the proposed courts are not expected to cause a substantial change in the acoustic environment, even when accounting for the impulsive character of pickleball play.

**Table 6-4: Adjusted Receiver Predicted Pickleball Noise Level Impacts for West Courts (dBA)**

| Receiver No. | Receiver Name     | Floor | Ambient Noise Levels (dBA) |         |           |      | Predicted Noise Levels (dBA) |         |           | Combined Noise Levels (dBA) |         |           | Difference between Ambient and Combined (dBA) |         |           |
|--------------|-------------------|-------|----------------------------|---------|-----------|------|------------------------------|---------|-----------|-----------------------------|---------|-----------|-----------------------------------------------|---------|-----------|
|              |                   |       | Daytime                    | Evening | Nighttime | CNEL | Daytime                      | Evening | Nighttime | Daytime                     | Evening | Nighttime | Daytime                                       | Evening | Nighttime |
| 1            | 701 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 33.3                         | 0.0     |           | 57.1                        | 52.9    | 46.8      | 0.0                                           | 0.0     | 0.0       |
| 1            | 701 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 36.6                         | 0.0     |           | 57.1                        | 52.9    | 46.8      | 0.0                                           | 0.1     | 0.0       |
| 2            | 710 Camino Real   | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 38.6                         | 0.0     |           | 57.1                        | 53.0    | 46.8      | 0.1                                           | 0.2     | 0.0       |
| 2            | 710 Camino Real   | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 38.6                         | 0.0     |           | 57.1                        | 53.0    | 46.8      | 0.1                                           | 0.2     | 0.0       |
| 3            | 717 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 43.4                         | 0.0     |           | 57.2                        | 53.3    | 46.8      | 0.2                                           | 0.5     | 0.0       |
| 3            | 717 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 44.5                         | 0.0     |           | 57.3                        | 53.4    | 46.8      | 0.2                                           | 0.6     | 0.0       |
| 4            | 731 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 49.3                         | 0.0     |           | 57.7                        | 54.4    | 46.8      | 0.7                                           | 1.6     | 0.0       |
| 4            | 731 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 50.0                         | 0.0     |           | 57.8                        | 54.7    | 46.8      | 0.8                                           | 1.8     | 0.0       |
| 5            | 733 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 47.7                         | 0.0     |           | 57.5                        | 54.0    | 46.8      | 0.5                                           | 1.2     | 0.0       |
| 5            | 733 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 49.8                         | 0.0     |           | 57.8                        | 54.6    | 46.8      | 0.8                                           | 1.7     | 0.0       |
| 6            | 744 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 42.2                         | 0.0     |           | 57.2                        | 53.2    | 46.8      | 0.1                                           | 0.4     | 0.0       |
| 6            | 744 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 42.2                         | 0.0     |           | 57.2                        | 53.2    | 46.8      | 0.1                                           | 0.4     | 0.0       |
| 7            | 753 Serpentine St | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 38.3                         | 0.0     |           | 57.1                        | 53.0    | 46.8      | 0.1                                           | 0.1     | 0.0       |
| 7            | 753 Serpentine St | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 40.5                         | 0.0     |           | 57.1                        | 53.1    | 46.8      | 0.1                                           | 0.2     | 0.0       |
| 8            | 826 Camino Real   | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 39.0                         | 0.0     |           | 57.1                        | 53.0    | 46.8      | 0.1                                           | 0.2     | 0.0       |
| 8            | 826 Camino Real   | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 39.0                         | 0.0     |           | 57.1                        | 53.0    | 46.8      | 0.1                                           | 0.2     | 0.0       |
| 9            | 903 Serpentine St | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 42.0                         | 0.0     |           | 57.2                        | 53.2    | 46.8      | 0.1                                           | 0.3     | 0.0       |
| 9            | 903 Serpentine St | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 42.0                         | 0.0     |           | 57.2                        | 53.2    | 46.8      | 0.1                                           | 0.3     | 0.0       |
| 10           | 904 Camino Real   | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 35.2                         | 0.0     |           | 57.1                        | 52.9    | 46.8      | 0.0                                           | 0.1     | 0.0       |

## Noise Impact Study for Four Pickleball Courts at Alta Vista Park in Redondo Beach

|    |                  |      |      |      |      |      |      |     |      |      |      |     |     |     |
|----|------------------|------|------|------|------|------|------|-----|------|------|------|-----|-----|-----|
| 10 | 904 Camino Real  | 1.FI | 57.0 | 52.8 | 46.8 | 62.0 | 35.2 | 0.0 | 57.1 | 52.9 | 46.8 | 0.0 | 0.1 | 0.0 |
| 11 | 1001 Camino Real | GF   | 57.0 | 52.8 | 46.8 | 62.0 | 32.4 | 0.0 | 57.0 | 52.9 | 46.8 | 0.0 | 0.0 | 0.0 |
| 11 | 1001 Camino Real | 1.FI | 57.0 | 52.8 | 46.8 | 62.0 | 32.4 | 0.0 | 57.0 | 52.9 | 46.8 | 0.0 | 0.0 | 0.0 |
| 11 | 1001 Camino Real | 2.FI | 57.0 | 52.8 | 46.8 | 62.0 | 32.4 | 0.0 | 57.0 | 52.9 | 46.8 | 0.0 | 0.0 | 0.0 |

### Notes:

- c) Ambient noise levels are based on the 24-hour noise measurements taken by Yorke on June 11-12, 2025.
- d) Daytime = 7 a.m. to 10 p.m.  
Evening = 7 p.m. to 10 p.m.  
Nighttime = 10 p.m. to 7 a.m.

**Table 6-5: Adjusted Receiver Predicted Pickleball Noise Level Impacts for East Courts (dBA)**

| Receiver No. | Receiver Name     | Floor | Ambient Noise Levels (dBA) |         |           |      | Predicted Noise Levels (dBA) |         |           | Combined Noise Levels (dBA) |         |           | Difference between Ambient and Combined (dBA) |         |           |
|--------------|-------------------|-------|----------------------------|---------|-----------|------|------------------------------|---------|-----------|-----------------------------|---------|-----------|-----------------------------------------------|---------|-----------|
|              |                   |       | Daytime                    | Evening | Nighttime | CNEL | Daytime                      | Evening | Nighttime | Daytime                     | Evening | Nighttime | Daytime                                       | Evening | Nighttime |
| 1            | 701 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 36.0                         | 0.0     |           | 57.1                        | 52.9    | 46.8      | 0.0                                           | 0.1     | 0.0       |
| 1            | 701 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 37.6                         | 0.0     |           | 57.1                        | 53.0    | 46.8      | 0.0                                           | 0.1     | 0.0       |
| 2            | 710 Camino Real   | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 38.7                         | 0.0     |           | 57.1                        | 53.0    | 46.8      | 0.1                                           | 0.2     | 0.0       |
| 2            | 710 Camino Real   | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 38.7                         | 0.0     |           | 57.1                        | 53.0    | 46.8      | 0.1                                           | 0.2     | 0.0       |
| 3            | 717 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 43.6                         | 0.0     |           | 57.2                        | 53.3    | 46.8      | 0.2                                           | 0.5     | 0.0       |
| 3            | 717 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 43.6                         | 0.0     |           | 57.2                        | 53.3    | 46.8      | 0.2                                           | 0.5     | 0.0       |
| 4            | 731 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 47.5                         | 0.0     |           | 57.5                        | 54.0    | 46.8      | 0.5                                           | 1.1     | 0.0       |
| 4            | 731 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 47.5                         | 0.0     |           | 57.5                        | 54.0    | 46.8      | 0.5                                           | 1.1     | 0.0       |
| 5            | 733 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 47.3                         | 0.0     |           | 57.5                        | 53.9    | 46.8      | 0.4                                           | 1.1     | 0.0       |
| 5            | 733 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 47.4                         | 0.0     |           | 57.5                        | 53.9    | 46.8      | 0.4                                           | 1.1     | 0.0       |
| 6            | 744 S Juanita Ave | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 41.8                         | 0.0     |           | 57.2                        | 53.2    | 46.8      | 0.1                                           | 0.3     | 0.0       |
| 6            | 744 S Juanita Ave | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 41.8                         | 0.0     |           | 57.2                        | 53.2    | 46.8      | 0.1                                           | 0.3     | 0.0       |
| 7            | 753 Serpentine St | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 39.5                         | 0.0     |           | 57.1                        | 53.0    | 46.8      | 0.1                                           | 0.2     | 0.0       |
| 7            | 753 Serpentine St | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 40.0                         | 0.0     |           | 57.1                        | 53.1    | 46.8      | 0.1                                           | 0.2     | 0.0       |
| 8            | 826 Camino Real   | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 39.9                         | 0.0     |           | 57.1                        | 53.1    | 46.8      | 0.1                                           | 0.2     | 0.0       |
| 8            | 826 Camino Real   | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 39.9                         | 0.0     |           | 57.1                        | 53.1    | 46.8      | 0.1                                           | 0.2     | 0.0       |
| 9            | 903 Serpentine St | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 41.8                         | 0.0     |           | 57.2                        | 53.2    | 46.8      | 0.1                                           | 0.3     | 0.0       |
| 9            | 903 Serpentine St | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 41.8                         | 0.0     |           | 57.2                        | 53.2    | 46.8      | 0.1                                           | 0.3     | 0.0       |
| 10           | 904 Camino Real   | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 35.9                         | 0.0     |           | 57.1                        | 52.9    | 46.8      | 0.0                                           | 0.1     | 0.0       |

## Noise Impact Study for Four Pickleball Courts at Alta Vista Park in Redondo Beach

| Receiver No. | Receiver Name    | Floor | Ambient Noise Levels (dBA) |         |           |      | Predicted Noise Levels (dBA) |           | Combined Noise Levels (dBA) |         |           | Difference between Ambient and Combined (dBA) |         |           |
|--------------|------------------|-------|----------------------------|---------|-----------|------|------------------------------|-----------|-----------------------------|---------|-----------|-----------------------------------------------|---------|-----------|
|              |                  |       | Daytime                    | Evening | Nighttime | CNEL | Daytime<br>Evening           | Nighttime | Daytime                     | Evening | Nighttime | Daytime                                       | Evening | Nighttime |
| 10           | 904 Camino Real  | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 35.9                         | 0.0       | 57.1                        | 52.9    | 46.8      | 0.0                                           | 0.1     | 0.0       |
| 11           | 1001 Camino Real | GF    | 57.0                       | 52.8    | 46.8      | 62.0 | 32.9                         | 0.0       | 57.1                        | 52.9    | 46.8      | 0.0                                           | 0.0     | 0.0       |
| 11           | 1001 Camino Real | 1.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 32.9                         | 0.0       | 57.1                        | 52.9    | 46.8      | 0.0                                           | 0.0     | 0.0       |
| 11           | 1001 Camino Real | 2.FI  | 57.0                       | 52.8    | 46.8      | 62.0 | 32.9                         | 0.0       | 57.1                        | 52.9    | 46.8      | 0.0                                           | 0.0     | 0.0       |

### Notes:

- c) Ambient noise levels are based on the 24-hour noise measurements taken by Yorke on June 11-12, 2025.
- d) Daytime = 7 a.m. to 10 p.m.  
Evening = 7 p.m. to 10 p.m.  
Nighttime = 10 p.m. to 7 a.m.

## 7.0 CONCLUSIONS

Predicted operational noise levels are anticipated to range between 27.4 and 45.0 dBA at the nearest sensitive receivers when pickleball is played at the west courts and between 27.9 and 42.5 dBA when pickleball is played at the east courts. For context, typical conversational speech occurs at approximately 60 dBA at a distance of 3 feet, indicating that the average pickleball-generated noise would be substantially lower.

The noise survey indicated that the baseline ambient noise levels ( $L_{eq}$ ) range between 54.9 and 58.9 dBA. The acoustical modeling results indicated that playing pickleball at the proposed west or east courts would raise the ambient noise levels for the nearest sensitive receptors by a minor increment, only 0.4-0.7 dBA. The 24-hour noise survey also shows that playing pickleball at the proposed courts raised the ambient noise levels by 0.4 dBA. This minimal change in ambient noise levels is well below the threshold of human perceptibility and therefore the projected impact is considered less than significant. Even with a conservative 5 dB adjustment for impulsive sound, the predicted noise from the proposed pickleball courts remains below the existing ambient level, with a maximum combined increase of only 1.8 dBA, which is considered barely perceptible. Interior noise levels will be maintained at current noise levels.

While pickleball activity may be momentarily audible at times, the overall noise level associated with the activity ( $L_{eq}$ ) remains below the existing ambient noise levels in the Project area.  $L_{eq}$  reflects the average energy of sound over time, and when this average is lower than the surrounding environmental noise, the new source blends into the background and becomes acoustically insignificant. Therefore, despite occasional audibility, the activity does not result in a perceptible change to the noise environment and is unlikely to cause disturbance and it does not violate the City's applicable noise standards. Furthermore, on-site measurements indicate that pickleball activity produces sound levels comparable to or lower than tennis, supporting the conclusion that converting one tennis court to four pickleball courts would not result in increased noise levels.

No adverse impacts are expected from, and no noise control measures would be required for the operation of the proposed pickleball courts. Therefore, the potential noise impact of the proposed Project would be less than significant.

Although playing pickleball at either set of courts (east or west) would not impact the nearest sensitive receptors, the west courts would be preferable because of balanced separation distances from nearest residences.

## 8.0 REFERENCES

- Acoustical Society of America, 2021. ANSI/ASA S12.9-2021/Part 4: Quantities and Procedures for Description and Measurement of Environmental Sound — Part 4: Noise Assessment and Prediction of Long-Term Community Response
- California Department of Transportation, Technical Noise Supplement, 2013. Website ([http://www.dot.ca.gov/hq/env/noise/pub/TeNS\\_Sept\\_2013A.pdf](http://www.dot.ca.gov/hq/env/noise/pub/TeNS_Sept_2013A.pdf))
- City of Redondo Beach General Plan, Environmental Hazards/Natural Hazards Element; Website ([https://www.redondo.org/departments/community\\_development/planning/general\\_plan\\_and\\_long-range\\_planning\\_.php#outer-98](https://www.redondo.org/departments/community_development/planning/general_plan_and_long-range_planning_.php#outer-98)).
- City of Redondo Beach Municipal Code, Chapter 24, Noise Regulation; Website (<https://ecode360.com/42651123>).
- Federal Highway Administration (FHWA), Highway Traffic Noise: Analysis and Abatement Guidance, 2011; Website ([https://rosap.ntl.bts.gov/view/dot/63200/dot\\_63200\\_DS1.pdf](https://rosap.ntl.bts.gov/view/dot/63200/dot_63200_DS1.pdf))
- Governor's Office of Land Use and Climate Innovation (LCI). 2017. California Noise Land Use Compatibility Standards, Appendix D – Guidelines for the Preparation and Content of the Noise Element of the General Plan. Website ([https://lci.ca.gov/docs/OPR\\_Appendix\\_D\\_final.pdf](https://lci.ca.gov/docs/OPR_Appendix_D_final.pdf)).
- Jansen, Gerd, "Effects of Noise on Physiological State," Noise as a Public Health Hazard; Proceedings of the Conference (Washington, D.C.: American Speech and Hearing Association) 1969.

## **APPENDIX A – NOISE MEASUREMENT FIELD NOTES**

Noise Measurement Data Form

|                               |                 |                       |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                        |                             |                                    |                      |                      |
|-------------------------------|-----------------|-----------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------------------|------------------------------------|----------------------|----------------------|
| Client:                       |                 | City of Redondo Beach |                | Sampled by: Camilla Westberg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                        | Date: June 11-12, 2025      |                                    |                      |                      |
| Contact/PM:                   |                 | Tina Darjazanie       |                | Notes: The park was on the east side of the Juanita Avenue. Residences were on the west side of the street. The street ran north to south. There was a slope on the east side of the street so the park with the tennis courts was submerged. There was also a baseball field and basketball courts further east inside the park.                                                                                                                                                                                     |                        |                             |                                    |                      |                      |
| Site:                         |                 | Location 1            |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                        |                             |                                    |                      |                      |
| Client No.:                   |                 | 2118-001              |                | Calibrator Make/Model: Casella CEL-120/2                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                        |                             | Calibrator Cal Exp Date: 6/18/2025 |                      |                      |
| Sound Level Meter Make/Model: |                 | Casella Type 1        |                | Sound Level Meter Serial Number: 166060                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                        | Calibrator Serial Number:   |                                    | 3162496              |                      |
| Sample Location Name:         |                 |                       |                | Sample Location Description:<br><br>The sample was installed on top of a boom truck at approximately 13 feet height to represent the noise exposure that could be expected on the balconies of the residence across the street from the park on Juanita Avenue. The boom truck was parked on the east side of the street.                                                                                                                                                                                             |                        | Weather                     |                                    |                      |                      |
| Microphone Height (ft):       |                 | 13 feet               |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                        |                             |                                    |                      |                      |
| Weighting:                    | A               | Calibrated?:          | Yes            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                        | Temperature (°F):           | Wind (MPH):                        | Sky:                 | Barometric Pressure: |
| Response Time:                | Slow            | Calibration value:    | 113.9 to 113.7 | Day: 65<br>Night: 63                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Day: 7 E<br>Night: 5 W | Day: Cloudy<br>Night: Foggy | Day: 29.92<br>Night: 29.87         | Day: 84<br>Night: 58 |                      |
| Sample No.                    | Time On         | Time Off              | Range (in dBA) | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                        |                             |                                    |                      |                      |
| 1                             | 6/11/25 1:31 PM | 6/12/25 1:31 PM       | 29.8-73.0 dBA  | The meter was installed on a boom truck at approximately 13 feet height to represent the height of the balconies of the residences across the street. Sampling was performed during activities in the park, including playing pickleball on two tennis courts, which were divided into a total of eight pickle ballcourts. Four pickleball courts were playing at a time (east tennis court and west tennis court) on 6/11/2025 from 1:31 pm-2:25 pm. There was also tennis being played at some of the other courts. |                        |                             |                                    |                      |                      |
|                               |                 |                       |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                        |                             |                                    |                      |                      |
|                               |                 |                       |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                        |                             |                                    |                      |                      |
|                               |                 |                       |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                        |                             |                                    |                      |                      |

Noise Measurement Data Form

|                               |                  |                        |                |                                                                                                                                                                                                                                                                                                                                                                                     |                        |                             |                                   |                      |                      |           |
|-------------------------------|------------------|------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------------------|-----------------------------------|----------------------|----------------------|-----------|
| Client:                       |                  | City of Redondo Beach  |                | Sampled by: Camilla Westberg                                                                                                                                                                                                                                                                                                                                                        |                        | Date: 6/11/2025             |                                   |                      |                      |           |
| Contact/PM:                   |                  | Tina Darjzanie         |                | Notes: The park was on the east side of the Juanita Avenue. Residences were on the west side of the street. The street ran north to south. There was a slope on the east side of the street so the park with the tennis courts was submerged. There was also a baseball field and basketball courts further east inside the park.                                                   |                        |                             |                                   |                      |                      |           |
| Site:                         |                  | Location 2             |                |                                                                                                                                                                                                                                                                                                                                                                                     |                        |                             |                                   |                      |                      |           |
| Client No.:                   |                  | 2118-001               |                | Calibrator Make/Model: TSI                                                                                                                                                                                                                                                                                                                                                          |                        |                             | Calibrator Cal Exp Date: 1/4/2026 |                      |                      |           |
| Sound Level Meter Make/Model: |                  | TSI SoundPRo Type 2    |                | Sound Level Meter Serial Number: BIU070007                                                                                                                                                                                                                                                                                                                                          |                        | Calibrator Serial Number:   |                                   | AC300013570          |                      |           |
| Sample Location Name:         |                  | 729/731 Juanita Avenue |                | Sample Location Description:<br><br>The sample was installed on the west side of Juanita Avenue in front of the property line between 729 and 731 Juanita Avenue. The sample was placed at approximately 4 foot height on the sidewalk.                                                                                                                                             |                        | Weather                     |                                   |                      |                      |           |
| Microphone Height (ft):       |                  | 4 feet                 |                |                                                                                                                                                                                                                                                                                                                                                                                     |                        |                             |                                   |                      |                      |           |
| Weighting:                    | A                | Calibrated?:           | Yes            |                                                                                                                                                                                                                                                                                                                                                                                     |                        | Temperature (°F):           | Wind (MPH):                       | Sky:                 | Barometric Pressure: | Humidity: |
| Response Time:                | Slow             | Calibration value:     | 114            | Day: 65<br>Night: 63                                                                                                                                                                                                                                                                                                                                                                | Day: 7 E<br>Night: 5 W | Day: Cloudy<br>Night: Foggy | Day: 29.92<br>Night: 29.87        | Day: 84<br>Night: 58 |                      |           |
| Sample No.                    | Time On          | Time Off               | Range (in dBA) | Notes                                                                                                                                                                                                                                                                                                                                                                               |                        |                             |                                   |                      |                      |           |
| 2                             | 6/11/25 11:37 AM | 6/11/25 11:57 AM       | 45.9-73.0      | Background sample before pickleball playing was initiated. Cars passed on the street. A concrete truck inside the park poured concrete momentarily. The neighbor at 733 Juanita Avenue ran the engine of a Sea-Doo boat at 11:49am for a short period of time.                                                                                                                      |                        |                             |                                   |                      |                      |           |
| 3                             | 6/11/25 12:07 PM | 6/11/25 12:28 PM       | 46.7-78.7      | Pickleball was played on the four temporary courts installed on the east side tennis court. The concrete truck was backing up inside the park which emitted a warning beeping sound. At 12:12pm a single firework was lit off in the parking lot on the south side inside the park. Cars were passing on the street and children on e-bikes. None of the tennis courts were in use. |                        |                             |                                   |                      |                      |           |
| 4                             | 6/11/25 2:06 PM  | 6/11/25 2:26 PM        | 46.8-72.2      | Pickleball was played on the four temporary courts installed on the east side tennis court. Tennis was played on two courts. Cars were passing on the street. At 2:13 pm three of the pickle ball courts were being played on. At 2:16 pm children at the 735 Juanita Avenue were outside their home playing. Birds flew by and were chirping.                                      |                        |                             |                                   |                      |                      |           |

Noise Measurement Data Form

|                               |                  |                                              |                |                                                                                                                                                                                                                                                                                                                                   |  |                                       |                        |                             |                            |                      |
|-------------------------------|------------------|----------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------|------------------------|-----------------------------|----------------------------|----------------------|
| Client:                       |                  | City of Redondo Beach                        |                | Sampled by: Camilla Westberg                                                                                                                                                                                                                                                                                                      |  | Date: 6/11/2025                       |                        |                             |                            |                      |
| Contact/PM:                   |                  | Tina Darjazanie                              |                | Notes: The park was on the east side of the Juanita Avenue. Residences were on the west side of the street. The street ran north to south. There was a slope on the east side of the street so the park with the tennis courts was submerged. There was also a baseball field and basketball courts further east inside the park. |  |                                       |                        |                             |                            |                      |
| Site:                         |                  | Location 3                                   |                |                                                                                                                                                                                                                                                                                                                                   |  |                                       |                        |                             |                            |                      |
| Client No.:                   |                  | 2118-001                                     |                | Calibrator Make/Model: TSI                                                                                                                                                                                                                                                                                                        |  | Calibrator Cal Exp Date: 1/4/2026     |                        |                             |                            |                      |
| Sound Level Meter Make/Model: |                  | TSI SoundPRo Type 2                          |                | Sound Level Meter Serial Number: BIU070007                                                                                                                                                                                                                                                                                        |  | Calibrator Serial Number: AC300013570 |                        |                             |                            |                      |
| Sample Location Name:         |                  | West Side of South Tennis/Pickle Ball Courts |                | Sample Location Description:<br><br>The sample was installed on the west side of the tennis courts at the center line of the tennis play area. The sample was placed at approximately 4 foot height on the walkway in between the chainlink fence and cinderblock wall.                                                           |  | Weather                               |                        |                             |                            |                      |
| Microphone Height (ft):       |                  | 4 feet                                       |                |                                                                                                                                                                                                                                                                                                                                   |  |                                       |                        |                             |                            |                      |
| Weighting:                    | A                | Calibrated?:                                 | Yes            |                                                                                                                                                                                                                                                                                                                                   |  | Temperature (°F):                     | Wind (MPH):            | Sky:                        | Barometric Pressure:       | Humidity:            |
| Response Time:                | Slow             | Calibration value:                           | 114            |                                                                                                                                                                                                                                                                                                                                   |  | Day: 65<br>Night: 63                  | Day: 7 E<br>Night: 5 W | Day: Cloudy<br>Night: Foggy | Day: 29.92<br>Night: 29.87 | Day: 84<br>Night: 58 |
| Sample No.                    | Time On          | Time Off                                     | Range (in dBA) | Notes                                                                                                                                                                                                                                                                                                                             |  |                                       |                        |                             |                            |                      |
| 5                             | 6/11/25 12:30 PM | 6/11/25 12:50 PM                             | 48.3-70.2      | Pickleball was played on four temporary courts installed on the east side tennis courts. Tennis was not played on any of the courts. Cars were passing on Juanita Avenue. At 12:39 an airplane flew by nearby.                                                                                                                    |  |                                       |                        |                             |                            |                      |
| 6                             | 6/12/25 1:21 PM  | 6/11/25 1:41 PM                              | 50.5-80.0      | Pickleball was played on four temporary courts installed on the west side tennis courts. Tennis was played on four of the six tennis courts. Cars were passing on Juanita Avenue.                                                                                                                                                 |  |                                       |                        |                             |                            |                      |
|                               |                  |                                              |                |                                                                                                                                                                                                                                                                                                                                   |  |                                       |                        |                             |                            |                      |
|                               |                  |                                              |                |                                                                                                                                                                                                                                                                                                                                   |  |                                       |                        |                             |                            |                      |

## **APPENDIX B – RAW NOISE METER DATA**

| SAMPLETIME |             | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|-------------|--------|--------|--------|--------|------|-------|
| 6/12/2025  | 1:30:52 PM  | 66     | 67.9   | 68.6   | 83.5   | 54.7 | 56.5  |
| 6/12/2025  | 1:29:52 PM  | 63.7   | 65.1   | 66     | 83.4   | 54.4 | 56.6  |
| 6/12/2025  | 1:28:52 PM  | 58.2   | 60.1   | 60.8   | 81.5   | 53.1 | 54.6  |
| 6/12/2025  | 1:27:52 PM  | 63.3   | 67.9   | 68.6   | 79.9   | 56.4 | 58.8  |
| 6/12/2025  | 1:26:52 PM  | 60     | 62.7   | 65.3   | 81.2   | 56.3 | 58.6  |
| 6/12/2025  | 1:25:52 PM  | 68.3   | 70.8   | 72.4   | 85.1   | 58.1 | 60.3  |
| 6/12/2025  | 1:24:52 PM  | 67.9   | 70.4   | 71     | 85.1   | 58.1 | 60.4  |
| 6/12/2025  | 1:23:52 PM  | 68.7   | 70.7   | 71.5   | 85.6   | 59.1 | 61.2  |
| 6/12/2025  | 1:22:52 PM  | 61.4   | 66.1   | 68     | 86.7   | 54.9 | 57.4  |
| 6/12/2025  | 1:21:52 PM  | 68     | 70.3   | 71.3   | 85.8   | 59.1 | 60.8  |
| 6/12/2025  | 1:20:52 PM  | 63.4   | 65.8   | 67     | 81     | 53.3 | 54.2  |
| 6/12/2025  | 1:19:52 PM  | 64.6   | 66.9   | 69.1   | 86     | 54.3 | 57.8  |
| 6/12/2025  | 1:18:52 PM  | 69.6   | 71.7   | 72.5   | 88.8   | 60.5 | 62.4  |
| 6/12/2025  | 1:17:52 PM  | 68.5   | 69.6   | 72     | 88.1   | 60.9 | 63    |
| 6/12/2025  | 1:16:52 PM  | 73.1   | 74.4   | 74.8   | 96.1   | 64.7 | 65.5  |
| 6/12/2025  | 1:15:52 PM  | 64.9   | 66.2   | 67.2   | 85.4   | 58.7 | 60    |
| 6/12/2025  | 1:14:52 PM  | 53.7   | 57     | 61.6   | 84.5   | 50.2 | 52.6  |
| 6/12/2025  | 1:13:52 PM  | 67.7   | 70.1   | 71.2   | 86.7   | 58   | 60.2  |
| 6/12/2025  | 1:12:52 PM  | 59     | 62.5   | 64.1   | 82.3   | 53   | 56.2  |
| 6/12/2025  | 1:11:52 PM  | 70.3   | 73.5   | 75.3   | 80.5   | 60.8 | 64.9  |
| 6/12/2025  | 1:10:52 PM  | 72.5   | 78.6   | 81.9   | 92.2   | 59   | 67.4  |
| 6/12/2025  | 1:09:52 PM  | 65.9   | 67.8   | 69.1   | 86.7   | 60.1 | 61.3  |
| 6/12/2025  | 1:08:52 PM  | 67     | 68.7   | 69.4   | 84.1   | 61.5 | 62.8  |
| 6/12/2025  | 1:07:52 PM  | 61.2   | 64.5   | 67.7   | 83.9   | 53.1 | 55.5  |
| 6/12/2025  | 1:06:52 PM  | 68.7   | 70.9   | 71.4   | 87.1   | 58.6 | 59.9  |
| 6/12/2025  | 1:05:52 PM  | 67     | 69     | 69.9   | 88.8   | 56.6 | 58.4  |
| 6/12/2025  | 1:04:52 PM  | 67.6   | 69.4   | 70.3   | 85.6   | 55.7 | 58.2  |
| 6/12/2025  | 1:03:52 PM  | 66     | 68     | 69.8   | 86.6   | 58.2 | 60.6  |
| 6/12/2025  | 1:02:52 PM  | 69.5   | 72.2   | 72.9   | 93.2   | 59   | 60.9  |
| 6/12/2025  | 1:01:52 PM  | 66.6   | 70.1   | 73.5   | 92.6   | 55.6 | 60.1  |
| 6/12/2025  | 1:00:52 PM  | 67.7   | 69.6   | 70.7   | 87.2   | 56.7 | 59.1  |
| 6/12/2025  | 12:59:52 PM | 70.3   | 72     | 72.4   | 87.6   | 63.5 | 64.9  |
| 6/12/2025  | 12:58:52 PM | 66.4   | 68.2   | 69.3   | 82.9   | 58.6 | 60.4  |
| 6/12/2025  | 12:57:52 PM | 76.7   | 80.8   | 81.8   | 91.5   | 61.3 | 66.8  |
| 6/12/2025  | 12:56:52 PM | 66.8   | 68.9   | 70.1   | 86.1   | 58   | 59.9  |
| 6/12/2025  | 12:55:52 PM | 65.4   | 67.1   | 68.8   | 89.8   | 60.5 | 61.8  |
| 6/12/2025  | 12:54:52 PM | 65.9   | 67.9   | 69.5   | 84.5   | 59.9 | 61.3  |
| 6/12/2025  | 12:53:52 PM | 67.9   | 70.1   | 70.9   | 88.3   | 58   | 60.3  |
| 6/12/2025  | 12:52:52 PM | 65.1   | 65.9   | 68.6   | 83.3   | 56.3 | 58.7  |
| 6/12/2025  | 12:51:52 PM | 66.3   | 68.5   | 71.2   | 87.5   | 57.1 | 59.1  |
| 6/12/2025  | 12:50:52 PM | 66.4   | 67.8   | 68.5   | 84.4   | 57.3 | 58.5  |
| 6/12/2025  | 12:49:52 PM | 72.2   | 73.8   | 74.6   | 92.1   | 63.9 | 65.1  |
| 6/12/2025  | 12:48:52 PM | 64.4   | 66.4   | 67.3   | 82.3   | 53.2 | 54.8  |
| 6/12/2025  | 12:47:52 PM | 54.1   | 55.4   | 56.2   | 78.7   | 49.2 | 50.2  |

| SAMPLETIME |             | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|-------------|--------|--------|--------|--------|------|-------|
| 6/12/2025  | 12:46:52 PM | 69.4   | 71.2   | 71.7   | 89.2   | 57.6 | 60.2  |
| 6/12/2025  | 12:45:52 PM | 66.4   | 68.8   | 69.3   | 82.9   | 56.7 | 57.8  |
| 6/12/2025  | 12:44:52 PM | 51.9   | 55.2   | 56.9   | 77.6   | 47.4 | 50    |
| 6/12/2025  | 12:43:52 PM | 59.4   | 55.9   | 61.7   | 81.1   | 49.9 | 52.1  |
| 6/12/2025  | 12:42:52 PM | 65.2   | 73.2   | 77.1   | 90.7   | 54   | 62    |
| 6/12/2025  | 12:41:52 PM | 57.8   | 62     | 64.3   | 81.6   | 50.7 | 53.7  |
| 6/12/2025  | 12:40:52 PM | 55.1   | 58     | 59     | 77.5   | 49.2 | 50.8  |
| 6/12/2025  | 12:39:52 PM | 64.9   | 66     | 66.5   | 85.7   | 54.7 | 56.1  |
| 6/12/2025  | 12:38:52 PM | 65.1   | 66.5   | 67.5   | 82.8   | 53.8 | 55.8  |
| 6/12/2025  | 12:37:52 PM | 64.2   | 66     | 66.9   | 82.2   | 54.9 | 56.6  |
| 6/12/2025  | 12:36:52 PM | 63.6   | 64.9   | 66.1   | 83.8   | 54.8 | 56.8  |
| 6/12/2025  | 12:35:52 PM | 67.2   | 68.9   | 69.5   | 84.2   | 59.7 | 60.8  |
| 6/12/2025  | 12:34:52 PM | 74.1   | 76.5   | 77.1   | 102.1  | 61.4 | 63.4  |
| 6/12/2025  | 12:33:52 PM | 69     | 71.6   | 73     | 89.4   | 57.3 | 60.4  |
| 6/12/2025  | 12:32:52 PM | 67.8   | 69.9   | 70.3   | 84.4   | 57.5 | 58.8  |
| 6/12/2025  | 12:31:52 PM | 64.6   | 66.1   | 66.7   | 83.6   | 54.4 | 56    |
| 6/12/2025  | 12:30:52 PM | 64.1   | 65.6   | 66.4   | 85.7   | 55.4 | 56.2  |
| 6/12/2025  | 12:29:52 PM | 61.5   | 62.3   | 64.1   | 84.7   | 53.2 | 55    |
| 6/12/2025  | 12:28:52 PM | 61.4   | 62.5   | 63     | 81.9   | 51.9 | 53.8  |
| 6/12/2025  | 12:27:52 PM | 60.7   | 63.2   | 64.3   | 85.9   | 53.6 | 55.4  |
| 6/12/2025  | 12:26:52 PM | 73.1   | 77.7   | 79.9   | 90.2   | 59.4 | 66.1  |
| 6/12/2025  | 12:25:52 PM | 68.9   | 70.8   | 72.2   | 90.7   | 57.9 | 60    |
| 6/12/2025  | 12:24:52 PM | 56.3   | 61.9   | 63.9   | 80.3   | 50.3 | 53.4  |
| 6/12/2025  | 12:23:52 PM | 66.4   | 68.3   | 70.8   | 88     | 56.1 | 58.6  |
| 6/12/2025  | 12:22:52 PM | 48.2   | 52.5   | 56.4   | 77.7   | 45.8 | 47.8  |
| 6/12/2025  | 12:21:52 PM | 52.9   | 53.8   | 54.3   | 76.6   | 46.5 | 47.8  |
| 6/12/2025  | 12:20:52 PM | 63.3   | 64.8   | 65.5   | 81.4   | 53.5 | 54.8  |
| 6/12/2025  | 12:19:52 PM | 62     | 63.6   | 64.9   | 80.4   | 52.4 | 54.2  |
| 6/12/2025  | 12:18:52 PM | 66.2   | 68.1   | 69.6   | 83.8   | 56.1 | 58    |
| 6/12/2025  | 12:17:52 PM | 67.4   | 69.4   | 70.5   | 87.3   | 56   | 58.5  |
| 6/12/2025  | 12:16:52 PM | 65.2   | 67.6   | 69.2   | 86.2   | 58.2 | 59.9  |
| 6/12/2025  | 12:15:52 PM | 77.4   | 79.4   | 80     | 100.5  | 66.2 | 67.5  |
| 6/12/2025  | 12:14:52 PM | 63.4   | 65.7   | 67.3   | 83.4   | 54.6 | 56.9  |
| 6/12/2025  | 12:13:52 PM | 65.5   | 66.9   | 68.1   | 82.9   | 56.5 | 57.8  |
| 6/12/2025  | 12:12:52 PM | 69.9   | 72.3   | 72.8   | 86.1   | 57.5 | 59.2  |
| 6/12/2025  | 12:11:52 PM | 68.3   | 70.1   | 71.5   | 85.2   | 57.2 | 60.4  |
| 6/12/2025  | 12:10:52 PM | 66.6   | 68.1   | 70.5   | 86.8   | 58.9 | 60.8  |
| 6/12/2025  | 12:09:52 PM | 69.1   | 70.6   | 71.7   | 92.9   | 59.9 | 61.9  |
| 6/12/2025  | 12:08:52 PM | 71.1   | 73.1   | 73.6   | 90.1   | 59.8 | 61.1  |
| 6/12/2025  | 12:07:52 PM | 57.2   | 58.3   | 59     | 84.1   | 52.4 | 53.5  |
| 6/12/2025  | 12:06:52 PM | 66.1   | 68.1   | 69.1   | 87.2   | 55   | 57.8  |
| 6/12/2025  | 12:05:52 PM | 62.7   | 64.7   | 68.3   | 88.5   | 52.7 | 56.8  |
| 6/12/2025  | 12:04:52 PM | 69     | 71.3   | 72.1   | 85.6   | 56.4 | 58.6  |
| 6/12/2025  | 12:03:52 PM | 53.6   | 59.2   | 62.2   | 84.3   | 48.5 | 52.7  |

|           | SAMPLETIME  | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|-------------|--------|--------|--------|--------|------|-------|
| 6/12/2025 | 12:02:52 PM | 65.6   | 68.1   | 69.8   | 85.2   | 54   | 56.6  |
| 6/12/2025 | 12:01:52 PM | 65.5   | 67.3   | 68     | 85.6   | 54.7 | 56.7  |
| 6/12/2025 | 12:00:52 PM | 56.4   | 59.6   | 62.1   | 81.6   | 50.7 | 54.8  |
| 6/12/2025 | 11:59:52 AM | 67.6   | 69.4   | 71.7   | 90.2   | 57.6 | 60.2  |
| 6/12/2025 | 11:58:52 AM | 56.2   | 59.9   | 61.9   | 83.6   | 52.6 | 55.7  |
| 6/12/2025 | 11:57:52 AM | 58     | 62     | 63.8   | 80.9   | 51.6 | 56    |
| 6/12/2025 | 11:56:52 AM | 68.2   | 71     | 73.2   | 88.3   | 58.8 | 61.5  |
| 6/12/2025 | 11:55:52 AM | 57.2   | 59.5   | 61.3   | 78.3   | 53.8 | 55.5  |
| 6/12/2025 | 11:54:52 AM | 67.4   | 68.5   | 70.5   | 90.1   | 59.3 | 61.3  |
| 6/12/2025 | 11:53:52 AM | 67.4   | 69.3   | 71.3   | 87.1   | 57.7 | 59.9  |
| 6/12/2025 | 11:52:52 AM | 67.5   | 70.2   | 71.4   | 85.1   | 56.2 | 58.9  |
| 6/12/2025 | 11:51:52 AM | 66.6   | 68.4   | 71.3   | 88.7   | 58.6 | 61.9  |
| 6/12/2025 | 11:50:52 AM | 63.6   | 66     | 66.6   | 81.2   | 54.8 | 57.2  |
| 6/12/2025 | 11:49:52 AM | 64.8   | 66.9   | 68.2   | 82.6   | 56.2 | 58.3  |
| 6/12/2025 | 11:48:52 AM | 67.8   | 69.9   | 71     | 86.1   | 55.7 | 58.7  |
| 6/12/2025 | 11:47:52 AM | 68.6   | 69.9   | 70.7   | 85.7   | 59.5 | 61.7  |
| 6/12/2025 | 11:46:52 AM | 67.9   | 69.6   | 70.3   | 89.1   | 58.8 | 60.7  |
| 6/12/2025 | 11:45:52 AM | 68.2   | 71     | 73.4   | 89.2   | 57.8 | 60.9  |
| 6/12/2025 | 11:44:52 AM | 68.6   | 71.9   | 75.4   | 91.4   | 59.7 | 63.4  |
| 6/12/2025 | 11:43:52 AM | 71.1   | 73.9   | 75.3   | 89.1   | 58.4 | 61.7  |
| 6/12/2025 | 11:42:52 AM | 62.5   | 63.5   | 65.7   | 81.7   | 54.8 | 56.9  |
| 6/12/2025 | 11:41:52 AM | 65.8   | 67.9   | 68.7   | 88.9   | 55.3 | 57.3  |
| 6/12/2025 | 11:40:52 AM | 69.9   | 71.9   | 72.8   | 91.4   | 60.6 | 62.2  |
| 6/12/2025 | 11:39:52 AM | 56.2   | 61.1   | 65.5   | 79.4   | 52.4 | 55.4  |
| 6/12/2025 | 11:38:52 AM | 56     | 60.6   | 63.1   | 77.9   | 49.4 | 55.5  |
| 6/12/2025 | 11:37:52 AM | 67.4   | 69.4   | 70.2   | 86.9   | 57.9 | 60.6  |
| 6/12/2025 | 11:36:52 AM | 68.6   | 70.1   | 71.4   | 89.1   | 58.4 | 60.7  |
| 6/12/2025 | 11:35:52 AM | 59.7   | 60.6   | 64.2   | 81.4   | 52.4 | 56    |
| 6/12/2025 | 11:34:52 AM | 72.4   | 75.4   | 76.5   | 100.5  | 63   | 65    |
| 6/12/2025 | 11:33:52 AM | 62.8   | 65.4   | 66     | 88.8   | 51.7 | 53.7  |
| 6/12/2025 | 11:32:52 AM | 63.7   | 65.4   | 67.8   | 81.5   | 53.2 | 55.7  |
| 6/12/2025 | 11:31:52 AM | 55     | 60     | 62.5   | 78.5   | 48.7 | 53.1  |
| 6/12/2025 | 11:30:52 AM | 65.8   | 68     | 69.5   | 84.2   | 54.9 | 58    |
| 6/12/2025 | 11:29:52 AM | 65.2   | 66.8   | 68.1   | 83.2   | 55.2 | 57.8  |
| 6/12/2025 | 11:28:52 AM | 66.3   | 68     | 68.7   | 86.8   | 55.4 | 57.8  |
| 6/12/2025 | 11:27:52 AM | 62.7   | 61     | 63.2   | 79.8   | 51.8 | 55.2  |
| 6/12/2025 | 11:26:52 AM | 66     | 67.5   | 68.4   | 85.8   | 55.2 | 58.4  |
| 6/12/2025 | 11:25:52 AM | 71.8   | 74.6   | 75.4   | 100.9  | 59.6 | 62.5  |
| 6/12/2025 | 11:24:52 AM | 56.3   | 57.2   | 59.5   | 75.2   | 49.6 | 52.7  |
| 6/12/2025 | 11:23:52 AM | 64.5   | 65.9   | 67.9   | 85.3   | 56.2 | 57.7  |
| 6/12/2025 | 11:22:52 AM | 63.6   | 65.4   | 66.5   | 82.1   | 53.6 | 55.7  |
| 6/12/2025 | 11:21:52 AM | 64     | 68.5   | 73     | 88.9   | 53.8 | 58.9  |
| 6/12/2025 | 11:20:52 AM | 67.9   | 69.9   | 70.5   | 85.3   | 56.1 | 57.9  |
| 6/12/2025 | 11:19:52 AM | 66     | 68.4   | 69.2   | 83.8   | 55.5 | 57.8  |

| SAMPLETIME |             | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|-------------|--------|--------|--------|--------|------|-------|
| 6/12/2025  | 11:18:52 AM | 68.3   | 70.4   | 71.6   | 86.3   | 59.2 | 61.3  |
| 6/12/2025  | 11:17:52 AM | 65.5   | 68.7   | 70.1   | 82.5   | 59   | 60.6  |
| 6/12/2025  | 11:16:52 AM | 57.7   | 59.7   | 61.1   | 77.1   | 55.8 | 56.5  |
| 6/12/2025  | 11:15:52 AM | 69.2   | 72.1   | 74     | 85.7   | 60.9 | 63.5  |
| 6/12/2025  | 11:14:52 AM | 67     | 69.9   | 72.1   | 83.9   | 61.5 | 64.1  |
| 6/12/2025  | 11:13:52 AM | 67.9   | 70.9   | 72.8   | 84.8   | 62.4 | 65.4  |
| 6/12/2025  | 11:12:52 AM | 70.3   | 74.2   | 75.6   | 89.7   | 62.4 | 65.7  |
| 6/12/2025  | 11:11:52 AM | 68.6   | 71.8   | 73.3   | 87     | 61.8 | 64.6  |
| 6/12/2025  | 11:10:52 AM | 61.5   | 64.6   | 66.5   | 79.6   | 58.7 | 60.2  |
| 6/12/2025  | 11:09:52 AM | 59.9   | 61.4   | 62.4   | 77.7   | 57.3 | 58    |
| 6/12/2025  | 11:08:52 AM | 68.6   | 71.3   | 73.4   | 89.4   | 60.9 | 62.9  |
| 6/12/2025  | 11:07:52 AM | 68.4   | 69.8   | 70.5   | 86.2   | 60.7 | 62.3  |
| 6/12/2025  | 11:06:52 AM | 66.6   | 68.2   | 68.9   | 83.4   | 59   | 59.8  |
| 6/12/2025  | 11:05:52 AM | 62.8   | 63.5   | 64.2   | 80.8   | 58.3 | 58.8  |
| 6/12/2025  | 11:04:52 AM | 69.9   | 74.1   | 76.4   | 89.1   | 64.5 | 66.3  |
| 6/12/2025  | 11:03:52 AM | 67.9   | 70.8   | 73.1   | 88.3   | 62.8 | 65    |
| 6/12/2025  | 11:02:52 AM | 68.1   | 70.2   | 71     | 85.3   | 62.4 | 64.1  |
| 6/12/2025  | 11:01:52 AM | 68     | 70.4   | 71.8   | 86.9   | 56.7 | 59.2  |
| 6/12/2025  | 11:00:52 AM | 54.7   | 57.4   | 61     | 77.5   | 51.6 | 53.2  |
| 6/12/2025  | 10:59:52 AM | 70.6   | 73     | 73.8   | 89.6   | 57.7 | 60.3  |
| 6/12/2025  | 10:58:52 AM | 67.1   | 69.6   | 71.6   | 87.4   | 55.6 | 59.1  |
| 6/12/2025  | 10:57:52 AM | 66.4   | 68     | 68.8   | 84.3   | 55.2 | 57.6  |
| 6/12/2025  | 10:56:52 AM | 65.4   | 68.2   | 69.4   | 86     | 55.4 | 58.4  |
| 6/12/2025  | 10:55:52 AM | 66.3   | 68.3   | 69.4   | 85.9   | 58   | 60    |
| 6/12/2025  | 10:54:52 AM | 70.1   | 72.4   | 73.1   | 88.4   | 59.2 | 61    |
| 6/12/2025  | 10:53:52 AM | 68.5   | 70.5   | 72.1   | 87.9   | 56.8 | 59.7  |
| 6/12/2025  | 10:52:52 AM | 62.3   | 63.7   | 64.6   | 79.7   | 54.5 | 56.2  |
| 6/12/2025  | 10:51:52 AM | 65.4   | 70.1   | 71.1   | 84.2   | 57.8 | 61    |
| 6/12/2025  | 10:50:52 AM | 67.2   | 68.4   | 69.4   | 86.3   | 58.4 | 60.9  |
| 6/12/2025  | 10:49:52 AM | 60.6   | 64.7   | 65.6   | 77.9   | 54.4 | 57.2  |
| 6/12/2025  | 10:48:52 AM | 70.1   | 72.6   | 74     | 88     | 60.1 | 62.4  |
| 6/12/2025  | 10:47:52 AM | 68.2   | 69.8   | 70.2   | 87     | 59.1 | 60.8  |
| 6/12/2025  | 10:46:52 AM | 64.1   | 69.5   | 71.3   | 80.7   | 54.8 | 58.7  |
| 6/12/2025  | 10:45:52 AM | 63.3   | 65.1   | 66.3   | 82.2   | 54.9 | 57    |
| 6/12/2025  | 10:44:52 AM | 69     | 70.5   | 72.2   | 87.2   | 59.8 | 62.3  |
| 6/12/2025  | 10:43:52 AM | 72.8   | 74.5   | 75.2   | 96.6   | 62.1 | 64.4  |
| 6/12/2025  | 10:42:52 AM | 64.6   | 65.8   | 67     | 83.3   | 55.8 | 57.2  |
| 6/12/2025  | 10:41:52 AM | 66.4   | 70     | 70.8   | 81.6   | 58.1 | 60.6  |
| 6/12/2025  | 10:40:52 AM | 77.4   | 80     | 80.2   | 89.8   | 70.8 | 73.4  |
| 6/12/2025  | 10:39:52 AM | 62.6   | 63.6   | 64.3   | 79.7   | 55.2 | 56.7  |
| 6/12/2025  | 10:38:52 AM | 55.1   | 58.1   | 60.1   | 78.5   | 52.2 | 54.8  |
| 6/12/2025  | 10:37:52 AM | 67.3   | 68.3   | 69.6   | 84.1   | 58.2 | 59.5  |
| 6/12/2025  | 10:36:52 AM | 56.2   | 56.9   | 59.6   | 75.8   | 51.8 | 54    |
| 6/12/2025  | 10:35:52 AM | 51.1   | 55.8   | 60     | 76.2   | 48.3 | 51.8  |

| SAMPLETIME |             | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|-------------|--------|--------|--------|--------|------|-------|
| 6/12/2025  | 10:34:52 AM | 67.5   | 68.6   | 69.5   | 83.7   | 58.8 | 60.2  |
| 6/12/2025  | 10:33:52 AM | 67.3   | 68.8   | 69.3   | 84.1   | 58   | 59.5  |
| 6/12/2025  | 10:32:52 AM | 66.5   | 68.6   | 69.7   | 84.7   | 54.8 | 57.3  |
| 6/12/2025  | 10:31:52 AM | 65.2   | 69.8   | 71.8   | 82     | 51.7 | 57.9  |
| 6/12/2025  | 10:30:52 AM | 62.7   | 65.7   | 68.2   | 86.2   | 53.9 | 58.1  |
| 6/12/2025  | 10:29:52 AM | 58.6   | 61.8   | 62.5   | 78.4   | 51.7 | 55.8  |
| 6/12/2025  | 10:28:52 AM | 65.4   | 67.5   | 68     | 82.8   | 56.3 | 58.1  |
| 6/12/2025  | 10:27:52 AM | 69.7   | 71.8   | 72.7   | 85.9   | 58.3 | 61.3  |
| 6/12/2025  | 10:26:52 AM | 68.7   | 70.1   | 71.4   | 90.8   | 58.2 | 60.2  |
| 6/12/2025  | 10:25:52 AM | 67.7   | 69.8   | 71     | 86.4   | 56.9 | 60.1  |
| 6/12/2025  | 10:24:52 AM | 64.6   | 70.2   | 72.5   | 86     | 55.6 | 60.4  |
| 6/12/2025  | 10:23:52 AM | 58     | 64     | 68.5   | 81     | 53.9 | 58    |
| 6/12/2025  | 10:22:52 AM | 64.9   | 66.6   | 68.3   | 84.8   | 54.7 | 57.6  |
| 6/12/2025  | 10:21:52 AM | 68     | 70.2   | 71.4   | 85.1   | 57.9 | 60.1  |
| 6/12/2025  | 10:20:52 AM | 57.4   | 58.8   | 62.4   | 77.1   | 50   | 54.7  |
| 6/12/2025  | 10:19:52 AM | 64.6   | 58.6   | 67.2   | 78.6   | 51   | 57    |
| 6/12/2025  | 10:18:52 AM | 69.5   | 72.1   | 73.5   | 89.5   | 57   | 59.7  |
| 6/12/2025  | 10:17:52 AM | 68.6   | 71.1   | 72.1   | 86.3   | 62.5 | 64    |
| 6/12/2025  | 10:16:52 AM | 70     | 72.1   | 73.6   | 88     | 60.6 | 62.9  |
| 6/12/2025  | 10:15:52 AM | 68.4   | 70.4   | 71.9   | 89.5   | 61   | 62.8  |
| 6/12/2025  | 10:14:52 AM | 59     | 59.9   | 64.8   | 78.6   | 56.4 | 58.5  |
| 6/12/2025  | 10:13:52 AM | 68.8   | 71.7   | 72.8   | 88.3   | 60.8 | 62.5  |
| 6/12/2025  | 10:12:52 AM | 68.6   | 70.5   | 71.6   | 88.2   | 59.3 | 60.9  |
| 6/12/2025  | 10:11:52 AM | 67.9   | 69.5   | 69.9   | 90.2   | 59.2 | 61.2  |
| 6/12/2025  | 10:10:52 AM | 65.8   | 68.1   | 70.5   | 85.8   | 59.5 | 61.8  |
| 6/12/2025  | 10:09:52 AM | 67.6   | 70.2   | 71     | 83.9   | 59.1 | 61.2  |
| 6/12/2025  | 10:08:52 AM | 72.5   | 75     | 75.8   | 89.9   | 63.1 | 66.2  |
| 6/12/2025  | 10:07:52 AM | 63.4   | 66.8   | 68.5   | 80.6   | 58.7 | 61.1  |
| 6/12/2025  | 10:06:52 AM | 64.4   | 66.6   | 67.3   | 82.3   | 58.3 | 59.7  |
| 6/12/2025  | 10:05:52 AM | 65.6   | 67.5   | 68.8   | 84.5   | 58.4 | 59.7  |
| 6/12/2025  | 10:04:52 AM | 65.4   | 68.1   | 69     | 82.3   | 60.7 | 62.6  |
| 6/12/2025  | 10:03:52 AM | 66.9   | 69.3   | 69.9   | 84.7   | 61.2 | 63.1  |
| 6/12/2025  | 10:02:52 AM | 67     | 69.7   | 70.5   | 85.1   | 61.7 | 63.4  |
| 6/12/2025  | 10:01:52 AM | 68.8   | 72.2   | 73.4   | 84.2   | 61.7 | 64.4  |
| 6/12/2025  | 10:00:52 AM | 65.8   | 68.2   | 70.4   | 84.1   | 59   | 60.6  |
| 6/12/2025  | 9:59:52 AM  | 65.9   | 69.3   | 70.5   | 82.9   | 59.8 | 61.8  |
| 6/12/2025  | 9:58:52 AM  | 66.8   | 68.7   | 70     | 85.1   | 61.8 | 63.3  |
| 6/12/2025  | 9:57:52 AM  | 66     | 69     | 70.3   | 82.3   | 60.9 | 62.8  |
| 6/12/2025  | 9:56:52 AM  | 65.6   | 68.4   | 71.6   | 84.8   | 60.4 | 62.6  |
| 6/12/2025  | 9:55:52 AM  | 66.3   | 68.1   | 69.8   | 84     | 59.5 | 61.2  |
| 6/12/2025  | 9:54:52 AM  | 66.8   | 70.6   | 72.7   | 83.7   | 60.1 | 62.2  |
| 6/12/2025  | 9:53:52 AM  | 68.5   | 69.8   | 70.6   | 85.1   | 60.4 | 61.8  |
| 6/12/2025  | 9:52:52 AM  | 68.5   | 70.1   | 70.5   | 87.5   | 60   | 62    |
| 6/12/2025  | 9:51:52 AM  | 66     | 67.6   | 68.7   | 83     | 57   | 59.2  |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/12/2025  | 9:50:52 AM | 68.3   | 70.5   | 71.7   | 85.6   | 56   | 58.4  |
| 6/12/2025  | 9:49:52 AM | 64.3   | 66     | 66.8   | 84.2   | 55.8 | 58    |
| 6/12/2025  | 9:48:52 AM | 71.4   | 75.3   | 76.1   | 83.9   | 57.8 | 61.7  |
| 6/12/2025  | 9:47:52 AM | 63.4   | 64.7   | 66.3   | 82.4   | 54.2 | 57.3  |
| 6/12/2025  | 9:46:52 AM | 66.3   | 68.7   | 70.6   | 88.8   | 55.8 | 59    |
| 6/12/2025  | 9:45:52 AM | 67.5   | 69.5   | 70     | 83.9   | 57.2 | 58.7  |
| 6/12/2025  | 9:44:52 AM | 66.9   | 68.6   | 69.1   | 88.3   | 57.2 | 60.1  |
| 6/12/2025  | 9:43:52 AM | 63.9   | 65.8   | 66.3   | 81.7   | 56   | 58    |
| 6/12/2025  | 9:42:52 AM | 63.5   | 65.3   | 67.6   | 82.8   | 56.2 | 58.6  |
| 6/12/2025  | 9:41:52 AM | 64.3   | 65.9   | 67.2   | 87.8   | 57   | 59.9  |
| 6/12/2025  | 9:40:52 AM | 72.6   | 74.6   | 75.1   | 96.2   | 60.8 | 63.7  |
| 6/12/2025  | 9:39:52 AM | 73.5   | 75.7   | 76.4   | 91.4   | 61.5 | 63.5  |
| 6/12/2025  | 9:38:52 AM | 68.1   | 69.6   | 71     | 88.9   | 56.4 | 59.6  |
| 6/12/2025  | 9:37:52 AM | 59.7   | 60.6   | 63.9   | 81.9   | 53.1 | 56.9  |
| 6/12/2025  | 9:36:52 AM | 61.9   | 63.1   | 64.5   | 82.7   | 53.8 | 55.6  |
| 6/12/2025  | 9:35:52 AM | 62.9   | 64.7   | 65.4   | 84.8   | 56.6 | 58.2  |
| 6/12/2025  | 9:34:52 AM | 52.5   | 57.7   | 61.6   | 79.6   | 50.2 | 54.7  |
| 6/12/2025  | 9:33:52 AM | 66.4   | 63     | 70.5   | 80.9   | 54.6 | 58.7  |
| 6/12/2025  | 9:32:52 AM | 72.4   | 75     | 77.1   | 91.9   | 60.4 | 63.4  |
| 6/12/2025  | 9:31:52 AM | 62.9   | 64.3   | 65.8   | 85.9   | 54.6 | 56.6  |
| 6/12/2025  | 9:30:52 AM | 66.7   | 68.5   | 70.3   | 88.5   | 57.5 | 60.1  |
| 6/12/2025  | 9:29:52 AM | 63.3   | 66     | 69     | 85.1   | 53.2 | 56.6  |
| 6/12/2025  | 9:28:52 AM | 65.5   | 63.3   | 70.6   | 77.4   | 52   | 57    |
| 6/12/2025  | 9:27:52 AM | 66.5   | 69.5   | 72.8   | 89.2   | 54.8 | 57.7  |
| 6/12/2025  | 9:26:52 AM | 64.5   | 66.2   | 67     | 82.1   | 55.4 | 57.8  |
| 6/12/2025  | 9:25:52 AM | 65.5   | 69.3   | 72.2   | 87.8   | 53.8 | 58.5  |
| 6/12/2025  | 9:24:52 AM | 65.9   | 67.8   | 69.3   | 84.1   | 57.6 | 59.4  |
| 6/12/2025  | 9:23:52 AM | 64.7   | 65.9   | 66.6   | 85.3   | 57.4 | 59.3  |
| 6/12/2025  | 9:22:52 AM | 60.3   | 65.9   | 67.5   | 75.9   | 52.3 | 55.5  |
| 6/12/2025  | 9:21:52 AM | 65.5   | 67.8   | 68.5   | 82.6   | 56.7 | 58.1  |
| 6/12/2025  | 9:20:52 AM | 62.5   | 64     | 65.6   | 85.7   | 54   | 56.1  |
| 6/12/2025  | 9:19:52 AM | 63.6   | 64.7   | 65.6   | 81.2   | 54.9 | 56.2  |
| 6/12/2025  | 9:18:52 AM | 56.7   | 58.7   | 61.7   | 79.5   | 51.1 | 53.6  |
| 6/12/2025  | 9:17:52 AM | 68.3   | 70.9   | 73.2   | 88.6   | 60.2 | 62.4  |
| 6/12/2025  | 9:16:52 AM | 66.2   | 68.3   | 68.7   | 84     | 56.4 | 58    |
| 6/12/2025  | 9:15:52 AM | 52.1   | 57.1   | 61.8   | 77.2   | 49.8 | 54.1  |
| 6/12/2025  | 9:14:52 AM | 54.7   | 59.1   | 63.4   | 83.1   | 50.3 | 56.2  |
| 6/12/2025  | 9:13:52 AM | 60.5   | 66.8   | 69     | 81.8   | 50.4 | 58    |
| 6/12/2025  | 9:12:52 AM | 70.5   | 72.7   | 74.6   | 90     | 59.3 | 62.6  |
| 6/12/2025  | 9:11:52 AM | 62.3   | 63.7   | 65     | 82.2   | 53.7 | 57    |
| 6/12/2025  | 9:10:52 AM | 67.8   | 70.9   | 72.4   | 86.2   | 56   | 59.8  |
| 6/12/2025  | 9:09:52 AM | 65.3   | 69.9   | 71.3   | 81.9   | 56.7 | 61.4  |
| 6/12/2025  | 9:08:52 AM | 58.3   | 60.6   | 64.9   | 79.7   | 54.6 | 58.3  |
| 6/12/2025  | 9:07:52 AM | 68.8   | 70.4   | 71.6   | 87.8   | 63   | 64.5  |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/12/2025  | 9:06:52 AM | 61.1   | 65.6   | 67.1   | 78.2   | 54.1 | 57.4  |
| 6/12/2025  | 9:05:52 AM | 68.7   | 70.8   | 72.5   | 89.8   | 58.1 | 61.3  |
| 6/12/2025  | 9:04:52 AM | 61.8   | 63.7   | 66.3   | 84.4   | 54.9 | 57    |
| 6/12/2025  | 9:03:52 AM | 65.7   | 67.9   | 69.8   | 84.8   | 58.3 | 60.5  |
| 6/12/2025  | 9:02:52 AM | 56     | 61.3   | 64.1   | 76.5   | 50.8 | 54    |
| 6/12/2025  | 9:01:52 AM | 65.1   | 67.1   | 68.1   | 83.7   | 55.8 | 57.6  |
| 6/12/2025  | 9:00:52 AM | 62.4   | 63.3   | 64.3   | 84     | 53.5 | 55.1  |
| 6/12/2025  | 8:59:52 AM | 56.1   | 62.2   | 64.5   | 79.2   | 51.9 | 54.8  |
| 6/12/2025  | 8:58:52 AM | 65.1   | 67.1   | 69.9   | 81.6   | 54.6 | 58    |
| 6/12/2025  | 8:57:52 AM | 70.9   | 72.5   | 74     | 88.5   | 60.4 | 62.7  |
| 6/12/2025  | 8:56:52 AM | 65.8   | 68.2   | 69.1   | 85.8   | 56.7 | 58.8  |
| 6/12/2025  | 8:55:52 AM | 59.6   | 57.8   | 63.4   | 73.8   | 52.5 | 55    |
| 6/12/2025  | 8:54:52 AM | 68.8   | 71     | 73     | 87.5   | 56.4 | 59.3  |
| 6/12/2025  | 8:53:52 AM | 53.6   | 55.1   | 59.5   | 74.7   | 50.4 | 52.8  |
| 6/12/2025  | 8:52:52 AM | 66     | 67.4   | 68.5   | 83.4   | 57.9 | 59.5  |
| 6/12/2025  | 8:51:52 AM | 56.3   | 59.6   | 61.5   | 74.2   | 52.1 | 53.9  |
| 6/12/2025  | 8:50:52 AM | 57.7   | 60.9   | 62.1   | 76.5   | 50.4 | 53.1  |
| 6/12/2025  | 8:49:52 AM | 67.8   | 68.7   | 69.1   | 85.7   | 54.6 | 58.3  |
| 6/12/2025  | 8:48:52 AM | 67.6   | 69.4   | 70.6   | 86.2   | 56.8 | 57.8  |
| 6/12/2025  | 8:47:52 AM | 63     | 64.9   | 67.1   | 81.6   | 52.9 | 56.1  |
| 6/12/2025  | 8:46:52 AM | 67.4   | 69.6   | 70.3   | 86.7   | 57.1 | 59    |
| 6/12/2025  | 8:45:52 AM | 67.3   | 69.8   | 70.9   | 84.9   | 58.8 | 60.5  |
| 6/12/2025  | 8:44:52 AM | 68.1   | 70.5   | 71.6   | 89     | 58.5 | 60.1  |
| 6/12/2025  | 8:43:52 AM | 63     | 64.1   | 66     | 84.5   | 55.3 | 57    |
| 6/12/2025  | 8:42:52 AM | 65.8   | 67.8   | 69.4   | 87.1   | 58.2 | 60.2  |
| 6/12/2025  | 8:41:52 AM | 67.2   | 69.5   | 70.4   | 86.2   | 57.6 | 59.4  |
| 6/12/2025  | 8:40:52 AM | 59.8   | 58.7   | 62.5   | 75.2   | 50.8 | 52.7  |
| 6/12/2025  | 8:39:52 AM | 66.3   | 67.9   | 69.2   | 84.1   | 56.3 | 58.3  |
| 6/12/2025  | 8:38:52 AM | 62.9   | 64.4   | 64.8   | 79.8   | 53.5 | 55.6  |
| 6/12/2025  | 8:37:52 AM | 68.6   | 70.9   | 72     | 86.3   | 56.8 | 58.8  |
| 6/12/2025  | 8:36:52 AM | 72.9   | 75.2   | 76.2   | 88.7   | 59.6 | 62.7  |
| 6/12/2025  | 8:35:52 AM | 67.1   | 69.1   | 70.1   | 83.9   | 60.3 | 61.6  |
| 6/12/2025  | 8:34:52 AM | 65.7   | 67.4   | 68.2   | 83     | 57.7 | 59.8  |
| 6/12/2025  | 8:33:52 AM | 69.6   | 72.3   | 74.2   | 91.3   | 57.8 | 61    |
| 6/12/2025  | 8:32:52 AM | 68.3   | 71     | 72.8   | 88.6   | 60.3 | 63.1  |
| 6/12/2025  | 8:31:52 AM | 65.5   | 66.8   | 67.8   | 83.1   | 56.2 | 57.8  |
| 6/12/2025  | 8:30:52 AM | 67.4   | 68.3   | 69.7   | 87     | 58.1 | 60.3  |
| 6/12/2025  | 8:29:52 AM | 70     | 69.1   | 69.6   | 91.3   | 59.9 | 60.9  |
| 6/12/2025  | 8:28:52 AM | 70.7   | 72     | 72.8   | 96.6   | 61.4 | 62    |
| 6/12/2025  | 8:27:52 AM | 57.1   | 59.3   | 61.7   | 78.9   | 55.9 | 56.8  |
| 6/12/2025  | 8:26:52 AM | 67.5   | 70.2   | 73     | 90.4   | 58.6 | 61.3  |
| 6/12/2025  | 8:25:52 AM | 65.3   | 66.7   | 67.3   | 82.4   | 55   | 57.1  |
| 6/12/2025  | 8:24:52 AM | 65.7   | 67.3   | 68.9   | 87     | 57.2 | 59.4  |
| 6/12/2025  | 8:23:52 AM | 65.9   | 68.1   | 68.9   | 83.7   | 59.1 | 60.8  |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/12/2025  | 8:22:52 AM | 68.5   | 69.8   | 70.5   | 85.3   | 57.9 | 59    |
| 6/12/2025  | 8:21:52 AM | 65.9   | 67.4   | 68.3   | 84.8   | 55.9 | 57.6  |
| 6/12/2025  | 8:20:52 AM | 65.3   | 67.1   | 69.7   | 84.6   | 56.8 | 58.5  |
| 6/12/2025  | 8:19:52 AM | 65.3   | 66.9   | 67.9   | 84.3   | 57.2 | 59.1  |
| 6/12/2025  | 8:18:52 AM | 53.1   | 53.8   | 57.8   | 73.3   | 50.4 | 51.3  |
| 6/12/2025  | 8:17:52 AM | 64.2   | 65.5   | 66.3   | 84     | 55.3 | 56.6  |
| 6/12/2025  | 8:16:52 AM | 66.1   | 67.1   | 67.8   | 83.8   | 56.6 | 57.8  |
| 6/12/2025  | 8:15:52 AM | 66.3   | 67.7   | 68.2   | 83.9   | 57.8 | 59    |
| 6/12/2025  | 8:14:52 AM | 68.5   | 70.8   | 72     | 86.8   | 57.4 | 59.6  |
| 6/12/2025  | 8:13:52 AM | 67.6   | 70     | 71.6   | 87.2   | 58.4 | 60.6  |
| 6/12/2025  | 8:12:52 AM | 65.2   | 66.2   | 66.7   | 82.4   | 55.9 | 57.1  |
| 6/12/2025  | 8:11:52 AM | 55.2   | 56.3   | 59.1   | 76.6   | 52.5 | 53.8  |
| 6/12/2025  | 8:10:52 AM | 69.3   | 71.3   | 72.1   | 86.3   | 59.9 | 61.9  |
| 6/12/2025  | 8:09:52 AM | 66     | 67.7   | 69.1   | 85.8   | 58   | 59.2  |
| 6/12/2025  | 8:08:52 AM | 65.1   | 67.2   | 67.7   | 83.7   | 54.8 | 56.2  |
| 6/12/2025  | 8:07:52 AM | 69.3   | 71.5   | 72.2   | 86.1   | 59   | 61.2  |
| 6/12/2025  | 8:06:52 AM | 67.1   | 70     | 71.4   | 86.5   | 56   | 58.9  |
| 6/12/2025  | 8:05:52 AM | 56.2   | 57.9   | 59     | 76.8   | 50.8 | 52.9  |
| 6/12/2025  | 8:04:52 AM | 66.4   | 68.8   | 71.2   | 87.4   | 55.3 | 57.6  |
| 6/12/2025  | 8:03:52 AM | 57.4   | 63.8   | 66.4   | 76.2   | 51.5 | 55.6  |
| 6/12/2025  | 8:02:52 AM | 67.9   | 69.8   | 70.2   | 88     | 58.3 | 59.7  |
| 6/12/2025  | 8:01:52 AM | 51.8   | 53.8   | 58     | 76.1   | 47.9 | 49.9  |
| 6/12/2025  | 8:00:52 AM | 65.5   | 67.8   | 70.3   | 88.1   | 58   | 59.9  |
| 6/12/2025  | 7:59:52 AM | 53.1   | 56.4   | 58.9   | 74.1   | 49.5 | 52    |
| 6/12/2025  | 7:58:52 AM | 65.8   | 67.7   | 68.2   | 82.7   | 57.2 | 58.8  |
| 6/12/2025  | 7:57:52 AM | 66     | 67.7   | 68.4   | 83     | 54.8 | 56.1  |
| 6/12/2025  | 7:56:52 AM | 55.4   | 56.4   | 57.6   | 74.9   | 50   | 51    |
| 6/12/2025  | 7:55:52 AM | 56.7   | 59.3   | 60.8   | 78     | 50.5 | 52.4  |
| 6/12/2025  | 7:54:52 AM | 63.1   | 64.7   | 65.3   | 86.9   | 54.1 | 55.6  |
| 6/12/2025  | 7:53:52 AM | 63.8   | 65.5   | 66.7   | 82.5   | 53.9 | 56.1  |
| 6/12/2025  | 7:52:52 AM | 65.3   | 67.9   | 68.8   | 81.8   | 54.7 | 56.3  |
| 6/12/2025  | 7:51:52 AM | 66.2   | 67.7   | 68.2   | 84.3   | 54.6 | 56    |
| 6/12/2025  | 7:50:52 AM | 63.7   | 59.3   | 64.5   | 75.3   | 49.2 | 52.6  |
| 6/12/2025  | 7:49:52 AM | 66.5   | 68.9   | 70.8   | 86.3   | 56.7 | 59    |
| 6/12/2025  | 7:48:52 AM | 63.5   | 65     | 65.9   | 81.8   | 52.6 | 54.3  |
| 6/12/2025  | 7:47:52 AM | 62.4   | 63.4   | 64.7   | 82.1   | 54.3 | 56.2  |
| 6/12/2025  | 7:46:52 AM | 66.3   | 67.6   | 68.3   | 83.4   | 57.1 | 58.4  |
| 6/12/2025  | 7:45:52 AM | 53.9   | 57.9   | 61     | 76.4   | 50.2 | 51.8  |
| 6/12/2025  | 7:44:52 AM | 67.2   | 69     | 70.5   | 87.3   | 58.8 | 60.8  |
| 6/12/2025  | 7:43:52 AM | 69.4   | 71.1   | 71.9   | 84     | 57.1 | 58.8  |
| 6/12/2025  | 7:42:52 AM | 64.3   | 68.6   | 72.5   | 89.7   | 55.9 | 60    |
| 6/12/2025  | 7:41:52 AM | 54.7   | 56.8   | 58.5   | 74.9   | 51.3 | 52.6  |
| 6/12/2025  | 7:40:52 AM | 65.6   | 67.1   | 69.1   | 84.1   | 55.1 | 57.5  |
| 6/12/2025  | 7:39:52 AM | 64     | 66     | 66.8   | 84.5   | 54.8 | 55.9  |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/12/2025  | 7:38:52 AM | 54.4   | 55.8   | 59.9   | 75.6   | 49.5 | 52.1  |
| 6/12/2025  | 7:37:52 AM | 55.9   | 56.6   | 57     | 79.7   | 51.3 | 52.1  |
| 6/12/2025  | 7:36:52 AM | 70.9   | 72.8   | 73.3   | 87.7   | 57.9 | 60.3  |
| 6/12/2025  | 7:35:52 AM | 68.6   | 70.7   | 72     | 88.9   | 56.6 | 59.3  |
| 6/12/2025  | 7:34:52 AM | 61.7   | 62.9   | 64.2   | 78.6   | 53.3 | 54.6  |
| 6/12/2025  | 7:33:52 AM | 61.6   | 63.4   | 65.7   | 83.1   | 54.4 | 56.1  |
| 6/12/2025  | 7:32:52 AM | 63.1   | 64.4   | 65.1   | 79.6   | 54.5 | 56.3  |
| 6/12/2025  | 7:31:52 AM | 65.3   | 67     | 67.5   | 85.3   | 54.9 | 56.2  |
| 6/12/2025  | 7:30:52 AM | 69.9   | 71.9   | 72.5   | 86.8   | 57.2 | 59.1  |
| 6/12/2025  | 7:29:52 AM | 49.3   | 51.7   | 52.6   | 71.9   | 44.4 | 45.8  |
| 6/12/2025  | 7:28:52 AM | 50.8   | 53     | 55.5   | 71.2   | 46.4 | 48.9  |
| 6/12/2025  | 7:27:52 AM | 65.5   | 67.4   | 68.1   | 83.8   | 54.2 | 56.1  |
| 6/12/2025  | 7:26:52 AM | 62.3   | 64.5   | 67.5   | 85     | 52.2 | 56.5  |
| 6/12/2025  | 7:25:52 AM | 60.4   | 62.5   | 63.2   | 78     | 52.4 | 53.1  |
| 6/12/2025  | 7:24:52 AM | 60.1   | 62.8   | 63.7   | 79.4   | 52.1 | 54.2  |
| 6/12/2025  | 7:23:52 AM | 61.7   | 66.2   | 67.8   | 76.5   | 49.5 | 54.2  |
| 6/12/2025  | 7:22:52 AM | 63.8   | 65.7   | 66.5   | 82.4   | 55.2 | 57.1  |
| 6/12/2025  | 7:21:52 AM | 58.6   | 62     | 64.7   | 73.9   | 50.8 | 54.5  |
| 6/12/2025  | 7:20:52 AM | 54.4   | 55.1   | 55.9   | 71.8   | 48.4 | 49.1  |
| 6/12/2025  | 7:19:52 AM | 65.5   | 67.5   | 69.8   | 86.6   | 55.3 | 58.7  |
| 6/12/2025  | 7:18:52 AM | 58.2   | 59.1   | 59.9   | 80.1   | 51.4 | 52.2  |
| 6/12/2025  | 7:17:52 AM | 67.2   | 69.6   | 70.3   | 84.1   | 56   | 57.7  |
| 6/12/2025  | 7:16:52 AM | 52.7   | 55.1   | 56.9   | 80.4   | 48.5 | 49.4  |
| 6/12/2025  | 7:15:52 AM | 66.8   | 68.7   | 69.5   | 83.8   | 57.9 | 58.9  |
| 6/12/2025  | 7:14:52 AM | 49.6   | 50.8   | 51.6   | 70.8   | 46.3 | 47    |
| 6/12/2025  | 7:13:52 AM | 59.2   | 62     | 62.4   | 75.4   | 50.9 | 52.9  |
| 6/12/2025  | 7:12:52 AM | 59     | 61.9   | 64.6   | 78.2   | 53.6 | 56.9  |
| 6/12/2025  | 7:11:52 AM | 61.7   | 62.8   | 64.8   | 84     | 52.2 | 54.4  |
| 6/12/2025  | 7:10:52 AM | 62.8   | 64.4   | 65.2   | 84.5   | 55.8 | 56.6  |
| 6/12/2025  | 7:09:52 AM | 60.8   | 61.9   | 64.2   | 78.4   | 52.8 | 54.6  |
| 6/12/2025  | 7:08:52 AM | 57.5   | 61     | 63     | 77.1   | 51.9 | 53.4  |
| 6/12/2025  | 7:07:52 AM | 54.1   | 55.2   | 56.1   | 74.9   | 49.5 | 50.3  |
| 6/12/2025  | 7:06:52 AM | 55.3   | 56.9   | 57.5   | 74     | 51.7 | 52.6  |
| 6/12/2025  | 7:05:52 AM | 67.1   | 69.5   | 71.6   | 85.9   | 55.5 | 58.5  |
| 6/12/2025  | 7:04:52 AM | 57.5   | 62.5   | 64.2   | 79     | 52.5 | 54.5  |
| 6/12/2025  | 7:03:52 AM | 66.3   | 68.3   | 69.2   | 83.2   | 56.6 | 58.3  |
| 6/12/2025  | 7:02:52 AM | 61.2   | 62.8   | 63.5   | 78.9   | 55   | 56.2  |
| 6/12/2025  | 7:01:52 AM | 50.1   | 52     | 52.8   | 69.9   | 47.5 | 48.3  |
| 6/12/2025  | 7:00:52 AM | 54.7   | 56.1   | 56.8   | 72     | 50.2 | 51    |
| 6/12/2025  | 6:59:52 AM | 64.5   | 66.3   | 68.4   | 87.8   | 56.7 | 59.8  |
| 6/12/2025  | 6:58:52 AM | 64.2   | 68     | 69.2   | 78.5   | 54.1 | 59    |
| 6/12/2025  | 6:57:52 AM | 63.4   | 68.5   | 70.8   | 81.4   | 53.4 | 59.8  |
| 6/12/2025  | 6:56:52 AM | 54.7   | 57.9   | 59.7   | 73.3   | 49   | 51.6  |
| 6/12/2025  | 6:55:52 AM | 52.1   | 54.7   | 56.2   | 70.7   | 47.9 | 49    |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/12/2025  | 6:54:52 AM | 65.8   | 67.5   | 68.1   | 82.9   | 54.4 | 55.5  |
| 6/12/2025  | 6:53:52 AM | 53.9   | 54.2   | 54.9   | 74.2   | 48.6 | 49.6  |
| 6/12/2025  | 6:52:52 AM | 55.9   | 56.6   | 57.1   | 75.8   | 50.7 | 51.4  |
| 6/12/2025  | 6:51:52 AM | 65.8   | 67.5   | 68.3   | 83.5   | 55   | 56.2  |
| 6/12/2025  | 6:50:52 AM | 52.4   | 53.7   | 54.3   | 69.3   | 48.3 | 49    |
| 6/12/2025  | 6:49:52 AM | 66.7   | 68.9   | 71.5   | 88.9   | 56.1 | 58.7  |
| 6/12/2025  | 6:48:52 AM | 63.9   | 65.7   | 67     | 85.9   | 55.2 | 56.5  |
| 6/12/2025  | 6:47:52 AM | 71.8   | 74.6   | 75.5   | 94.8   | 59.5 | 61.6  |
| 6/12/2025  | 6:46:52 AM | 65.6   | 66.8   | 68.6   | 84     | 56   | 57.6  |
| 6/12/2025  | 6:45:52 AM | 63.4   | 64.5   | 66.1   | 82.6   | 52.8 | 54.4  |
| 6/12/2025  | 6:44:52 AM | 53.2   | 54.3   | 55.1   | 71.6   | 49.7 | 50.4  |
| 6/12/2025  | 6:43:52 AM | 66     | 68.3   | 69.6   | 83.5   | 53.6 | 55.7  |
| 6/12/2025  | 6:42:52 AM | 64.6   | 66.3   | 66.8   | 81.9   | 53.3 | 54.4  |
| 6/12/2025  | 6:41:52 AM | 53.5   | 57.9   | 59.6   | 70     | 46.7 | 48.5  |
| 6/12/2025  | 6:40:52 AM | 62.1   | 63.9   | 65     | 79.4   | 52.1 | 53.5  |
| 6/12/2025  | 6:39:52 AM | 63.9   | 65.9   | 66.4   | 83.1   | 52.7 | 54.2  |
| 6/12/2025  | 6:38:52 AM | 55.6   | 57.5   | 58.4   | 71     | 50.8 | 51.5  |
| 6/12/2025  | 6:37:52 AM | 48.4   | 49.8   | 50.7   | 64.9   | 44.7 | 45.6  |
| 6/12/2025  | 6:36:52 AM | 49.5   | 52.3   | 53.8   | 66.5   | 44.9 | 46    |
| 6/12/2025  | 6:35:52 AM | 64.3   | 66.1   | 66.7   | 81.1   | 52.6 | 53.6  |
| 6/12/2025  | 6:34:52 AM | 52     | 53.4   | 54.2   | 71.2   | 48.4 | 49.9  |
| 6/12/2025  | 6:33:52 AM | 68.6   | 70.2   | 70.5   | 85.7   | 56.4 | 58.9  |
| 6/12/2025  | 6:32:52 AM | 68.4   | 70.3   | 71.7   | 85.9   | 56.3 | 58.2  |
| 6/12/2025  | 6:31:52 AM | 55.9   | 57.3   | 57.7   | 76.1   | 52.8 | 53.4  |
| 6/12/2025  | 6:30:52 AM | 56.2   | 56.9   | 57.7   | 75.8   | 52.1 | 52.9  |
| 6/12/2025  | 6:29:52 AM | 59.8   | 61.6   | 62     | 77     | 52.8 | 54.2  |
| 6/12/2025  | 6:28:52 AM | 65.6   | 67.5   | 68.4   | 82.4   | 57.1 | 58.4  |
| 6/12/2025  | 6:27:52 AM | 55.7   | 57.3   | 58.1   | 74.1   | 51.8 | 52.4  |
| 6/12/2025  | 6:26:52 AM | 58.2   | 60.2   | 61.3   | 75.2   | 50.9 | 51.8  |
| 6/12/2025  | 6:25:52 AM | 51.2   | 53.4   | 55.3   | 68.6   | 47.5 | 49    |
| 6/12/2025  | 6:24:52 AM | 51.4   | 52.2   | 53     | 72.1   | 47.8 | 48.6  |
| 6/12/2025  | 6:23:52 AM | 66.2   | 68.3   | 69.1   | 84.7   | 58   | 59.9  |
| 6/12/2025  | 6:22:52 AM | 50     | 51.7   | 52.7   | 66.5   | 45.8 | 47.5  |
| 6/12/2025  | 6:21:52 AM | 53.6   | 54.8   | 55.5   | 69.2   | 48.4 | 49.6  |
| 6/12/2025  | 6:20:52 AM | 63.8   | 65.4   | 66.1   | 85.9   | 51.5 | 53.3  |
| 6/12/2025  | 6:19:52 AM | 65     | 66.9   | 68     | 83.7   | 56.2 | 57.6  |
| 6/12/2025  | 6:18:52 AM | 64.3   | 66.5   | 67     | 81.6   | 52.1 | 53.6  |
| 6/12/2025  | 6:17:52 AM | 48.1   | 49.2   | 50     | 69.9   | 43.4 | 44.5  |
| 6/12/2025  | 6:16:52 AM | 49.1   | 50.4   | 51.2   | 69.1   | 43.5 | 45    |
| 6/12/2025  | 6:15:52 AM | 63.9   | 65     | 66.4   | 81.9   | 52.3 | 53.8  |
| 6/12/2025  | 6:14:52 AM | 49.9   | 51.4   | 53.2   | 67.9   | 46   | 48    |
| 6/12/2025  | 6:13:52 AM | 68.6   | 70.3   | 71     | 84.1   | 56   | 57.7  |
| 6/12/2025  | 6:12:52 AM | 49.9   | 51.7   | 53.7   | 73     | 45.3 | 47.5  |
| 6/12/2025  | 6:11:52 AM | 55.3   | 53.9   | 55.8   | 74.3   | 48.1 | 50.2  |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/12/2025  | 6:10:52 AM | 58.9   | 60     | 60.7   | 77.7   | 50.8 | 51.7  |
| 6/12/2025  | 6:09:52 AM | 49.4   | 52.8   | 55.3   | 81.9   | 44.5 | 46.3  |
| 6/12/2025  | 6:08:52 AM | 51.9   | 53.2   | 53.8   | 68.7   | 45.2 | 46.5  |
| 6/12/2025  | 6:07:52 AM | 70.9   | 72.8   | 74.9   | 91.5   | 58.8 | 61.2  |
| 6/12/2025  | 6:06:52 AM | 50     | 52.4   | 54.2   | 73     | 45.9 | 48.4  |
| 6/12/2025  | 6:05:52 AM | 48.1   | 50.4   | 54.2   | 71.7   | 43.6 | 46.4  |
| 6/12/2025  | 6:04:52 AM | 60     | 60.8   | 61.1   | 79.9   | 54.9 | 55.4  |
| 6/12/2025  | 6:03:52 AM | 62.7   | 63.8   | 65.4   | 80.9   | 55.3 | 56.3  |
| 6/12/2025  | 6:02:52 AM | 66.5   | 68.8   | 69.6   | 83.1   | 56.3 | 57.4  |
| 6/12/2025  | 6:01:52 AM | 51     | 53.2   | 54.6   | 68.1   | 44.6 | 46.7  |
| 6/12/2025  | 6:00:52 AM | 50.5   | 52.1   | 53.9   | 66.9   | 45.3 | 46.8  |
| 6/12/2025  | 5:59:52 AM | 52.5   | 54.6   | 56.6   | 77.9   | 48.1 | 51.6  |
| 6/12/2025  | 5:58:52 AM | 54.5   | 56.6   | 58.8   | 75.7   | 48.2 | 51.8  |
| 6/12/2025  | 5:57:52 AM | 55.5   | 57.8   | 59.8   | 70.3   | 49.6 | 52.1  |
| 6/12/2025  | 5:56:52 AM | 53.2   | 57.1   | 59.8   | 73.2   | 48.2 | 53.1  |
| 6/12/2025  | 5:55:52 AM | 62.5   | 66.1   | 67.8   | 78.5   | 51.9 | 57.8  |
| 6/12/2025  | 5:54:52 AM | 60.2   | 64.7   | 66.7   | 77.8   | 50.5 | 55.2  |
| 6/12/2025  | 5:53:52 AM | 58.4   | 60.7   | 62.5   | 79.4   | 52   | 55.3  |
| 6/12/2025  | 5:52:52 AM | 49.9   | 53.8   | 55.2   | 65.1   | 43.6 | 46.5  |
| 6/12/2025  | 5:51:52 AM | 47.8   | 53.6   | 56.1   | 68.4   | 42.3 | 47.3  |
| 6/12/2025  | 5:50:52 AM | 51.8   | 55.8   | 57.7   | 73.5   | 46.4 | 49.8  |
| 6/12/2025  | 5:49:52 AM | 54.1   | 57.8   | 58.9   | 80.3   | 47.8 | 49.2  |
| 6/12/2025  | 5:48:52 AM | 50.4   | 52.4   | 53.2   | 70.5   | 45.3 | 46.5  |
| 6/12/2025  | 5:47:52 AM | 62.5   | 64     | 64.4   | 87.1   | 53.7 | 54.8  |
| 6/12/2025  | 5:46:52 AM | 64.3   | 65.8   | 66.5   | 83.5   | 52   | 54    |
| 6/12/2025  | 5:45:52 AM | 52.7   | 55.8   | 57.7   | 71.4   | 45.7 | 48.1  |
| 6/12/2025  | 5:44:52 AM | 59     | 60.4   | 61.9   | 81     | 49.5 | 51.2  |
| 6/12/2025  | 5:43:52 AM | 51.9   | 53.5   | 55     | 69.7   | 46.4 | 48.7  |
| 6/12/2025  | 5:42:52 AM | 50     | 52.1   | 53.9   | 68.7   | 43.6 | 46.8  |
| 6/12/2025  | 5:41:52 AM | 52.2   | 53.4   | 54.1   | 69.1   | 46.7 | 48.2  |
| 6/12/2025  | 5:40:52 AM | 43.4   | 46.4   | 49.1   | 67.4   | 41.6 | 43.8  |
| 6/12/2025  | 5:39:52 AM | 51.7   | 53.5   | 56     | 69.1   | 45.4 | 48.7  |
| 6/12/2025  | 5:38:52 AM | 53.6   | 58     | 60     | 73.3   | 48.6 | 53.6  |
| 6/12/2025  | 5:37:52 AM | 53.5   | 55.7   | 58     | 70.4   | 48.8 | 52.6  |
| 6/12/2025  | 5:36:52 AM | 51.2   | 54.6   | 57.2   | 71.1   | 46.3 | 48.5  |
| 6/12/2025  | 5:35:52 AM | 47.2   | 49.4   | 51.2   | 71.5   | 43.7 | 45.6  |
| 6/12/2025  | 5:34:52 AM | 52.2   | 53.4   | 54.1   | 78     | 49   | 50.1  |
| 6/12/2025  | 5:33:52 AM | 47     | 50.6   | 52.2   | 69.7   | 43.3 | 44.8  |
| 6/12/2025  | 5:32:52 AM | 65.7   | 63.1   | 67.7   | 81.9   | 46.7 | 52.4  |
| 6/12/2025  | 5:31:52 AM | 67.1   | 69.7   | 71.5   | 87.1   | 54.4 | 56.2  |
| 6/12/2025  | 5:30:52 AM | 47     | 49.4   | 51.2   | 65.2   | 42.6 | 45.6  |
| 6/12/2025  | 5:29:52 AM | 49.1   | 50.4   | 52.4   | 64.6   | 44.9 | 46.9  |
| 6/12/2025  | 5:28:52 AM | 49     | 50.5   | 51.2   | 65.4   | 42.7 | 43.9  |
| 6/12/2025  | 5:27:52 AM | 42.2   | 44.3   | 45.9   | 60.9   | 38.9 | 41.2  |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/12/2025  | 5:26:52 AM | 52.4   | 55.5   | 57.8   | 67.8   | 46.1 | 50.6  |
| 6/12/2025  | 5:25:52 AM | 50.8   | 53.3   | 55.5   | 66.3   | 47.8 | 51    |
| 6/12/2025  | 5:24:52 AM | 51.1   | 54.6   | 57.1   | 66.3   | 46.9 | 50.5  |
| 6/12/2025  | 5:23:52 AM | 46.3   | 47.6   | 48.2   | 66.8   | 40.5 | 41.9  |
| 6/12/2025  | 5:22:52 AM | 54.8   | 56.7   | 58.6   | 71     | 47.5 | 49.5  |
| 6/12/2025  | 5:21:52 AM | 48.3   | 49.6   | 50.8   | 66.2   | 43   | 43.9  |
| 6/12/2025  | 5:20:52 AM | 45.4   | 46.9   | 48.7   | 69.4   | 40.7 | 42.1  |
| 6/12/2025  | 5:19:52 AM | 56.4   | 58.3   | 59.2   | 75.2   | 48.7 | 49.8  |
| 6/12/2025  | 5:18:52 AM | 50.4   | 51.8   | 52.7   | 66.6   | 42.6 | 43.8  |
| 6/12/2025  | 5:17:52 AM | 47.8   | 49.1   | 50.1   | 65.3   | 42.7 | 43.8  |
| 6/12/2025  | 5:16:52 AM | 46.6   | 48.4   | 49.2   | 61.5   | 39.2 | 40.2  |
| 6/12/2025  | 5:15:52 AM | 41.5   | 43.1   | 44.4   | 65.7   | 36   | 37.5  |
| 6/12/2025  | 5:14:52 AM | 48.8   | 49.9   | 50.7   | 64.5   | 42   | 43.3  |
| 6/12/2025  | 5:13:52 AM | 49     | 50.5   | 51.5   | 63.9   | 41.4 | 42.5  |
| 6/12/2025  | 5:12:52 AM | 48.3   | 50     | 50.9   | 63.5   | 40.8 | 41.6  |
| 6/12/2025  | 5:11:52 AM | 47.2   | 49.5   | 50.5   | 67.4   | 40.8 | 42.1  |
| 6/12/2025  | 5:10:52 AM | 47.2   | 49.7   | 50.6   | 67.4   | 40.3 | 41    |
| 6/12/2025  | 5:09:52 AM | 65     | 66.2   | 67.8   | 84.4   | 53.2 | 55.4  |
| 6/12/2025  | 5:08:52 AM | 41.5   | 43.9   | 47.4   | 66     | 37   | 38.7  |
| 6/12/2025  | 5:07:52 AM | 54.6   | 53.2   | 60.4   | 69.3   | 45.3 | 48.2  |
| 6/12/2025  | 5:06:52 AM | 73.8   | 76.8   | 78.2   | 93.7   | 59.8 | 63.4  |
| 6/12/2025  | 5:05:52 AM | 45.6   | 47.1   | 47.7   | 66.8   | 41   | 42    |
| 6/12/2025  | 5:04:52 AM | 45.2   | 46.3   | 47.6   | 68.4   | 39.2 | 40.5  |
| 6/12/2025  | 5:03:52 AM | 41     | 42.8   | 43.4   | 69.1   | 35.8 | 37.3  |
| 6/12/2025  | 5:02:52 AM | 39.4   | 43.3   | 44.8   | 63.6   | 35.4 | 37    |
| 6/12/2025  | 5:01:52 AM | 36.5   | 39.7   | 42     | 69.3   | 34.1 | 36.5  |
| 6/12/2025  | 5:00:52 AM | 42.4   | 44.4   | 47.7   | 78.9   | 37.2 | 38.9  |
| 6/12/2025  | 4:59:52 AM | 44.2   | 45.3   | 46.1   | 61.2   | 40   | 40.8  |
| 6/12/2025  | 4:58:52 AM | 59.7   | 61     | 61.5   | 78.5   | 49   | 50    |
| 6/12/2025  | 4:57:52 AM | 48.6   | 51     | 52.3   | 64.2   | 41.7 | 43    |
| 6/12/2025  | 4:56:52 AM | 40.9   | 46.2   | 50.6   | 70.7   | 37.2 | 40.9  |
| 6/12/2025  | 4:55:52 AM | 51.7   | 52.8   | 54.2   | 69.8   | 45.9 | 46.9  |
| 6/12/2025  | 4:54:52 AM | 46.2   | 48.5   | 49.5   | 63.3   | 41.3 | 42.4  |
| 6/12/2025  | 4:53:52 AM | 45.5   | 45.9   | 48.6   | 69.2   | 37.2 | 39.3  |
| 6/12/2025  | 4:52:52 AM | 47.4   | 49     | 49.9   | 69.9   | 41.2 | 42.3  |
| 6/12/2025  | 4:51:52 AM | 38.6   | 40.3   | 41.1   | 60.3   | 34.7 | 36.2  |
| 6/12/2025  | 4:50:52 AM | 44.1   | 45.7   | 46.3   | 61.2   | 37.6 | 39    |
| 6/12/2025  | 4:49:52 AM | 38.6   | 40.4   | 42.1   | 58.4   | 34.2 | 36.3  |
| 6/12/2025  | 4:48:52 AM | 48.3   | 50     | 51.2   | 66.9   | 40.1 | 41.1  |
| 6/12/2025  | 4:47:52 AM | 43.8   | 45.5   | 46.4   | 64.4   | 36.7 | 38    |
| 6/12/2025  | 4:46:52 AM | 49.5   | 51.3   | 52.1   | 64.5   | 41.3 | 42.4  |
| 6/12/2025  | 4:45:52 AM | 38.8   | 39.7   | 40.8   | 60.2   | 33.6 | 34.8  |
| 6/12/2025  | 4:44:52 AM | 50.2   | 51.4   | 52.6   | 66.1   | 42.6 | 44    |
| 6/12/2025  | 4:43:52 AM | 46.6   | 50.7   | 52.3   | 65.7   | 38.9 | 40.9  |

|           | SAMPLETIME | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|------------|--------|--------|--------|--------|------|-------|
| 6/12/2025 | 4:42:52 AM | 54.2   | 55.2   | 55.8   | 69.8   | 46.9 | 48    |
| 6/12/2025 | 4:41:52 AM | 46.3   | 48.3   | 49.3   | 64.6   | 40.4 | 41.6  |
| 6/12/2025 | 4:40:52 AM | 44.5   | 48.2   | 49.4   | 65.7   | 36.1 | 38.8  |
| 6/12/2025 | 4:39:52 AM | 47.6   | 48.8   | 49.8   | 64.2   | 40.6 | 41.9  |
| 6/12/2025 | 4:38:52 AM | 43.9   | 47.6   | 48.9   | 65.5   | 39.9 | 41.1  |
| 6/12/2025 | 4:37:52 AM | 41.8   | 46.8   | 48.2   | 59.6   | 34.6 | 36.9  |
| 6/12/2025 | 4:36:52 AM | 43     | 46.7   | 47.8   | 62.7   | 35.3 | 37.2  |
| 6/12/2025 | 4:35:52 AM | 42.8   | 46.6   | 47.9   | 63.6   | 35.6 | 38.6  |
| 6/12/2025 | 4:34:52 AM | 42.6   | 44.4   | 45.7   | 61.5   | 37   | 38    |
| 6/12/2025 | 4:33:52 AM | 34.3   | 36.4   | 38.2   | 59.3   | 32.1 | 33.4  |
| 6/12/2025 | 4:32:52 AM | 50.6   | 55.4   | 58.9   | 74.6   | 42.3 | 45.7  |
| 6/12/2025 | 4:31:52 AM | 41.3   | 44.3   | 45.4   | 65.1   | 34.5 | 35.8  |
| 6/12/2025 | 4:30:52 AM | 36.1   | 37.4   | 39.9   | 58     | 33.4 | 34.7  |
| 6/12/2025 | 4:29:52 AM | 37     | 38.6   | 40     | 60.6   | 33.9 | 35.1  |
| 6/12/2025 | 4:28:52 AM | 48.7   | 49.7   | 50.4   | 67     | 43.6 | 44.5  |
| 6/12/2025 | 4:27:52 AM | 36.9   | 37.9   | 39     | 58.7   | 33.3 | 34.5  |
| 6/12/2025 | 4:26:52 AM | 38.2   | 40.8   | 43.8   | 60.3   | 34.8 | 36.3  |
| 6/12/2025 | 4:25:52 AM | 33.9   | 36.1   | 38.1   | 57.1   | 31.8 | 34    |
| 6/12/2025 | 4:24:52 AM | 33.8   | 36     | 38.1   | 56.7   | 31.8 | 34    |
| 6/12/2025 | 4:23:52 AM | 34.8   | 38     | 40.7   | 56.6   | 31.8 | 34.2  |
| 6/12/2025 | 4:22:52 AM | 40.1   | 42     | 42.6   | 62.3   | 34.1 | 35.5  |
| 6/12/2025 | 4:21:52 AM | 49     | 50.1   | 50.8   | 68     | 43.4 | 44.3  |
| 6/12/2025 | 4:20:52 AM | 60     | 61.5   | 62.2   | 82.4   | 50.5 | 51.4  |
| 6/12/2025 | 4:19:52 AM | 49.5   | 51.8   | 52.5   | 73.5   | 40.4 | 41.6  |
| 6/12/2025 | 4:18:52 AM | 39.5   | 41.5   | 42.2   | 63.8   | 34.9 | 36.2  |
| 6/12/2025 | 4:17:52 AM | 35.3   | 36.5   | 38.3   | 61.3   | 33.3 | 34.8  |
| 6/12/2025 | 4:16:52 AM | 36.8   | 37.9   | 40.4   | 63.3   | 34.2 | 35.5  |
| 6/12/2025 | 4:15:52 AM | 49     | 50.4   | 51     | 70.8   | 40.8 | 42.1  |
| 6/12/2025 | 4:14:52 AM | 34.1   | 36     | 37.4   | 68.3   | 32.4 | 33.9  |
| 6/12/2025 | 4:13:52 AM | 43.6   | 46.1   | 47.2   | 64.5   | 36   | 37.3  |
| 6/12/2025 | 4:12:52 AM | 46.7   | 48.1   | 48.7   | 62.9   | 39.2 | 40.8  |
| 6/12/2025 | 4:11:52 AM | 36.2   | 37.6   | 39.2   | 57.8   | 32.8 | 34.4  |
| 6/12/2025 | 4:10:52 AM | 34     | 37.9   | 40     | 56.6   | 32.1 | 34.5  |
| 6/12/2025 | 4:09:52 AM | 40.5   | 42     | 42.8   | 59.8   | 36.2 | 37.1  |
| 6/12/2025 | 4:08:52 AM | 42.2   | 44.6   | 45.6   | 63.4   | 37.3 | 38.5  |
| 6/12/2025 | 4:07:52 AM | 39.5   | 41.4   | 42.5   | 58.9   | 35   | 35.9  |
| 6/12/2025 | 4:06:52 AM | 36.8   | 38.2   | 39.1   | 60.8   | 32.8 | 34.5  |
| 6/12/2025 | 4:05:52 AM | 35.1   | 36.8   | 38.9   | 57.3   | 32.4 | 33.6  |
| 6/12/2025 | 4:04:52 AM | 33.4   | 34.7   | 36.2   | 58.9   | 31.2 | 32.3  |
| 6/12/2025 | 4:03:52 AM | 36.8   | 38     | 38.7   | 59.6   | 33.1 | 33.9  |
| 6/12/2025 | 4:02:52 AM | 32     | 33.7   | 35.8   | 63.7   | 31   | 32.3  |
| 6/12/2025 | 4:01:52 AM | 32.5   | 34.4   | 35.9   | 57.2   | 31.2 | 32.5  |
| 6/12/2025 | 4:00:52 AM | 46.9   | 48.2   | 49.4   | 63.4   | 39.8 | 41.1  |
| 6/12/2025 | 3:59:52 AM | 37     | 38.8   | 41.7   | 60.6   | 33.9 | 35.9  |

|           | SAMPLETIME | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|------------|--------|--------|--------|--------|------|-------|
| 6/12/2025 | 3:58:52 AM | 36.5   | 38.3   | 41.1   | 68.9   | 33.9 | 35.9  |
| 6/12/2025 | 3:57:52 AM | 44.5   | 47.3   | 48.9   | 68.2   | 37.2 | 39    |
| 6/12/2025 | 3:56:52 AM | 33.8   | 37.6   | 40.8   | 69.5   | 32.5 | 35    |
| 6/12/2025 | 3:55:52 AM | 35.2   | 37.2   | 40.3   | 61.4   | 32.7 | 34.9  |
| 6/12/2025 | 3:54:52 AM | 35.1   | 38.5   | 41     | 57.7   | 33.1 | 35    |
| 6/12/2025 | 3:53:52 AM | 34     | 35.3   | 36.6   | 63.6   | 32.5 | 34    |
| 6/12/2025 | 3:52:52 AM | 37.4   | 38.6   | 39.2   | 57.6   | 33.4 | 34.7  |
| 6/12/2025 | 3:51:52 AM | 51.2   | 51.9   | 52.6   | 67.1   | 38   | 39.9  |
| 6/12/2025 | 3:50:52 AM | 51.2   | 52.3   | 52.7   | 67     | 42.5 | 43.5  |
| 6/12/2025 | 3:49:52 AM | 45.9   | 47     | 48.3   | 61.8   | 39.4 | 40.6  |
| 6/12/2025 | 3:48:52 AM | 34.7   | 36.4   | 39.3   | 61.4   | 33.2 | 34.7  |
| 6/12/2025 | 3:47:52 AM | 34.5   | 39.2   | 42.7   | 58.7   | 32.3 | 36.4  |
| 6/12/2025 | 3:46:52 AM | 33.6   | 36.6   | 39.4   | 60.1   | 32   | 34.7  |
| 6/12/2025 | 3:45:52 AM | 50.5   | 51.8   | 52.3   | 68.3   | 43.6 | 44.6  |
| 6/12/2025 | 3:44:52 AM | 48     | 49.6   | 50.1   | 63.3   | 39.7 | 40.4  |
| 6/12/2025 | 3:43:52 AM | 38.3   | 40.8   | 41.9   | 59.2   | 33.5 | 35.1  |
| 6/12/2025 | 3:42:52 AM | 46.9   | 48.4   | 49.1   | 62.2   | 39.8 | 40.9  |
| 6/12/2025 | 3:41:52 AM | 47.4   | 48.8   | 49.7   | 63.3   | 40.4 | 41.5  |
| 6/12/2025 | 3:40:52 AM | 37.3   | 39.8   | 41.3   | 58.4   | 33.5 | 34.5  |
| 6/12/2025 | 3:39:52 AM | 48.1   | 49.4   | 50.8   | 63.4   | 40.5 | 41.9  |
| 6/12/2025 | 3:38:52 AM | 38.6   | 40     | 41     | 59.1   | 33.4 | 34.2  |
| 6/12/2025 | 3:37:52 AM | 51.6   | 52.4   | 53.5   | 67.5   | 43.3 | 44.5  |
| 6/12/2025 | 3:36:52 AM | 37     | 38.5   | 39.2   | 57.6   | 32.3 | 32.9  |
| 6/12/2025 | 3:35:52 AM | 31.1   | 32     | 32.7   | 57.2   | 30.2 | 30.8  |
| 6/12/2025 | 3:34:52 AM | 31.7   | 32.5   | 33.8   | 63.1   | 30.7 | 31.2  |
| 6/12/2025 | 3:33:52 AM | 37.5   | 35.4   | 39     | 61.2   | 30.3 | 31.5  |
| 6/12/2025 | 3:32:52 AM | 50     | 52.2   | 53.1   | 64.6   | 41.5 | 43    |
| 6/12/2025 | 3:31:52 AM | 32.9   | 37.8   | 40.8   | 57.2   | 30   | 31.1  |
| 6/12/2025 | 3:30:52 AM | 31.1   | 31.6   | 32.4   | 56.9   | 29.8 | 30.4  |
| 6/12/2025 | 3:29:52 AM | 46.3   | 48.1   | 49.4   | 65.6   | 38.7 | 39.9  |
| 6/12/2025 | 3:28:52 AM | 44.5   | 45.8   | 47.9   | 63.4   | 39.4 | 40.6  |
| 6/12/2025 | 3:27:52 AM | 66.4   | 69.2   | 72.1   | 88.4   | 53.6 | 57.6  |
| 6/12/2025 | 3:26:52 AM | 31.6   | 32.3   | 32.8   | 58.1   | 30.3 | 30.9  |
| 6/12/2025 | 3:25:52 AM | 33.9   | 35.4   | 36.5   | 60.7   | 32.4 | 34.2  |
| 6/12/2025 | 3:24:52 AM | 39.8   | 41.9   | 42.4   | 58.8   | 34.9 | 36.3  |
| 6/12/2025 | 3:23:52 AM | 35.1   | 35.6   | 36.6   | 57.6   | 32.8 | 34.7  |
| 6/12/2025 | 3:22:52 AM | 35.5   | 36.3   | 37.8   | 57.8   | 33.2 | 34.8  |
| 6/12/2025 | 3:21:52 AM | 35.5   | 36.2   | 37.4   | 57.3   | 33.6 | 35.3  |
| 6/12/2025 | 3:20:52 AM | 45.9   | 47.1   | 47.7   | 60.6   | 38.8 | 40.1  |
| 6/12/2025 | 3:19:52 AM | 35.6   | 36.3   | 37.3   | 57.6   | 32.8 | 33.6  |
| 6/12/2025 | 3:18:52 AM | 37.5   | 38.9   | 39.7   | 58.3   | 33.6 | 34.3  |
| 6/12/2025 | 3:17:52 AM | 35.1   | 35.9   | 36.7   | 64.5   | 32.7 | 33.4  |
| 6/12/2025 | 3:16:52 AM | 38     | 38.9   | 40.1   | 69.1   | 34.5 | 35.5  |
| 6/12/2025 | 3:15:52 AM | 34.9   | 36.2   | 37.1   | 65     | 32.4 | 33    |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/12/2025  | 3:14:52 AM | 33.6   | 34.2   | 34.7   | 57.3   | 31.1 | 31.4  |
| 6/12/2025  | 3:13:52 AM | 41.8   | 43.3   | 44.3   | 59.9   | 36.8 | 37.5  |
| 6/12/2025  | 3:12:52 AM | 38.3   | 39.8   | 40.3   | 59.3   | 33.5 | 34    |
| 6/12/2025  | 3:11:52 AM | 34.2   | 33.9   | 34.3   | 57.4   | 30.8 | 31.2  |
| 6/12/2025  | 3:10:52 AM | 34.4   | 35     | 35.4   | 58.4   | 31.8 | 32.2  |
| 6/12/2025  | 3:09:52 AM | 36.6   | 37.5   | 38.4   | 58.4   | 33.1 | 33.5  |
| 6/12/2025  | 3:08:52 AM | 38     | 39.2   | 39.9   | 59.5   | 33.5 | 34    |
| 6/12/2025  | 3:07:52 AM | 43.1   | 45.1   | 46.6   | 61.1   | 36.8 | 38.2  |
| 6/12/2025  | 3:06:52 AM | 41.7   | 42.6   | 43.5   | 63     | 37   | 37.7  |
| 6/12/2025  | 3:05:52 AM | 39.1   | 40.5   | 41.4   | 60     | 34.2 | 34.8  |
| 6/12/2025  | 3:04:52 AM | 35     | 38.5   | 41.9   | 67.2   | 33.1 | 34    |
| 6/12/2025  | 3:03:52 AM | 41.3   | 40.4   | 42.1   | 63.2   | 33.2 | 34    |
| 6/12/2025  | 3:02:52 AM | 50.9   | 53.1   | 53.5   | 78.8   | 40.9 | 42.4  |
| 6/12/2025  | 3:01:52 AM | 38     | 41.5   | 43.3   | 63.5   | 33   | 33.9  |
| 6/12/2025  | 3:00:52 AM | 36.1   | 36.7   | 37.1   | 58.3   | 32.1 | 32.4  |
| 6/12/2025  | 2:59:52 AM | 40.8   | 41.2   | 42.2   | 59.5   | 33.5 | 34.7  |
| 6/12/2025  | 2:58:52 AM | 40.6   | 41.9   | 42.8   | 63.3   | 35.5 | 36.5  |
| 6/12/2025  | 2:57:52 AM | 35.8   | 36.7   | 38.3   | 67.9   | 32.7 | 34.1  |
| 6/12/2025  | 2:56:52 AM | 42.9   | 44.2   | 45.1   | 70.1   | 35.9 | 36.9  |
| 6/12/2025  | 2:55:52 AM | 37.7   | 41.5   | 45.9   | 68.3   | 33.3 | 35.5  |
| 6/12/2025  | 2:54:52 AM | 38.7   | 39.8   | 40.5   | 71.1   | 34.8 | 35.6  |
| 6/12/2025  | 2:53:52 AM | 39     | 40.1   | 41.1   | 59.2   | 34   | 34.7  |
| 6/12/2025  | 2:52:52 AM | 45.2   | 46.5   | 47.2   | 61.2   | 39.1 | 40.4  |
| 6/12/2025  | 2:51:52 AM | 32.6   | 33.6   | 34.9   | 60.9   | 31   | 31.5  |
| 6/12/2025  | 2:50:52 AM | 31.4   | 31.9   | 34.1   | 58.4   | 30.6 | 31.1  |
| 6/12/2025  | 2:49:52 AM | 31.8   | 33.2   | 34.3   | 58.2   | 30.8 | 31.2  |
| 6/12/2025  | 2:48:52 AM | 36     | 37.1   | 37.6   | 61.6   | 32.1 | 32.6  |
| 6/12/2025  | 2:47:52 AM | 44.1   | 45.6   | 46.4   | 66.6   | 37.3 | 38.6  |
| 6/12/2025  | 2:46:52 AM | 33.4   | 34.9   | 35.4   | 57.7   | 31.1 | 31.5  |
| 6/12/2025  | 2:45:52 AM | 36.5   | 38     | 39.7   | 59.2   | 33.2 | 33.9  |
| 6/12/2025  | 2:44:52 AM | 31.8   | 32.6   | 34.6   | 60.2   | 30.7 | 31.1  |
| 6/12/2025  | 2:43:52 AM | 34.5   | 35.6   | 37.2   | 58.8   | 30.7 | 31.1  |
| 6/12/2025  | 2:42:52 AM | 37.7   | 38.7   | 39.1   | 59.5   | 33.3 | 33.8  |
| 6/12/2025  | 2:41:52 AM | 32     | 33.5   | 34.3   | 62.8   | 30.4 | 30.8  |
| 6/12/2025  | 2:40:52 AM | 33.6   | 35.2   | 36.7   | 63.5   | 31.6 | 32.2  |
| 6/12/2025  | 2:39:52 AM | 36.9   | 38.8   | 40.7   | 64.9   | 32.7 | 33.4  |
| 6/12/2025  | 2:38:52 AM | 35.6   | 36.9   | 37.7   | 61     | 33.5 | 33.8  |
| 6/12/2025  | 2:37:52 AM | 33.2   | 33.7   | 34.1   | 59.7   | 32.7 | 33    |
| 6/12/2025  | 2:36:52 AM | 34.2   | 35.2   | 35.6   | 60.2   | 32.6 | 32.8  |
| 6/12/2025  | 2:35:52 AM | 34.3   | 34.6   | 35     | 60.9   | 33   | 33.2  |
| 6/12/2025  | 2:34:52 AM | 45.6   | 46.5   | 47.2   | 63.2   | 39.2 | 40.1  |
| 6/12/2025  | 2:33:52 AM | 45     | 46.6   | 47.1   | 62.3   | 39.7 | 40.7  |
| 6/12/2025  | 2:32:52 AM | 36.3   | 36.9   | 37.5   | 57.3   | 34   | 34.2  |
| 6/12/2025  | 2:31:52 AM | 44.5   | 46.4   | 47.2   | 63     | 38.7 | 39.9  |

|           | SAMPLETIME | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|------------|--------|--------|--------|--------|------|-------|
| 6/12/2025 | 2:30:52 AM | 34.3   | 35.2   | 35.8   | 57.6   | 33.3 | 33.5  |
| 6/12/2025 | 2:29:52 AM | 38.3   | 40.9   | 42     | 57.9   | 34.7 | 35.8  |
| 6/12/2025 | 2:28:52 AM | 33.5   | 33.9   | 34.6   | 56.8   | 33.1 | 33.5  |
| 6/12/2025 | 2:27:52 AM | 34     | 34.8   | 35.5   | 58.2   | 33.4 | 33.8  |
| 6/12/2025 | 2:26:52 AM | 47.2   | 48.4   | 49.2   | 63.7   | 39.6 | 40.5  |
| 6/12/2025 | 2:25:52 AM | 38.8   | 39.9   | 40.4   | 58.8   | 35.1 | 35.5  |
| 6/12/2025 | 2:24:52 AM | 34.6   | 35.3   | 35.8   | 57.2   | 33.3 | 33.7  |
| 6/12/2025 | 2:23:52 AM | 35.2   | 36     | 36.6   | 58.9   | 33.6 | 33.9  |
| 6/12/2025 | 2:22:52 AM | 34.1   | 36.1   | 37.8   | 57.8   | 33.2 | 33.6  |
| 6/12/2025 | 2:21:52 AM | 34.4   | 35     | 35.9   | 58.9   | 33.3 | 33.6  |
| 6/12/2025 | 2:20:52 AM | 36.1   | 36.3   | 36.9   | 63.8   | 34.3 | 34.7  |
| 6/12/2025 | 2:19:52 AM | 45.4   | 46.5   | 47.3   | 61.9   | 38.2 | 39.1  |
| 6/12/2025 | 2:18:52 AM | 35.4   | 36.5   | 37.3   | 62.6   | 32.5 | 33.2  |
| 6/12/2025 | 2:17:52 AM | 33.6   | 34.7   | 35.1   | 58.7   | 31.3 | 31.9  |
| 6/12/2025 | 2:16:52 AM | 32.8   | 33.7   | 34.2   | 59.9   | 31.3 | 31.8  |
| 6/12/2025 | 2:15:52 AM | 32.2   | 33.4   | 34.1   | 59     | 31.1 | 31.8  |
| 6/12/2025 | 2:14:52 AM | 32.1   | 32.9   | 33.9   | 58.8   | 30.9 | 31.6  |
| 6/12/2025 | 2:13:52 AM | 34.1   | 34.7   | 36.1   | 59.6   | 31.7 | 32.3  |
| 6/12/2025 | 2:12:52 AM | 32.7   | 34.1   | 34.9   | 60.1   | 31.1 | 31.7  |
| 6/12/2025 | 2:11:52 AM | 32.8   | 33.8   | 34.6   | 63     | 31.4 | 32.1  |
| 6/12/2025 | 2:10:52 AM | 33.8   | 34.9   | 37.4   | 62.1   | 31.9 | 32.6  |
| 6/12/2025 | 2:09:52 AM | 42.1   | 43.7   | 44.7   | 61.7   | 36.3 | 37.4  |
| 6/12/2025 | 2:08:52 AM | 39.2   | 42.1   | 44.1   | 60.8   | 36.4 | 37    |
| 6/12/2025 | 2:07:52 AM | 40.9   | 42     | 42.8   | 59.1   | 36.6 | 37.1  |
| 6/12/2025 | 2:06:52 AM | 38     | 39     | 39.5   | 59.1   | 35.5 | 35.8  |
| 6/12/2025 | 2:05:52 AM | 39.5   | 40.5   | 41.5   | 60.9   | 35.7 | 36    |
| 6/12/2025 | 2:04:52 AM | 45.9   | 46.8   | 48     | 62.6   | 39.3 | 40.1  |
| 6/12/2025 | 2:03:52 AM | 35.6   | 35.9   | 36.5   | 59.5   | 35.2 | 35.5  |
| 6/12/2025 | 2:02:52 AM | 37.1   | 37.8   | 38.4   | 60.6   | 35.5 | 35.9  |
| 6/12/2025 | 2:01:52 AM | 35.5   | 35.9   | 36.5   | 62     | 35   | 35.3  |
| 6/12/2025 | 2:00:52 AM | 36.3   | 36.7   | 37.2   | 59.6   | 35.3 | 35.6  |
| 6/12/2025 | 1:59:52 AM | 46.9   | 49.8   | 50.9   | 62.8   | 37.6 | 40.6  |
| 6/12/2025 | 1:58:52 AM | 34.2   | 34.7   | 35.3   | 59.6   | 33.2 | 33.8  |
| 6/12/2025 | 1:57:52 AM | 36.2   | 37     | 37.8   | 60.7   | 33   | 33.5  |
| 6/12/2025 | 1:56:52 AM | 39.1   | 41.3   | 42.8   | 60.4   | 34.5 | 35.1  |
| 6/12/2025 | 1:55:52 AM | 42.5   | 43.8   | 44.7   | 62.1   | 37.2 | 38    |
| 6/12/2025 | 1:54:52 AM | 37     | 38.1   | 39.4   | 59.4   | 33.1 | 33.6  |
| 6/12/2025 | 1:53:52 AM | 37.5   | 38.1   | 40.3   | 60.4   | 34.5 | 35    |
| 6/12/2025 | 1:52:52 AM | 35.3   | 36.4   | 37.1   | 60.1   | 33.8 | 34.2  |
| 6/12/2025 | 1:51:52 AM | 37     | 42.6   | 45     | 72.2   | 33.4 | 34.6  |
| 6/12/2025 | 1:50:52 AM | 37.3   | 38     | 39.6   | 61.1   | 34.5 | 35    |
| 6/12/2025 | 1:49:52 AM | 45.6   | 46.9   | 47.6   | 61.6   | 37.6 | 38.6  |
| 6/12/2025 | 1:48:52 AM | 44.9   | 46     | 48.1   | 63.9   | 37.2 | 38.4  |
| 6/12/2025 | 1:47:52 AM | 34.4   | 35     | 35.5   | 61.8   | 32   | 32.3  |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/12/2025  | 1:46:52 AM | 44.6   | 46.1   | 46.6   | 64.5   | 37.5 | 38.3  |
| 6/12/2025  | 1:45:52 AM | 43.2   | 44.4   | 45.5   | 63.2   | 37   | 38.3  |
| 6/12/2025  | 1:44:52 AM | 34.6   | 35.8   | 37     | 60.4   | 32.6 | 33    |
| 6/12/2025  | 1:43:52 AM | 35.5   | 38.9   | 40.7   | 61.5   | 32.7 | 33.3  |
| 6/12/2025  | 1:42:52 AM | 42.4   | 45     | 46.1   | 62.1   | 36.4 | 37.5  |
| 6/12/2025  | 1:41:52 AM | 37     | 38.5   | 40.1   | 62.9   | 33.6 | 34.3  |
| 6/12/2025  | 1:40:52 AM | 41.1   | 45.5   | 46.8   | 64.8   | 34   | 36.3  |
| 6/12/2025  | 1:39:52 AM | 35.6   | 38     | 39     | 64.6   | 33.1 | 33.8  |
| 6/12/2025  | 1:38:52 AM | 37.2   | 41.3   | 42.7   | 70.4   | 33.2 | 34.5  |
| 6/12/2025  | 1:37:52 AM | 39.4   | 41.6   | 43.3   | 63.3   | 34.2 | 35.2  |
| 6/12/2025  | 1:36:52 AM | 36.2   | 39.4   | 40.2   | 59.9   | 32.5 | 33.1  |
| 6/12/2025  | 1:35:52 AM | 48     | 49.4   | 50.2   | 67.9   | 40.6 | 41.6  |
| 6/12/2025  | 1:34:52 AM | 45.2   | 50.7   | 54     | 74.8   | 39.3 | 42.6  |
| 6/12/2025  | 1:33:52 AM | 44.4   | 49.1   | 51.9   | 70.7   | 38.3 | 41.3  |
| 6/12/2025  | 1:32:52 AM | 45.1   | 50.9   | 54.7   | 70.6   | 41.3 | 45.3  |
| 6/12/2025  | 1:31:52 AM | 43.2   | 47.1   | 50.7   | 68.2   | 37.3 | 40.5  |
| 6/12/2025  | 1:30:52 AM | 45.7   | 47     | 47.7   | 64.2   | 40.1 | 41.1  |
| 6/12/2025  | 1:29:52 AM | 44.4   | 46.3   | 47.3   | 62.6   | 38.6 | 39.7  |
| 6/12/2025  | 1:28:52 AM | 41     | 45.7   | 47.4   | 60.6   | 33.4 | 35.4  |
| 6/12/2025  | 1:27:52 AM | 63.1   | 61.2   | 63.3   | 80.3   | 46   | 48.1  |
| 6/12/2025  | 1:26:52 AM | 64.3   | 66.2   | 67.7   | 85.1   | 51.7 | 53.1  |
| 6/12/2025  | 1:25:52 AM | 46.7   | 51.1   | 52.2   | 68.9   | 43.1 | 47.1  |
| 6/12/2025  | 1:24:52 AM | 43.2   | 46.7   | 48.6   | 66.2   | 36.5 | 39.3  |
| 6/12/2025  | 1:23:52 AM | 48     | 49.7   | 52.4   | 71.5   | 40.1 | 43.8  |
| 6/12/2025  | 1:22:52 AM | 49.1   | 52     | 53.9   | 71.5   | 43.5 | 47.4  |
| 6/12/2025  | 1:21:52 AM | 49.1   | 52.8   | 54.1   | 72.5   | 42.9 | 46.5  |
| 6/12/2025  | 1:20:52 AM | 41.7   | 46.4   | 50.7   | 70.8   | 34.1 | 37.7  |
| 6/12/2025  | 1:19:52 AM | 64.9   | 66.7   | 67.4   | 82.1   | 52.8 | 54.3  |
| 6/12/2025  | 1:18:52 AM | 37.4   | 41.4   | 43.3   | 63.1   | 33.2 | 34.5  |
| 6/12/2025  | 1:17:52 AM | 40.6   | 44.2   | 45.2   | 61     | 33   | 34.4  |
| 6/12/2025  | 1:16:52 AM | 37.3   | 39.1   | 39.7   | 60.6   | 32.5 | 33.2  |
| 6/12/2025  | 1:15:52 AM | 39     | 42.7   | 43.9   | 64     | 34.3 | 35.3  |
| 6/12/2025  | 1:14:52 AM | 43.4   | 44.9   | 46.1   | 62.1   | 37.4 | 38.4  |
| 6/12/2025  | 1:13:52 AM | 59.6   | 61.8   | 62.5   | 73.8   | 47.8 | 49.2  |
| 6/12/2025  | 1:12:52 AM | 40.7   | 41.9   | 42.5   | 62.3   | 35.5 | 36.3  |
| 6/12/2025  | 1:11:52 AM | 37.4   | 39.2   | 41     | 62.7   | 33.8 | 34.5  |
| 6/12/2025  | 1:10:52 AM | 40.4   | 42.2   | 43.1   | 61.5   | 33.8 | 34.8  |
| 6/12/2025  | 1:09:52 AM | 38.5   | 40.3   | 41     | 62     | 35.3 | 35.8  |
| 6/12/2025  | 1:08:52 AM | 37.7   | 40.8   | 41.9   | 62.4   | 33.2 | 33.8  |
| 6/12/2025  | 1:07:52 AM | 37.4   | 39.4   | 39.8   | 62     | 33   | 33.5  |
| 6/12/2025  | 1:06:52 AM | 40.9   | 45.7   | 48.6   | 65.6   | 35.6 | 38.3  |
| 6/12/2025  | 1:05:52 AM | 38.3   | 39.4   | 40.4   | 62     | 34.3 | 35    |
| 6/12/2025  | 1:04:52 AM | 40.8   | 44.3   | 45.1   | 64.8   | 35.6 | 36.6  |
| 6/12/2025  | 1:03:52 AM | 54.4   | 51.3   | 55.2   | 68.6   | 39.2 | 41.5  |

|           | SAMPLETIME  | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|-------------|--------|--------|--------|--------|------|-------|
| 6/12/2025 | 1:02:52 AM  | 65.5   | 67.2   | 68.1   | 85.3   | 52.8 | 54.8  |
| 6/12/2025 | 1:01:52 AM  | 50.3   | 52.4   | 55.2   | 73.6   | 43.5 | 45.1  |
| 6/12/2025 | 1:00:52 AM  | 40.8   | 47.2   | 50.2   | 69     | 35   | 37.8  |
| 6/12/2025 | 12:59:52 AM | 48.9   | 49.6   | 50.6   | 66.2   | 40.7 | 41.7  |
| 6/12/2025 | 12:58:52 AM | 42.6   | 48.8   | 51.4   | 73.8   | 37.1 | 39.5  |
| 6/12/2025 | 12:57:52 AM | 46.4   | 47.8   | 48.4   | 77.3   | 38.4 | 39.8  |
| 6/12/2025 | 12:56:52 AM | 51     | 52.3   | 53     | 71.3   | 44.4 | 45.5  |
| 6/12/2025 | 12:55:52 AM | 46.6   | 49.7   | 50.7   | 69.1   | 39.9 | 41.5  |
| 6/12/2025 | 12:54:52 AM | 50.7   | 52.8   | 53.5   | 68.1   | 41.5 | 43.5  |
| 6/12/2025 | 12:53:52 AM | 66.6   | 69.3   | 71.5   | 88.3   | 54   | 57    |
| 6/12/2025 | 12:52:52 AM | 49.4   | 53.4   | 54.9   | 66.7   | 40.6 | 43.1  |
| 6/12/2025 | 12:51:52 AM | 65.7   | 68.5   | 69.1   | 81.4   | 52.3 | 54.8  |
| 6/12/2025 | 12:50:52 AM | 49.4   | 52.3   | 53.8   | 66.4   | 41.6 | 43.7  |
| 6/12/2025 | 12:49:52 AM | 63.4   | 62.9   | 65     | 75.3   | 45.2 | 49.2  |
| 6/12/2025 | 12:48:52 AM | 63.6   | 64.9   | 66.6   | 81.4   | 51   | 52.2  |
| 6/12/2025 | 12:47:52 AM | 48.1   | 50.1   | 50.7   | 65     | 38   | 39.3  |
| 6/12/2025 | 12:46:52 AM | 49.5   | 52.9   | 54.6   | 68.2   | 40.5 | 42.9  |
| 6/12/2025 | 12:45:52 AM | 49.8   | 51.5   | 52.2   | 66.6   | 39.5 | 41    |
| 6/12/2025 | 12:44:52 AM | 37.9   | 42     | 44.5   | 70.6   | 34.4 | 35.8  |
| 6/12/2025 | 12:43:52 AM | 50.1   | 53.5   | 55.4   | 67.1   | 40.6 | 43.8  |
| 6/12/2025 | 12:42:52 AM | 38     | 38.9   | 39.6   | 64.9   | 35.3 | 35.9  |
| 6/12/2025 | 12:41:52 AM | 49     | 52.8   | 54.3   | 67.5   | 38.7 | 42.1  |
| 6/12/2025 | 12:40:52 AM | 48.1   | 49.8   | 50.4   | 65.8   | 37.4 | 38.3  |
| 6/12/2025 | 12:39:52 AM | 46.8   | 49.9   | 50.8   | 65.9   | 38.9 | 40.6  |
| 6/12/2025 | 12:38:52 AM | 49.3   | 51.1   | 52.2   | 66.7   | 38.1 | 39.7  |
| 6/12/2025 | 12:37:52 AM | 49.2   | 52.8   | 54.2   | 66.7   | 36.5 | 40.3  |
| 6/12/2025 | 12:36:52 AM | 48.5   | 50.4   | 51.5   | 67.5   | 42.2 | 43.6  |
| 6/12/2025 | 12:35:52 AM | 38     | 39     | 40     | 70     | 35.7 | 36.8  |
| 6/12/2025 | 12:34:52 AM | 49.7   | 55.2   | 57.4   | 69.2   | 42.3 | 45.3  |
| 6/12/2025 | 12:33:52 AM | 35.8   | 39     | 42.7   | 63.6   | 34.4 | 35.5  |
| 6/12/2025 | 12:32:52 AM | 47.6   | 51.1   | 52.4   | 65.8   | 41   | 43.7  |
| 6/12/2025 | 12:31:52 AM | 64.8   | 67.5   | 69.2   | 83.3   | 52.3 | 55.3  |
| 6/12/2025 | 12:30:52 AM | 49.7   | 53.1   | 55     | 68.2   | 42.2 | 44.4  |
| 6/12/2025 | 12:29:52 AM | 62.3   | 64.7   | 66.5   | 78.4   | 50.4 | 53.5  |
| 6/12/2025 | 12:28:52 AM | 44.7   | 47.4   | 48.9   | 64.5   | 37.4 | 40.3  |
| 6/12/2025 | 12:27:52 AM | 45.6   | 49.3   | 52.1   | 66.1   | 40.6 | 43.4  |
| 6/12/2025 | 12:26:52 AM | 45     | 50.2   | 51.9   | 69.7   | 38.1 | 42    |
| 6/12/2025 | 12:25:52 AM | 47.2   | 48.5   | 49.1   | 76.2   | 41   | 42.4  |
| 6/12/2025 | 12:24:52 AM | 46.7   | 53.1   | 57.3   | 71.1   | 40.9 | 44.6  |
| 6/12/2025 | 12:23:52 AM | 55.2   | 53     | 60.2   | 66.4   | 40.7 | 47.3  |
| 6/12/2025 | 12:22:52 AM | 56.3   | 60.6   | 61.6   | 71.3   | 42.1 | 44.4  |
| 6/12/2025 | 12:21:52 AM | 47.6   | 51.2   | 53.1   | 65     | 39.2 | 42.8  |
| 6/12/2025 | 12:20:52 AM | 51.4   | 55.8   | 59.7   | 78     | 42.4 | 49.1  |
| 6/12/2025 | 12:19:52 AM | 46.6   | 51.2   | 53.8   | 74.7   | 40.7 | 43.4  |

|           | SAMPLETIME  | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|-------------|--------|--------|--------|--------|------|-------|
| 6/12/2025 | 12:18:52 AM | 64.5   | 66.2   | 68.2   | 85.7   | 53   | 55.1  |
| 6/12/2025 | 12:17:52 AM | 43.5   | 44.9   | 45.6   | 68.9   | 39.6 | 40.3  |
| 6/12/2025 | 12:16:52 AM | 51.6   | 55.6   | 56.6   | 74.9   | 42.5 | 45.2  |
| 6/12/2025 | 12:15:52 AM | 49     | 54.2   | 57     | 67.9   | 41.1 | 44    |
| 6/12/2025 | 12:14:52 AM | 38     | 39.5   | 41.6   | 67.1   | 36.5 | 37.7  |
| 6/12/2025 | 12:13:52 AM | 39.3   | 41.4   | 42.9   | 68.4   | 36.5 | 37.7  |
| 6/12/2025 | 12:12:52 AM | 43     | 45.1   | 46.1   | 71.7   | 38.7 | 39.9  |
| 6/12/2025 | 12:11:52 AM | 47.1   | 49.2   | 50.4   | 72.5   | 40.9 | 42.1  |
| 6/12/2025 | 12:10:52 AM | 63.2   | 64.8   | 66.1   | 81     | 52.1 | 53.2  |
| 6/12/2025 | 12:09:52 AM | 51.3   | 53.2   | 54     | 70.3   | 43.8 | 45.2  |
| 6/12/2025 | 12:08:52 AM | 50.5   | 51.9   | 52.5   | 69.1   | 44.1 | 45.3  |
| 6/12/2025 | 12:07:52 AM | 41.5   | 42.4   | 44.1   | 68.8   | 38.7 | 39.7  |
| 6/12/2025 | 12:06:52 AM | 43.1   | 43     | 43.8   | 66.7   | 38.2 | 39    |
| 6/12/2025 | 12:05:52 AM | 50.3   | 56.6   | 59.4   | 74.3   | 42.8 | 46.2  |
| 6/12/2025 | 12:04:52 AM | 44.7   | 45.6   | 46.4   | 71.6   | 40.6 | 41.5  |
| 6/12/2025 | 12:03:52 AM | 48.4   | 49.5   | 49.8   | 69.3   | 42   | 42.8  |
| 6/12/2025 | 12:02:52 AM | 39.5   | 40.5   | 41.6   | 67     | 38   | 38.9  |
| 6/12/2025 | 12:01:52 AM | 44.4   | 46.6   | 47.5   | 67.1   | 39.3 | 40.5  |
| 6/12/2025 | 12:00:52 AM | 40.6   | 45.5   | 49.3   | 74.8   | 38.2 | 39.7  |
| 6/11/2025 | 11:59:52 PM | 38.4   | 39.6   | 42     | 67     | 37.3 | 38.1  |
| 6/11/2025 | 11:58:52 PM | 45     | 46.7   | 48.7   | 67     | 41.1 | 41.9  |
| 6/11/2025 | 11:57:52 PM | 48.2   | 49.3   | 50     | 73.1   | 43.3 | 44.1  |
| 6/11/2025 | 11:56:52 PM | 41.7   | 43.4   | 45     | 73.1   | 39.9 | 40.8  |
| 6/11/2025 | 11:55:52 PM | 47.1   | 48.6   | 49.3   | 68.9   | 43.1 | 43.7  |
| 6/11/2025 | 11:54:52 PM | 46.4   | 47.3   | 48     | 70.8   | 45   | 45.3  |
| 6/11/2025 | 11:53:52 PM | 47     | 47.6   | 47.9   | 68.7   | 45.3 | 45.7  |
| 6/11/2025 | 11:52:52 PM | 48.4   | 49     | 49.6   | 75     | 46   | 46.3  |
| 6/11/2025 | 11:51:52 PM | 51.4   | 58     | 62.3   | 83.7   | 46.6 | 49.2  |
| 6/11/2025 | 11:50:52 PM | 45.5   | 46.2   | 46.5   | 68.9   | 44.4 | 44.7  |
| 6/11/2025 | 11:49:52 PM | 49     | 49.9   | 50.6   | 71.9   | 45.4 | 45.7  |
| 6/11/2025 | 11:48:52 PM | 46.3   | 48.2   | 49.3   | 68     | 44.4 | 44.8  |
| 6/11/2025 | 11:47:52 PM | 45.7   | 48.6   | 51.3   | 78.3   | 44.2 | 44.7  |
| 6/11/2025 | 11:46:52 PM | 63.1   | 65.1   | 67.2   | 83.1   | 52.5 | 53.8  |
| 6/11/2025 | 11:45:52 PM | 46.5   | 47.8   | 48.5   | 73     | 44.4 | 44.8  |
| 6/11/2025 | 11:44:52 PM | 49.7   | 51.1   | 51.5   | 74.2   | 45.1 | 45.6  |
| 6/11/2025 | 11:43:52 PM | 46.6   | 47     | 47.8   | 67.8   | 44.5 | 44.9  |
| 6/11/2025 | 11:42:52 PM | 44.7   | 45.3   | 46     | 68.4   | 43.8 | 44.1  |
| 6/11/2025 | 11:41:52 PM | 45.8   | 47.3   | 47.7   | 68.5   | 44.4 | 44.7  |
| 6/11/2025 | 11:40:52 PM | 44.7   | 45.2   | 45.6   | 69.8   | 43.7 | 44    |
| 6/11/2025 | 11:39:52 PM | 45     | 45.8   | 46.1   | 68.4   | 43.2 | 43.5  |
| 6/11/2025 | 11:38:52 PM | 44.6   | 46.1   | 46.6   | 67.6   | 43.5 | 43.8  |
| 6/11/2025 | 11:37:52 PM | 48.1   | 49.6   | 51.5   | 68.7   | 44.7 | 45.3  |
| 6/11/2025 | 11:36:52 PM | 44.9   | 45.7   | 46.1   | 69.4   | 43.9 | 44.2  |
| 6/11/2025 | 11:35:52 PM | 48.7   | 53     | 54.5   | 70.2   | 45.1 | 46.1  |

|           | SAMPLETIME  | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|-------------|--------|--------|--------|--------|------|-------|
| 6/11/2025 | 11:34:52 PM | 46.2   | 48     | 51.4   | 69.3   | 44.3 | 45.1  |
| 6/11/2025 | 11:33:52 PM | 49.3   | 50.3   | 51.1   | 71.8   | 45.1 | 45.7  |
| 6/11/2025 | 11:32:52 PM | 46.2   | 47.4   | 49.3   | 72.5   | 44.7 | 45.2  |
| 6/11/2025 | 11:31:52 PM | 48.8   | 51.7   | 53.6   | 71.1   | 44.1 | 45.1  |
| 6/11/2025 | 11:30:52 PM | 56.3   | 58.3   | 59.1   | 72.4   | 47   | 48.1  |
| 6/11/2025 | 11:29:52 PM | 50.3   | 53.2   | 54.8   | 74.4   | 44.2 | 46.7  |
| 6/11/2025 | 11:28:52 PM | 51.6   | 56     | 57.1   | 73     | 43.9 | 46.4  |
| 6/11/2025 | 11:27:52 PM | 60.1   | 65.8   | 67     | 74.3   | 48.9 | 53.4  |
| 6/11/2025 | 11:26:52 PM | 46.3   | 52.4   | 54.9   | 69.4   | 41.5 | 44    |
| 6/11/2025 | 11:25:52 PM | 43.7   | 45.5   | 47.4   | 73.2   | 41.7 | 42.8  |
| 6/11/2025 | 11:24:52 PM | 50.5   | 52.4   | 53.1   | 73.3   | 43.6 | 44.9  |
| 6/11/2025 | 11:23:52 PM | 47.4   | 50.4   | 52.1   | 69.5   | 41.4 | 43.4  |
| 6/11/2025 | 11:22:52 PM | 45.3   | 50.8   | 54.1   | 72.4   | 41.2 | 43.9  |
| 6/11/2025 | 11:21:52 PM | 60.4   | 62.1   | 63.5   | 79.4   | 49.3 | 50.3  |
| 6/11/2025 | 11:20:52 PM | 49.1   | 50.2   | 51.4   | 70.9   | 44   | 45.7  |
| 6/11/2025 | 11:19:52 PM | 47.5   | 49.4   | 51.8   | 68.4   | 44.1 | 46    |
| 6/11/2025 | 11:18:52 PM | 48.5   | 50.9   | 52.8   | 70.6   | 44.1 | 46.1  |
| 6/11/2025 | 11:17:52 PM | 47.5   | 53.3   | 56.2   | 71     | 42.9 | 45.8  |
| 6/11/2025 | 11:16:52 PM | 51.1   | 56.9   | 61.2   | 80     | 44.4 | 49.7  |
| 6/11/2025 | 11:15:52 PM | 51.2   | 54.7   | 57.1   | 70.2   | 46.5 | 48.6  |
| 6/11/2025 | 11:14:52 PM | 51.4   | 55.6   | 58.7   | 75.9   | 45.5 | 49.5  |
| 6/11/2025 | 11:13:52 PM | 58.5   | 64.3   | 67.3   | 75     | 47.6 | 53.1  |
| 6/11/2025 | 11:12:52 PM | 51.1   | 52.5   | 54     | 71.3   | 45.4 | 46.9  |
| 6/11/2025 | 11:11:52 PM | 65.7   | 68.1   | 70     | 83.7   | 53.9 | 55.9  |
| 6/11/2025 | 11:10:52 PM | 66.3   | 68.6   | 70.1   | 88.3   | 53.3 | 56.2  |
| 6/11/2025 | 11:09:52 PM | 46.9   | 49.5   | 50.3   | 72.3   | 42.2 | 43.5  |
| 6/11/2025 | 11:08:52 PM | 63.7   | 65.7   | 66.6   | 80.6   | 52.3 | 53.6  |
| 6/11/2025 | 11:07:52 PM | 55.5   | 61.2   | 62.9   | 74.2   | 46.1 | 51.1  |
| 6/11/2025 | 11:06:52 PM | 48.5   | 54.3   | 58.8   | 78.3   | 42.9 | 47.6  |
| 6/11/2025 | 11:05:52 PM | 52.1   | 57.5   | 59.1   | 73.5   | 43.4 | 46.8  |
| 6/11/2025 | 11:04:52 PM | 50.2   | 53.5   | 54.7   | 73.4   | 43.8 | 45.5  |
| 6/11/2025 | 11:03:52 PM | 48.2   | 53.1   | 55.9   | 74.3   | 44   | 46.8  |
| 6/11/2025 | 11:02:52 PM | 47.5   | 49.3   | 51     | 71.5   | 43.6 | 44.9  |
| 6/11/2025 | 11:01:52 PM | 55.5   | 57.6   | 58.1   | 73.4   | 46.3 | 48.6  |
| 6/11/2025 | 11:00:52 PM | 49.2   | 50.8   | 51.7   | 73.1   | 45.4 | 46.5  |
| 6/11/2025 | 10:59:52 PM | 47.2   | 48.5   | 49.4   | 74.3   | 42.8 | 44.1  |
| 6/11/2025 | 10:58:52 PM | 46.5   | 48.2   | 50.6   | 70.4   | 42.1 | 43.9  |
| 6/11/2025 | 10:57:52 PM | 46.6   | 49.6   | 51.8   | 70.5   | 43.5 | 45.1  |
| 6/11/2025 | 10:56:52 PM | 43.2   | 44.8   | 47     | 70.4   | 41.1 | 42.3  |
| 6/11/2025 | 10:55:52 PM | 62.9   | 64.7   | 65.8   | 80.1   | 51.1 | 52.5  |
| 6/11/2025 | 10:54:52 PM | 47.1   | 48.7   | 49.8   | 69.2   | 42.2 | 43.2  |
| 6/11/2025 | 10:53:52 PM | 44.9   | 45.8   | 46.6   | 71     | 42.5 | 43.1  |
| 6/11/2025 | 10:52:52 PM | 48.4   | 49.8   | 51.3   | 72.4   | 43.6 | 45.2  |
| 6/11/2025 | 10:51:52 PM | 47.3   | 52.1   | 53.5   | 71.2   | 41.8 | 43.8  |

|           | SAMPLETIME  | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|-------------|--------|--------|--------|--------|------|-------|
| 6/11/2025 | 10:50:52 PM | 47.7   | 49.8   | 50.8   | 68.4   | 43.5 | 44.8  |
| 6/11/2025 | 10:49:52 PM | 46.4   | 48.1   | 48.8   | 69.4   | 42.2 | 43.3  |
| 6/11/2025 | 10:48:52 PM | 47.4   | 48.7   | 49.1   | 69.8   | 43   | 43.9  |
| 6/11/2025 | 10:47:52 PM | 44.7   | 49.6   | 51.2   | 68     | 40.7 | 42.4  |
| 6/11/2025 | 10:46:52 PM | 45     | 49.6   | 51.9   | 76.1   | 41.8 | 43.6  |
| 6/11/2025 | 10:45:52 PM | 48.1   | 49     | 49.8   | 71.4   | 43.3 | 44.2  |
| 6/11/2025 | 10:44:52 PM | 46.8   | 47.6   | 48.3   | 72.2   | 42.4 | 43.3  |
| 6/11/2025 | 10:43:52 PM | 47.8   | 48.7   | 51.8   | 80.5   | 43.4 | 44.5  |
| 6/11/2025 | 10:42:52 PM | 46.4   | 47.9   | 48.7   | 71.1   | 43.4 | 44.2  |
| 6/11/2025 | 10:41:52 PM | 49     | 50.3   | 51.6   | 71.8   | 45.4 | 46.3  |
| 6/11/2025 | 10:40:52 PM | 46.3   | 47.6   | 48.9   | 71.1   | 42.9 | 43.7  |
| 6/11/2025 | 10:39:52 PM | 51.6   | 54.3   | 58.1   | 83     | 45.1 | 47.5  |
| 6/11/2025 | 10:38:52 PM | 46.6   | 47.6   | 48.7   | 70.1   | 43.2 | 43.9  |
| 6/11/2025 | 10:37:52 PM | 53.9   | 61.7   | 64.9   | 74.5   | 43.4 | 49.8  |
| 6/11/2025 | 10:36:52 PM | 66.4   | 68.4   | 69.2   | 83.4   | 54   | 55.8  |
| 6/11/2025 | 10:35:52 PM | 45.1   | 46     | 46.4   | 70.7   | 41.8 | 42.7  |
| 6/11/2025 | 10:34:52 PM | 48     | 48.9   | 49.6   | 70.4   | 44.2 | 44.9  |
| 6/11/2025 | 10:33:52 PM | 49.9   | 51.1   | 51.7   | 70     | 44.5 | 45.4  |
| 6/11/2025 | 10:32:52 PM | 45.7   | 46.5   | 47.2   | 71     | 42.1 | 42.9  |
| 6/11/2025 | 10:31:52 PM | 47.7   | 48.8   | 50     | 74     | 43.2 | 44.1  |
| 6/11/2025 | 10:30:52 PM | 50.7   | 51.6   | 52.7   | 73.6   | 45.7 | 46.7  |
| 6/11/2025 | 10:29:52 PM | 50.3   | 51.2   | 51.9   | 73.4   | 45.9 | 46.6  |
| 6/11/2025 | 10:28:52 PM | 47.7   | 48.9   | 50.9   | 73.5   | 43.8 | 44.7  |
| 6/11/2025 | 10:27:52 PM | 61.1   | 62.9   | 63.9   | 79.3   | 49.8 | 50.6  |
| 6/11/2025 | 10:26:52 PM | 49.9   | 50.9   | 51.7   | 72.8   | 44.9 | 45.6  |
| 6/11/2025 | 10:25:52 PM | 50     | 51.1   | 52.4   | 71.3   | 44.5 | 45.5  |
| 6/11/2025 | 10:24:52 PM | 64.2   | 65.9   | 66.6   | 81.6   | 52.2 | 53.6  |
| 6/11/2025 | 10:23:52 PM | 64.5   | 66.7   | 67.5   | 83     | 53.2 | 54.7  |
| 6/11/2025 | 10:22:52 PM | 64.1   | 65.9   | 68.9   | 84.5   | 53   | 54.8  |
| 6/11/2025 | 10:21:52 PM | 47.9   | 54     | 57.8   | 84.1   | 42   | 45    |
| 6/11/2025 | 10:20:52 PM | 46.2   | 49.6   | 52.8   | 79.9   | 43.4 | 44.8  |
| 6/11/2025 | 10:19:52 PM | 60.6   | 62.1   | 62.7   | 78.3   | 49.8 | 50.8  |
| 6/11/2025 | 10:18:52 PM | 51.5   | 53     | 54.3   | 74.3   | 46.5 | 47.2  |
| 6/11/2025 | 10:17:52 PM | 47.3   | 48.7   | 49.8   | 76.9   | 43.4 | 44.2  |
| 6/11/2025 | 10:16:52 PM | 48.2   | 49.6   | 53.9   | 70.3   | 44.3 | 45.4  |
| 6/11/2025 | 10:15:52 PM | 49.1   | 50.3   | 50.8   | 73.9   | 44.3 | 45.4  |
| 6/11/2025 | 10:14:52 PM | 50.8   | 52     | 54.7   | 78.7   | 47.4 | 48.6  |
| 6/11/2025 | 10:13:52 PM | 61     | 62     | 62.6   | 81.9   | 51.8 | 53    |
| 6/11/2025 | 10:12:52 PM | 48.2   | 48.6   | 49.4   | 76     | 43.5 | 44.8  |
| 6/11/2025 | 10:11:52 PM | 49.2   | 50.7   | 53.6   | 74.4   | 46.5 | 47.6  |
| 6/11/2025 | 10:10:52 PM | 50.5   | 56.4   | 61.1   | 80.3   | 46.1 | 49.6  |
| 6/11/2025 | 10:09:52 PM | 57.5   | 61.7   | 62.4   | 75.7   | 49.7 | 53.3  |
| 6/11/2025 | 10:08:52 PM | 50.8   | 56.4   | 58.7   | 77.1   | 45.6 | 50.2  |
| 6/11/2025 | 10:07:52 PM | 55.1   | 61.6   | 66.2   | 77.2   | 47.6 | 54.8  |

|           | SAMPLETIME  | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|-------------|--------|--------|--------|--------|------|-------|
| 6/11/2025 | 10:06:52 PM | 52.6   | 60     | 64.4   | 77.2   | 45.9 | 52.1  |
| 6/11/2025 | 10:05:52 PM | 49.8   | 55     | 59.1   | 78.3   | 44.5 | 50.4  |
| 6/11/2025 | 10:04:52 PM | 54.2   | 60.9   | 63.5   | 81.3   | 46.5 | 54.3  |
| 6/11/2025 | 10:03:52 PM | 53.7   | 58.9   | 61     | 75.3   | 45.3 | 50.7  |
| 6/11/2025 | 10:02:52 PM | 70     | 72.6   | 73.4   | 87.7   | 56.6 | 59.3  |
| 6/11/2025 | 10:01:52 PM | 62.3   | 65     | 66.6   | 77.3   | 50.9 | 54.5  |
| 6/11/2025 | 10:00:52 PM | 54.3   | 58.9   | 63.7   | 76     | 45   | 52.2  |
| 6/11/2025 | 9:59:52 PM  | 56.5   | 61.8   | 68     | 76.3   | 45.5 | 53.9  |
| 6/11/2025 | 9:58:52 PM  | 56.5   | 64.1   | 68.2   | 76.8   | 45.7 | 51.2  |
| 6/11/2025 | 9:57:52 PM  | 55.2   | 62.7   | 66.1   | 76.3   | 46.2 | 54.3  |
| 6/11/2025 | 9:56:52 PM  | 57.3   | 63.2   | 65.9   | 80.5   | 47.3 | 54.9  |
| 6/11/2025 | 9:55:52 PM  | 58.1   | 64.3   | 66.5   | 76.2   | 48.2 | 55    |
| 6/11/2025 | 9:54:52 PM  | 49.3   | 56.1   | 60.1   | 76.4   | 44.8 | 51.1  |
| 6/11/2025 | 9:53:52 PM  | 51.4   | 56.3   | 60.8   | 77.7   | 48.1 | 51.5  |
| 6/11/2025 | 9:52:52 PM  | 57.8   | 63     | 64.4   | 79.5   | 48.1 | 54.8  |
| 6/11/2025 | 9:51:52 PM  | 49.7   | 54     | 58.5   | 76.8   | 46.7 | 48.9  |
| 6/11/2025 | 9:50:52 PM  | 53.8   | 60.6   | 65     | 80.2   | 47.6 | 53.3  |
| 6/11/2025 | 9:49:52 PM  | 53.4   | 60.5   | 64.7   | 80.5   | 47.6 | 54.3  |
| 6/11/2025 | 9:48:52 PM  | 52     | 57.3   | 62.1   | 78.7   | 48.1 | 54.7  |
| 6/11/2025 | 9:47:52 PM  | 52.8   | 59.7   | 63.6   | 76.9   | 47.1 | 54.2  |
| 6/11/2025 | 9:46:52 PM  | 55.8   | 63.4   | 68.3   | 85.3   | 48.6 | 56.2  |
| 6/11/2025 | 9:45:52 PM  | 63.2   | 65.2   | 66     | 82.8   | 51.7 | 54.6  |
| 6/11/2025 | 9:44:52 PM  | 51.1   | 56.1   | 60.7   | 78.9   | 47.2 | 53.4  |
| 6/11/2025 | 9:43:52 PM  | 60.6   | 68.5   | 71.9   | 81.5   | 47.2 | 57.4  |
| 6/11/2025 | 9:42:52 PM  | 51.6   | 57.6   | 61.5   | 77.7   | 47.2 | 54.2  |
| 6/11/2025 | 9:41:52 PM  | 54.1   | 58.7   | 63.6   | 80.8   | 45.7 | 53.3  |
| 6/11/2025 | 9:40:52 PM  | 53.8   | 59.4   | 62.1   | 81.8   | 45.8 | 51.7  |
| 6/11/2025 | 9:39:52 PM  | 53.3   | 58.3   | 61.1   | 77     | 47.7 | 52    |
| 6/11/2025 | 9:38:52 PM  | 56.2   | 61.8   | 65.6   | 78.7   | 47.3 | 53.7  |
| 6/11/2025 | 9:37:52 PM  | 47.5   | 54.4   | 59.2   | 76.8   | 44.3 | 47.7  |
| 6/11/2025 | 9:36:52 PM  | 53.5   | 61.4   | 66.4   | 83.9   | 46.6 | 54    |
| 6/11/2025 | 9:35:52 PM  | 62.3   | 64.2   | 65.5   | 80.6   | 52   | 57.4  |
| 6/11/2025 | 9:34:52 PM  | 52.8   | 55.8   | 59     | 78.2   | 47.6 | 53.6  |
| 6/11/2025 | 9:33:52 PM  | 50.7   | 58.4   | 63.4   | 79.7   | 46.6 | 54.7  |
| 6/11/2025 | 9:32:52 PM  | 64.1   | 70.3   | 72     | 81.5   | 56   | 62.7  |
| 6/11/2025 | 9:31:52 PM  | 60.1   | 63.9   | 65.6   | 81     | 50.1 | 56.8  |
| 6/11/2025 | 9:30:52 PM  | 53.6   | 61.6   | 66.6   | 81.2   | 47.2 | 55.9  |
| 6/11/2025 | 9:29:52 PM  | 57.3   | 63.5   | 66.7   | 79.1   | 48.5 | 54    |
| 6/11/2025 | 9:28:52 PM  | 57.1   | 58.9   | 61     | 77.3   | 48.8 | 52.4  |
| 6/11/2025 | 9:27:52 PM  | 51.9   | 57.6   | 61.2   | 75.2   | 45.3 | 51.3  |
| 6/11/2025 | 9:26:52 PM  | 62.5   | 63.7   | 66.7   | 88.5   | 52.4 | 56.1  |
| 6/11/2025 | 9:25:52 PM  | 53.5   | 61     | 64.9   | 78.5   | 46.7 | 53.1  |
| 6/11/2025 | 9:24:52 PM  | 50.7   | 55.5   | 60     | 76.2   | 45.7 | 51.1  |
| 6/11/2025 | 9:23:52 PM  | 53.7   | 61.3   | 65.6   | 79.1   | 46.6 | 54.3  |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/11/2025  | 9:22:52 PM | 65.4   | 67.2   | 68.1   | 86.4   | 54.1 | 57.9  |
| 6/11/2025  | 9:21:52 PM | 54.6   | 62.3   | 66.7   | 78.3   | 46.4 | 55.3  |
| 6/11/2025  | 9:20:52 PM | 48.9   | 55.2   | 60     | 76.2   | 44.2 | 50.1  |
| 6/11/2025  | 9:19:52 PM | 57.8   | 65.8   | 70.4   | 82.7   | 48.8 | 56.1  |
| 6/11/2025  | 9:18:52 PM | 61.8   | 64.5   | 65.9   | 77.6   | 51.2 | 55.2  |
| 6/11/2025  | 9:17:52 PM | 66.2   | 68.2   | 69     | 84.6   | 56.4 | 58.4  |
| 6/11/2025  | 9:16:52 PM | 57.3   | 58.9   | 61.5   | 77.6   | 48.3 | 53    |
| 6/11/2025  | 9:15:52 PM | 53.1   | 57.8   | 62.7   | 83.1   | 45.4 | 53.1  |
| 6/11/2025  | 9:14:52 PM | 68.1   | 70.6   | 71.3   | 84.5   | 55.4 | 58.8  |
| 6/11/2025  | 9:13:52 PM | 50.3   | 55.8   | 60.4   | 75.7   | 45.4 | 51.8  |
| 6/11/2025  | 9:12:52 PM | 54.4   | 57.6   | 58.8   | 76.6   | 46.2 | 51.8  |
| 6/11/2025  | 9:11:52 PM | 67.8   | 69.5   | 70.5   | 90.8   | 54.9 | 58.1  |
| 6/11/2025  | 9:10:52 PM | 68.9   | 72.1   | 73.6   | 89.2   | 55.7 | 60.1  |
| 6/11/2025  | 9:09:52 PM | 51.9   | 58.1   | 63.1   | 79.6   | 45.1 | 50.2  |
| 6/11/2025  | 9:08:52 PM | 65.8   | 68.4   | 69.3   | 83.9   | 53.9 | 56.5  |
| 6/11/2025  | 9:07:52 PM | 61.9   | 63.5   | 65.8   | 79.6   | 51.8 | 55.5  |
| 6/11/2025  | 9:06:52 PM | 50.5   | 54.5   | 58.8   | 76.7   | 45.6 | 50.3  |
| 6/11/2025  | 9:05:52 PM | 56.3   | 64     | 68.2   | 81.3   | 47.7 | 56.2  |
| 6/11/2025  | 9:04:52 PM | 57.3   | 59.2   | 63.2   | 79.5   | 48.7 | 52.8  |
| 6/11/2025  | 9:03:52 PM | 63     | 67.7   | 70.7   | 81.7   | 52.4 | 59.4  |
| 6/11/2025  | 9:02:52 PM | 65.3   | 68.4   | 70.2   | 85.6   | 53.6 | 57.8  |
| 6/11/2025  | 9:01:52 PM | 52.4   | 59.1   | 63.9   | 80.2   | 46.7 | 53.2  |
| 6/11/2025  | 9:00:52 PM | 53.8   | 60.6   | 64     | 79.4   | 47.2 | 53.8  |
| 6/11/2025  | 8:59:52 PM | 63.4   | 65.1   | 68.2   | 84.9   | 56.1 | 58.7  |
| 6/11/2025  | 8:58:52 PM | 62     | 67.9   | 69.5   | 78.1   | 48.9 | 55.9  |
| 6/11/2025  | 8:57:52 PM | 51.4   | 59     | 63.2   | 81.1   | 45.3 | 53.1  |
| 6/11/2025  | 8:56:52 PM | 52.6   | 56.2   | 60.7   | 78.5   | 46.8 | 51.8  |
| 6/11/2025  | 8:55:52 PM | 53.2   | 56.4   | 58.6   | 72.4   | 46.6 | 51.4  |
| 6/11/2025  | 8:54:52 PM | 62.6   | 63.9   | 65.7   | 85.1   | 51.5 | 53.9  |
| 6/11/2025  | 8:53:52 PM | 53.6   | 58.9   | 62.5   | 78.8   | 48.3 | 53.3  |
| 6/11/2025  | 8:52:52 PM | 57.3   | 59.4   | 63.1   | 79.6   | 51.9 | 55.3  |
| 6/11/2025  | 8:51:52 PM | 59.6   | 61.1   | 62.7   | 78.9   | 50.7 | 53.5  |
| 6/11/2025  | 8:50:52 PM | 56.5   | 63.3   | 67.1   | 76.5   | 47.7 | 55.3  |
| 6/11/2025  | 8:49:52 PM | 62.2   | 64     | 66.3   | 84     | 51.4 | 54.9  |
| 6/11/2025  | 8:48:52 PM | 56.3   | 56.5   | 61.1   | 79.1   | 46.6 | 52.5  |
| 6/11/2025  | 8:47:52 PM | 61.8   | 67.1   | 68.7   | 79.3   | 52.2 | 57.1  |
| 6/11/2025  | 8:46:52 PM | 67.6   | 73.1   | 74.3   | 82.7   | 55.9 | 60.9  |
| 6/11/2025  | 8:45:52 PM | 65.7   | 67.7   | 68.5   | 81.8   | 55   | 58.7  |
| 6/11/2025  | 8:44:52 PM | 66.6   | 68.6   | 69.8   | 84.3   | 56.6 | 59    |
| 6/11/2025  | 8:43:52 PM | 61.6   | 63.6   | 66.9   | 83.7   | 52.6 | 56.7  |
| 6/11/2025  | 8:42:52 PM | 64.3   | 65.6   | 66.4   | 83.5   | 53.6 | 57.1  |
| 6/11/2025  | 8:41:52 PM | 55.9   | 61.1   | 65.1   | 77.1   | 49.4 | 55.9  |
| 6/11/2025  | 8:40:52 PM | 64.1   | 66     | 66.8   | 82.8   | 55.9 | 57.6  |
| 6/11/2025  | 8:39:52 PM | 61.2   | 62.9   | 63.4   | 80.1   | 51.2 | 52.4  |

|           | SAMPLETIME | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|------------|--------|--------|--------|--------|------|-------|
| 6/11/2025 | 8:38:52 PM | 64.6   | 66.5   | 67.2   | 82.1   | 53.6 | 55.2  |
| 6/11/2025 | 8:37:52 PM | 56     | 58.8   | 60.7   | 76.9   | 48.9 | 53.8  |
| 6/11/2025 | 8:36:52 PM | 66.4   | 68     | 68.8   | 83.2   | 55.4 | 58.7  |
| 6/11/2025 | 8:35:52 PM | 64.4   | 65.8   | 67.9   | 82.2   | 54.8 | 58.5  |
| 6/11/2025 | 8:34:52 PM | 69.7   | 71.7   | 72     | 88.3   | 57.9 | 60.3  |
| 6/11/2025 | 8:33:52 PM | 57.9   | 61.9   | 65.6   | 81     | 51.4 | 55.7  |
| 6/11/2025 | 8:32:52 PM | 59.2   | 64.4   | 66.1   | 79.1   | 48   | 54.8  |
| 6/11/2025 | 8:31:52 PM | 56.4   | 60.7   | 64.4   | 77.5   | 48.9 | 55.4  |
| 6/11/2025 | 8:30:52 PM | 66.4   | 70.2   | 71.4   | 81.3   | 54.7 | 59.3  |
| 6/11/2025 | 8:29:52 PM | 64.8   | 66.2   | 69.2   | 82.7   | 55.6 | 59.2  |
| 6/11/2025 | 8:28:52 PM | 62.9   | 65.3   | 66.9   | 82.2   | 54.1 | 58    |
| 6/11/2025 | 8:27:52 PM | 64.3   | 65.8   | 66.8   | 82.9   | 54   | 57.7  |
| 6/11/2025 | 8:26:52 PM | 72     | 79.1   | 81.7   | 87.5   | 59.8 | 67.9  |
| 6/11/2025 | 8:25:52 PM | 56.9   | 64.2   | 68.4   | 80.8   | 49.7 | 57.1  |
| 6/11/2025 | 8:24:52 PM | 61.9   | 62.8   | 66.7   | 82.3   | 52   | 55.9  |
| 6/11/2025 | 8:23:52 PM | 64.4   | 65.7   | 68.3   | 82.4   | 55.2 | 58    |
| 6/11/2025 | 8:22:52 PM | 57.8   | 63.5   | 67.6   | 80.8   | 49.9 | 58.2  |
| 6/11/2025 | 8:21:52 PM | 60.6   | 62.2   | 63.1   | 79.4   | 52.6 | 55.5  |
| 6/11/2025 | 8:20:52 PM | 59.1   | 61     | 61.4   | 78.7   | 51   | 54.3  |
| 6/11/2025 | 8:19:52 PM | 62.2   | 64.5   | 65.8   | 79.7   | 53   | 57.6  |
| 6/11/2025 | 8:18:52 PM | 67.2   | 69.4   | 70.2   | 84.5   | 55.3 | 57.9  |
| 6/11/2025 | 8:17:52 PM | 65     | 66.9   | 71.2   | 84.4   | 54.4 | 59.2  |
| 6/11/2025 | 8:16:52 PM | 54.8   | 61.2   | 65.5   | 78.3   | 48.3 | 55.6  |
| 6/11/2025 | 8:15:52 PM | 57.1   | 63.8   | 67.1   | 80.2   | 49.2 | 56    |
| 6/11/2025 | 8:14:52 PM | 54.2   | 61.1   | 64.6   | 79.1   | 48.4 | 55.1  |
| 6/11/2025 | 8:13:52 PM | 56.6   | 64.9   | 69.3   | 82     | 48.1 | 56    |
| 6/11/2025 | 8:12:52 PM | 64.6   | 65.9   | 67.3   | 84.9   | 55.3 | 58.1  |
| 6/11/2025 | 8:11:52 PM | 65.8   | 67.4   | 68.3   | 81.8   | 55.3 | 57.8  |
| 6/11/2025 | 8:10:52 PM | 65.6   | 68.3   | 71.8   | 88.5   | 56.8 | 60    |
| 6/11/2025 | 8:09:52 PM | 53.6   | 59.1   | 63.7   | 82.3   | 48.5 | 53.6  |
| 6/11/2025 | 8:08:52 PM | 65     | 66.9   | 68.4   | 83.8   | 53.7 | 56.7  |
| 6/11/2025 | 8:07:52 PM | 66.5   | 68.7   | 69.4   | 83.8   | 54.4 | 56.9  |
| 6/11/2025 | 8:06:52 PM | 61.6   | 62.9   | 63.9   | 79.4   | 52.2 | 54.8  |
| 6/11/2025 | 8:05:52 PM | 64.4   | 66     | 67.4   | 81.4   | 54.2 | 57.3  |
| 6/11/2025 | 8:04:52 PM | 55.3   | 56.6   | 64     | 76.4   | 49.4 | 52.7  |
| 6/11/2025 | 8:03:52 PM | 64.4   | 66     | 68.3   | 81.8   | 53.5 | 57.4  |
| 6/11/2025 | 8:02:52 PM | 52.7   | 55.8   | 59.1   | 74.9   | 48   | 51.8  |
| 6/11/2025 | 8:01:52 PM | 53     | 57.9   | 59.6   | 75.6   | 48.4 | 51.8  |
| 6/11/2025 | 8:00:52 PM | 52.5   | 57.7   | 61.8   | 75.3   | 48.2 | 53.9  |
| 6/11/2025 | 7:59:52 PM | 51.8   | 56.3   | 59.6   | 78.2   | 48.3 | 53.1  |
| 6/11/2025 | 7:58:52 PM | 56.9   | 62.8   | 66.7   | 76.4   | 50.2 | 55.7  |
| 6/11/2025 | 7:57:52 PM | 62.3   | 66.2   | 67.6   | 78.2   | 52.2 | 57    |
| 6/11/2025 | 7:56:52 PM | 65.5   | 68     | 69.6   | 86     | 54.6 | 58.5  |
| 6/11/2025 | 7:55:52 PM | 57.4   | 65.2   | 69.4   | 81.1   | 50.3 | 57.1  |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/11/2025  | 7:54:52 PM | 65.7   | 69.8   | 70.6   | 79.5   | 52.9 | 58.5  |
| 6/11/2025  | 7:53:52 PM | 55.7   | 61.3   | 63.4   | 76.9   | 50.3 | 55.5  |
| 6/11/2025  | 7:52:52 PM | 66.7   | 68.1   | 70.3   | 84.9   | 56.1 | 60.3  |
| 6/11/2025  | 7:51:52 PM | 62.9   | 67.8   | 70.3   | 81     | 52.1 | 58.7  |
| 6/11/2025  | 7:50:52 PM | 55.5   | 59.7   | 63.1   | 87.1   | 49.6 | 53.9  |
| 6/11/2025  | 7:49:52 PM | 67.1   | 69.3   | 70.2   | 84.9   | 57.2 | 60.1  |
| 6/11/2025  | 7:48:52 PM | 51.1   | 55.5   | 59.5   | 77.1   | 48.7 | 52.4  |
| 6/11/2025  | 7:47:52 PM | 53.9   | 56.2   | 58.7   | 79     | 50.4 | 53.2  |
| 6/11/2025  | 7:46:52 PM | 58.3   | 64.1   | 67.5   | 77.4   | 50.8 | 56.3  |
| 6/11/2025  | 7:45:52 PM | 54.7   | 61     | 65.2   | 78.1   | 50   | 54.8  |
| 6/11/2025  | 7:44:52 PM | 65.5   | 67.5   | 69.8   | 84.4   | 55   | 58.2  |
| 6/11/2025  | 7:43:52 PM | 56.4   | 59.8   | 63.9   | 78.9   | 50.3 | 54.8  |
| 6/11/2025  | 7:42:52 PM | 53.3   | 58     | 60.1   | 77.9   | 49.3 | 53.4  |
| 6/11/2025  | 7:41:52 PM | 55.6   | 58.5   | 60.9   | 77.5   | 48.8 | 52.7  |
| 6/11/2025  | 7:40:52 PM | 66.4   | 68.6   | 70.2   | 82.6   | 55.8 | 59.1  |
| 6/11/2025  | 7:39:52 PM | 59.3   | 64     | 64.9   | 76.4   | 49.8 | 53.9  |
| 6/11/2025  | 7:38:52 PM | 63.1   | 64.7   | 65.7   | 87.5   | 52.7 | 55.2  |
| 6/11/2025  | 7:37:52 PM | 61.4   | 63.3   | 66.7   | 79.5   | 52.7 | 56.3  |
| 6/11/2025  | 7:36:52 PM | 65.8   | 68     | 68.9   | 87.6   | 54.1 | 56.8  |
| 6/11/2025  | 7:35:52 PM | 73.6   | 77.8   | 79     | 87     | 60.9 | 64.9  |
| 6/11/2025  | 7:34:52 PM | 59.9   | 63.8   | 65.1   | 80.4   | 53.6 | 56    |
| 6/11/2025  | 7:33:52 PM | 65.9   | 67.9   | 70.7   | 84.7   | 55.6 | 58.6  |
| 6/11/2025  | 7:32:52 PM | 55.6   | 61.4   | 63.6   | 78.4   | 50.6 | 54.2  |
| 6/11/2025  | 7:31:52 PM | 67.5   | 69.5   | 71     | 85.5   | 56.3 | 59    |
| 6/11/2025  | 7:30:52 PM | 61.7   | 61.7   | 64     | 79.4   | 51.2 | 55    |
| 6/11/2025  | 7:29:52 PM | 65.6   | 67.6   | 68.3   | 84.7   | 55.8 | 58.1  |
| 6/11/2025  | 7:28:52 PM | 67.3   | 69.7   | 71.6   | 87.3   | 55.8 | 59.2  |
| 6/11/2025  | 7:27:52 PM | 70.3   | 73.1   | 73.9   | 95.6   | 58.6 | 60.8  |
| 6/11/2025  | 7:26:52 PM | 64     | 67.1   | 68     | 81     | 53.4 | 57.1  |
| 6/11/2025  | 7:25:52 PM | 66.1   | 68.6   | 70.8   | 87.1   | 56.4 | 59.3  |
| 6/11/2025  | 7:24:52 PM | 64.2   | 66.6   | 68.1   | 87.3   | 56.6 | 58.8  |
| 6/11/2025  | 7:23:52 PM | 63.9   | 65.6   | 68.1   | 85.4   | 54.2 | 57.1  |
| 6/11/2025  | 7:22:52 PM | 56.7   | 62     | 63.6   | 75.2   | 49.5 | 53.3  |
| 6/11/2025  | 7:21:52 PM | 64.1   | 66.8   | 68.1   | 81.7   | 54.2 | 58.2  |
| 6/11/2025  | 7:20:52 PM | 67.9   | 70.6   | 71.7   | 89.7   | 57.1 | 60    |
| 6/11/2025  | 7:19:52 PM | 61.3   | 63.1   | 64.4   | 77.9   | 52.1 | 55.9  |
| 6/11/2025  | 7:18:52 PM | 62.7   | 64.9   | 66.8   | 84.4   | 52.2 | 55.1  |
| 6/11/2025  | 7:17:52 PM | 53.9   | 59.8   | 64.1   | 82.3   | 48.9 | 53.8  |
| 6/11/2025  | 7:16:52 PM | 62.7   | 65.1   | 66.3   | 82.3   | 53.4 | 56.2  |
| 6/11/2025  | 7:15:52 PM | 69.2   | 70.8   | 72.8   | 84.2   | 53.2 | 59.1  |
| 6/11/2025  | 7:14:52 PM | 69.2   | 71.7   | 73     | 91.6   | 57   | 59.5  |
| 6/11/2025  | 7:13:52 PM | 63.7   | 65.4   | 67.5   | 88.8   | 54.1 | 56.4  |
| 6/11/2025  | 7:12:52 PM | 67.7   | 70.6   | 73     | 88.3   | 55.2 | 58.9  |
| 6/11/2025  | 7:11:52 PM | 54.2   | 56.8   | 59.9   | 79.5   | 50.5 | 54    |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/11/2025  | 7:10:52 PM | 51     | 56     | 60.1   | 79.7   | 47.7 | 52.5  |
| 6/11/2025  | 7:09:52 PM | 67.4   | 68.9   | 69.7   | 84.3   | 56.2 | 58.4  |
| 6/11/2025  | 7:08:52 PM | 63.5   | 65     | 65.9   | 85.1   | 53.7 | 56.2  |
| 6/11/2025  | 7:07:52 PM | 65.7   | 67.7   | 68.9   | 84.9   | 54.4 | 57.7  |
| 6/11/2025  | 7:06:52 PM | 55.9   | 62.7   | 65.5   | 77     | 49.3 | 54.4  |
| 6/11/2025  | 7:05:52 PM | 68.1   | 70.3   | 72.2   | 88.2   | 59.2 | 61.1  |
| 6/11/2025  | 7:04:52 PM | 68.7   | 70.3   | 71.8   | 87.9   | 57.5 | 59.9  |
| 6/11/2025  | 7:03:52 PM | 66.3   | 68.6   | 69.7   | 84.6   | 55.9 | 58.7  |
| 6/11/2025  | 7:02:52 PM | 69.4   | 70.8   | 72     | 91.8   | 58.7 | 60.4  |
| 6/11/2025  | 7:01:52 PM | 57.6   | 59.4   | 60.2   | 82.4   | 50.2 | 52.5  |
| 6/11/2025  | 7:00:52 PM | 51.9   | 54.7   | 57     | 77.9   | 48.2 | 51.3  |
| 6/11/2025  | 6:59:52 PM | 64.2   | 65.8   | 68.2   | 87.2   | 54.1 | 56.6  |
| 6/11/2025  | 6:58:52 PM | 67.4   | 68.9   | 73.2   | 86.3   | 59.1 | 62.5  |
| 6/11/2025  | 6:57:52 PM | 59.9   | 66.1   | 69.9   | 80.4   | 52.1 | 58.6  |
| 6/11/2025  | 6:56:52 PM | 56.9   | 64.5   | 68.6   | 79.1   | 51   | 57.2  |
| 6/11/2025  | 6:55:52 PM | 69.7   | 72     | 72.7   | 90.3   | 58.7 | 61.3  |
| 6/11/2025  | 6:54:52 PM | 64.1   | 65.7   | 68.2   | 83.1   | 55.4 | 58    |
| 6/11/2025  | 6:53:52 PM | 64.3   | 66.4   | 69     | 85.2   | 53.8 | 58.7  |
| 6/11/2025  | 6:52:52 PM | 68     | 70.2   | 70.8   | 85.5   | 54.1 | 56.9  |
| 6/11/2025  | 6:51:52 PM | 67     | 69.9   | 70.9   | 84.6   | 57.7 | 60.3  |
| 6/11/2025  | 6:50:52 PM | 67.3   | 69.6   | 70.2   | 85.2   | 59.4 | 61.5  |
| 6/11/2025  | 6:49:52 PM | 53.6   | 59.5   | 63.8   | 84     | 50   | 55    |
| 6/11/2025  | 6:48:52 PM | 64.7   | 66.9   | 69.9   | 93.6   | 55.4 | 60    |
| 6/11/2025  | 6:47:52 PM | 66.8   | 68.6   | 70     | 84.7   | 58.4 | 60.6  |
| 6/11/2025  | 6:46:52 PM | 65.2   | 67.4   | 68.7   | 83     | 55.8 | 58.9  |
| 6/11/2025  | 6:45:52 PM | 52.5   | 58.5   | 62.6   | 77.4   | 49   | 53.5  |
| 6/11/2025  | 6:44:52 PM | 69.3   | 74.8   | 75.7   | 85.8   | 55.2 | 61.3  |
| 6/11/2025  | 6:43:52 PM | 65.2   | 66.1   | 67.4   | 82.4   | 56   | 57.8  |
| 6/11/2025  | 6:42:52 PM | 55.6   | 62.7   | 66.8   | 78.5   | 50.4 | 56.8  |
| 6/11/2025  | 6:41:52 PM | 66.2   | 68.5   | 71.3   | 87.5   | 55.2 | 58.6  |
| 6/11/2025  | 6:40:52 PM | 63.5   | 65.2   | 65.8   | 81.5   | 52.9 | 57    |
| 6/11/2025  | 6:39:52 PM | 60.7   | 62.2   | 64     | 83.7   | 51.8 | 55.3  |
| 6/11/2025  | 6:38:52 PM | 67.8   | 70.1   | 71.9   | 85.7   | 56.5 | 59.2  |
| 6/11/2025  | 6:37:52 PM | 67.4   | 70.7   | 72.2   | 84.2   | 55.5 | 59.8  |
| 6/11/2025  | 6:36:52 PM | 53.6   | 59.2   | 63.8   | 79.3   | 50   | 57.5  |
| 6/11/2025  | 6:35:52 PM | 63.7   | 65.7   | 67.2   | 85.7   | 56.6 | 59.2  |
| 6/11/2025  | 6:34:52 PM | 66.5   | 69.4   | 72     | 86.4   | 56.9 | 59.9  |
| 6/11/2025  | 6:33:52 PM | 56.4   | 61.1   | 64.2   | 80.8   | 52.2 | 57.3  |
| 6/11/2025  | 6:32:52 PM | 65.6   | 69     | 72.7   | 91.9   | 57.2 | 60.9  |
| 6/11/2025  | 6:31:52 PM | 52.6   | 58.7   | 63.4   | 79.6   | 50   | 54.1  |
| 6/11/2025  | 6:30:52 PM | 59     | 61.2   | 61.8   | 81.2   | 53.8 | 55.8  |
| 6/11/2025  | 6:29:52 PM | 63.6   | 64.7   | 65.4   | 84.8   | 55.7 | 57.4  |
| 6/11/2025  | 6:28:52 PM | 70.8   | 69.5   | 70.6   | 88.2   | 56   | 58.3  |
| 6/11/2025  | 6:27:52 PM | 71.9   | 72.7   | 73     | 93.2   | 62   | 63.2  |

|           | SAMPLETIME | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|------------|--------|--------|--------|--------|------|-------|
| 6/11/2025 | 6:26:52 PM | 68.7   | 70.9   | 75.6   | 92.5   | 57   | 63    |
| 6/11/2025 | 6:25:52 PM | 65.5   | 67.9   | 69     | 82.7   | 57   | 61.2  |
| 6/11/2025 | 6:24:52 PM | 64.8   | 65.7   | 67.3   | 83.3   | 55.6 | 60.5  |
| 6/11/2025 | 6:23:52 PM | 65.7   | 67.3   | 69.7   | 81.7   | 57   | 60.5  |
| 6/11/2025 | 6:22:52 PM | 64.1   | 67.6   | 69.2   | 79.9   | 54.8 | 60.3  |
| 6/11/2025 | 6:21:52 PM | 67.5   | 69.6   | 70.7   | 90.6   | 58   | 61.7  |
| 6/11/2025 | 6:20:52 PM | 66.5   | 68     | 68.9   | 84.3   | 55.1 | 57.5  |
| 6/11/2025 | 6:19:52 PM | 67.4   | 69.7   | 71.1   | 87     | 56.2 | 59    |
| 6/11/2025 | 6:18:52 PM | 52.8   | 57.3   | 60.5   | 79     | 48.5 | 53.4  |
| 6/11/2025 | 6:17:52 PM | 65.3   | 67.4   | 69.2   | 87.9   | 56.3 | 59    |
| 6/11/2025 | 6:16:52 PM | 62.3   | 65.1   | 68.4   | 84.3   | 53.4 | 57.5  |
| 6/11/2025 | 6:15:52 PM | 63     | 64.2   | 65.5   | 81.8   | 56   | 58.5  |
| 6/11/2025 | 6:14:52 PM | 69.1   | 71.5   | 73.5   | 90.2   | 57   | 61.2  |
| 6/11/2025 | 6:13:52 PM | 56.8   | 61.7   | 63.8   | 80.6   | 51.7 | 58    |
| 6/11/2025 | 6:12:52 PM | 62.1   | 63.2   | 64.7   | 84.2   | 51.5 | 58    |
| 6/11/2025 | 6:11:52 PM | 68.7   | 71.2   | 73.4   | 89.5   | 57.8 | 62    |
| 6/11/2025 | 6:10:52 PM | 63.6   | 65.3   | 66.4   | 81.4   | 53.1 | 57.4  |
| 6/11/2025 | 6:09:52 PM | 52.8   | 57.5   | 62.1   | 83.6   | 49.3 | 53.9  |
| 6/11/2025 | 6:08:52 PM | 54.3   | 57.8   | 62.2   | 78     | 49.3 | 54.2  |
| 6/11/2025 | 6:07:52 PM | 65.2   | 64.5   | 67.5   | 84.7   | 55.4 | 58.9  |
| 6/11/2025 | 6:06:52 PM | 66.3   | 68.3   | 69.7   | 86.8   | 57.7 | 63.2  |
| 6/11/2025 | 6:05:52 PM | 65.2   | 66.4   | 69.7   | 83.4   | 55.1 | 61.1  |
| 6/11/2025 | 6:04:52 PM | 61.9   | 63.3   | 67.6   | 84     | 53.2 | 61.1  |
| 6/11/2025 | 6:03:52 PM | 68.2   | 72     | 73.8   | 86.6   | 58.6 | 63    |
| 6/11/2025 | 6:02:52 PM | 58.2   | 62.6   | 67.4   | 81.6   | 52.4 | 58.6  |
| 6/11/2025 | 6:01:52 PM | 72.3   | 78.1   | 80.3   | 85.2   | 57.1 | 64.9  |
| 6/11/2025 | 6:00:52 PM | 67.4   | 71.5   | 72.6   | 82.5   | 58.7 | 62.7  |
| 6/11/2025 | 5:59:52 PM | 66.8   | 68.4   | 70.5   | 90.2   | 57.2 | 59.5  |
| 6/11/2025 | 5:58:52 PM | 61.8   | 63.2   | 63.6   | 81.4   | 52.6 | 54.9  |
| 6/11/2025 | 5:57:52 PM | 65.5   | 67.4   | 69     | 83.3   | 55.3 | 58.5  |
| 6/11/2025 | 5:56:52 PM | 63.7   | 65.5   | 66.9   | 80.4   | 54.4 | 58.2  |
| 6/11/2025 | 5:55:52 PM | 57.8   | 60.3   | 62.1   | 82.6   | 52.1 | 55.7  |
| 6/11/2025 | 5:54:52 PM | 72.2   | 74.7   | 75.8   | 100.5  | 60.9 | 63.4  |
| 6/11/2025 | 5:53:52 PM | 67     | 68.9   | 70.2   | 85.6   | 57.1 | 59.4  |
| 6/11/2025 | 5:52:52 PM | 59.1   | 63.7   | 65.6   | 79.2   | 50.3 | 54.6  |
| 6/11/2025 | 5:51:52 PM | 66.4   | 71.6   | 74.2   | 85.2   | 60.2 | 64.1  |
| 6/11/2025 | 5:50:52 PM | 66.7   | 69.1   | 71     | 86     | 58.1 | 60.1  |
| 6/11/2025 | 5:49:52 PM | 67.4   | 68.8   | 69.6   | 87.9   | 58.7 | 60.9  |
| 6/11/2025 | 5:48:52 PM | 69.6   | 72.4   | 75.6   | 93.1   | 61   | 63.9  |
| 6/11/2025 | 5:47:52 PM | 64.3   | 65.4   | 66.1   | 82.8   | 53.8 | 56    |
| 6/11/2025 | 5:46:52 PM | 67.9   | 70     | 71.2   | 85.1   | 57.6 | 59.9  |
| 6/11/2025 | 5:45:52 PM | 65.4   | 67.7   | 69     | 85.4   | 56.9 | 58.7  |
| 6/11/2025 | 5:44:52 PM | 66.7   | 68.5   | 69.3   | 86     | 57.4 | 59.1  |
| 6/11/2025 | 5:43:52 PM | 66.1   | 69     | 71.7   | 90.3   | 55.4 | 58.3  |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/11/2025  | 5:42:52 PM | 55.5   | 59.8   | 62.2   | 77.4   | 49.3 | 52.7  |
| 6/11/2025  | 5:41:52 PM | 66.6   | 67.7   | 68.5   | 87.1   | 58.5 | 60.4  |
| 6/11/2025  | 5:40:52 PM | 64     | 66.7   | 67.8   | 84.2   | 53.8 | 54.9  |
| 6/11/2025  | 5:39:52 PM | 62.1   | 62.8   | 63.7   | 82     | 53.8 | 55    |
| 6/11/2025  | 5:38:52 PM | 63.4   | 67     | 68.6   | 83.4   | 53.3 | 56.1  |
| 6/11/2025  | 5:37:52 PM | 67.3   | 69     | 70     | 85.4   | 57.1 | 58.6  |
| 6/11/2025  | 5:36:52 PM | 66.8   | 69.1   | 69.8   | 92.8   | 58   | 59.5  |
| 6/11/2025  | 5:35:52 PM | 64.9   | 66.6   | 69     | 87.4   | 57.3 | 59.3  |
| 6/11/2025  | 5:34:52 PM | 66     | 67.6   | 68.6   | 90.5   | 58.3 | 59.9  |
| 6/11/2025  | 5:33:52 PM | 68.1   | 70.2   | 70.9   | 85.6   | 57.8 | 59.6  |
| 6/11/2025  | 5:32:52 PM | 66.7   | 69     | 69.9   | 83.6   | 55.4 | 57.1  |
| 6/11/2025  | 5:31:52 PM | 58.3   | 60.6   | 62.7   | 78.8   | 51.1 | 54.1  |
| 6/11/2025  | 5:30:52 PM | 64.3   | 67     | 68.1   | 80.1   | 55.8 | 57.5  |
| 6/11/2025  | 5:29:52 PM | 66     | 68.5   | 69.5   | 85     | 58.2 | 59.8  |
| 6/11/2025  | 5:28:52 PM | 68     | 70.2   | 71.1   | 87.1   | 58.9 | 60.9  |
| 6/11/2025  | 5:27:52 PM | 63.6   | 66.1   | 66.8   | 82.5   | 54.7 | 56.9  |
| 6/11/2025  | 5:26:52 PM | 70.1   | 72.4   | 72.9   | 84.7   | 58.7 | 60.8  |
| 6/11/2025  | 5:25:52 PM | 67.6   | 69.6   | 72.5   | 87.9   | 57.4 | 60.8  |
| 6/11/2025  | 5:24:52 PM | 65     | 66.9   | 68.3   | 84.6   | 55.2 | 57.6  |
| 6/11/2025  | 5:23:52 PM | 64.6   | 65.6   | 66.5   | 81.9   | 57.6 | 59    |
| 6/11/2025  | 5:22:52 PM | 64.6   | 66.6   | 68.6   | 87.2   | 54.9 | 56.9  |
| 6/11/2025  | 5:21:52 PM | 68.2   | 69.3   | 69.9   | 84.6   | 55.3 | 57.8  |
| 6/11/2025  | 5:20:52 PM | 68.1   | 70.6   | 71.5   | 85.1   | 57   | 60.5  |
| 6/11/2025  | 5:19:52 PM | 63.9   | 66.3   | 67.6   | 83     | 54.4 | 56.9  |
| 6/11/2025  | 5:18:52 PM | 67.8   | 69.7   | 71.7   | 88.8   | 56.4 | 59.7  |
| 6/11/2025  | 5:17:52 PM | 73.7   | 76.4   | 76.9   | 96.8   | 61.2 | 63.4  |
| 6/11/2025  | 5:16:52 PM | 65.8   | 68.9   | 70.5   | 83.6   | 57.1 | 58.9  |
| 6/11/2025  | 5:15:52 PM | 57.1   | 60.3   | 62.4   | 80.4   | 52.3 | 54.6  |
| 6/11/2025  | 5:14:52 PM | 68.8   | 71.9   | 75.2   | 91.7   | 58.7 | 62    |
| 6/11/2025  | 5:13:52 PM | 67     | 68.3   | 69.4   | 85.2   | 58.4 | 60    |
| 6/11/2025  | 5:12:52 PM | 65.3   | 67.5   | 68.8   | 87.3   | 55   | 58    |
| 6/11/2025  | 5:11:52 PM | 67.1   | 69     | 69.8   | 88.2   | 57.8 | 59.9  |
| 6/11/2025  | 5:10:52 PM | 67.5   | 68.8   | 70.5   | 88.6   | 60.2 | 62.4  |
| 6/11/2025  | 5:09:52 PM | 66.9   | 69     | 71.3   | 86.8   | 58.3 | 60.6  |
| 6/11/2025  | 5:08:52 PM | 64.3   | 66.2   | 67.1   | 82.2   | 54.4 | 56.6  |
| 6/11/2025  | 5:07:52 PM | 65.3   | 66.6   | 67.4   | 81.3   | 56.2 | 57.5  |
| 6/11/2025  | 5:06:52 PM | 67.1   | 69.6   | 71.1   | 85.8   | 57.9 | 59.6  |
| 6/11/2025  | 5:05:52 PM | 55.6   | 58.2   | 59.5   | 78.8   | 51.5 | 53.8  |
| 6/11/2025  | 5:04:52 PM | 63.2   | 64.4   | 65     | 82.7   | 53.9 | 55.5  |
| 6/11/2025  | 5:03:52 PM | 65.5   | 67.6   | 69.9   | 88.9   | 58.4 | 60.6  |
| 6/11/2025  | 5:02:52 PM | 60.7   | 59     | 61.1   | 76.8   | 51.2 | 53.5  |
| 6/11/2025  | 5:01:52 PM | 70.1   | 72.8   | 74.3   | 89.8   | 59.6 | 63.4  |
| 6/11/2025  | 5:00:52 PM | 65.6   | 65.2   | 66.3   | 77.1   | 53.3 | 60    |
| 6/11/2025  | 4:59:52 PM | 65.8   | 67.2   | 68     | 85.6   | 56.6 | 58.8  |

|           | SAMPLETIME | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|------------|--------|--------|--------|--------|------|-------|
| 6/11/2025 | 4:58:52 PM | 57.4   | 62.5   | 66.9   | 87     | 52.2 | 56.9  |
| 6/11/2025 | 4:57:52 PM | 62.4   | 64.4   | 67.7   | 84.1   | 53.5 | 57.2  |
| 6/11/2025 | 4:56:52 PM | 71.5   | 74.1   | 75.6   | 91.5   | 60.6 | 63.3  |
| 6/11/2025 | 4:55:52 PM | 64.6   | 65.8   | 67.1   | 82.8   | 56.9 | 59.2  |
| 6/11/2025 | 4:54:52 PM | 67.4   | 69.8   | 71.3   | 85.7   | 56   | 58.9  |
| 6/11/2025 | 4:53:52 PM | 64.7   | 67.7   | 69.2   | 86.8   | 57.6 | 60.2  |
| 6/11/2025 | 4:52:52 PM | 62.4   | 63.8   | 64.2   | 82     | 53.2 | 56.6  |
| 6/11/2025 | 4:51:52 PM | 63.7   | 64.8   | 66.3   | 82.1   | 55.7 | 58.5  |
| 6/11/2025 | 4:50:52 PM | 66.6   | 68.9   | 69.7   | 83.9   | 57.9 | 59.8  |
| 6/11/2025 | 4:49:52 PM | 62.6   | 64     | 66.3   | 83.5   | 55.3 | 58.2  |
| 6/11/2025 | 4:48:52 PM | 68.3   | 69.9   | 70.8   | 85.5   | 57.7 | 60.1  |
| 6/11/2025 | 4:47:52 PM | 61.9   | 65.8   | 68.2   | 82.1   | 53.6 | 57.4  |
| 6/11/2025 | 4:46:52 PM | 70.1   | 71.8   | 72.4   | 88.6   | 57.8 | 60.3  |
| 6/11/2025 | 4:45:52 PM | 64.8   | 66.2   | 66.9   | 81.7   | 55.7 | 57    |
| 6/11/2025 | 4:44:52 PM | 63     | 64.6   | 66.6   | 92.3   | 55.3 | 58.7  |
| 6/11/2025 | 4:43:52 PM | 68.4   | 74.6   | 76.5   | 91     | 57.1 | 62.6  |
| 6/11/2025 | 4:42:52 PM | 71.2   | 74.3   | 75.5   | 91     | 60.1 | 62.2  |
| 6/11/2025 | 4:41:52 PM | 64.5   | 66.6   | 67.3   | 82.7   | 54.6 | 57.6  |
| 6/11/2025 | 4:40:52 PM | 61     | 67.1   | 70.1   | 83.5   | 52.6 | 58.7  |
| 6/11/2025 | 4:39:52 PM | 66     | 68.9   | 71.2   | 86.5   | 58.1 | 61.9  |
| 6/11/2025 | 4:38:52 PM | 70.6   | 76.8   | 79.5   | 87.6   | 61.4 | 67.8  |
| 6/11/2025 | 4:37:52 PM | 65.4   | 66.8   | 67.4   | 82.7   | 56.9 | 59.7  |
| 6/11/2025 | 4:36:52 PM | 63.2   | 64.7   | 66.4   | 80.2   | 54.1 | 56.7  |
| 6/11/2025 | 4:35:52 PM | 63.6   | 68.1   | 72.2   | 88.3   | 56.9 | 61    |
| 6/11/2025 | 4:34:52 PM | 69.8   | 71.9   | 72.8   | 87.2   | 58.1 | 60.2  |
| 6/11/2025 | 4:33:52 PM | 66.6   | 67.8   | 68.8   | 89.2   | 57.3 | 58.8  |
| 6/11/2025 | 4:32:52 PM | 71.1   | 73.2   | 73.9   | 89.6   | 59.1 | 60.8  |
| 6/11/2025 | 4:31:52 PM | 72.2   | 74.9   | 75.7   | 90.9   | 59.7 | 62.4  |
| 6/11/2025 | 4:30:52 PM | 64     | 65.9   | 66.6   | 85     | 55.8 | 57.5  |
| 6/11/2025 | 4:29:52 PM | 72.5   | 75.1   | 76.4   | 96.6   | 60.5 | 63    |
| 6/11/2025 | 4:28:52 PM | 75.3   | 80.7   | 82.7   | 92.2   | 64.2 | 69.8  |
| 6/11/2025 | 4:27:52 PM | 68.7   | 71.1   | 71.8   | 85.1   | 57.8 | 59.4  |
| 6/11/2025 | 4:26:52 PM | 64.6   | 66.5   | 68.1   | 84.5   | 55.2 | 57.4  |
| 6/11/2025 | 4:25:52 PM | 63.4   | 66.4   | 67.5   | 81.7   | 52.5 | 54.5  |
| 6/11/2025 | 4:24:52 PM | 71.4   | 73.2   | 74     | 92.7   | 60.2 | 62.2  |
| 6/11/2025 | 4:23:52 PM | 65.5   | 67.6   | 70.3   | 88.8   | 58.3 | 60.6  |
| 6/11/2025 | 4:22:52 PM | 66     | 67.5   | 68.2   | 84.7   | 55.8 | 57.3  |
| 6/11/2025 | 4:21:52 PM | 69.7   | 72.3   | 73.3   | 87.1   | 58.9 | 61.3  |
| 6/11/2025 | 4:20:52 PM | 65.1   | 66.3   | 67.3   | 83.5   | 55.8 | 57.4  |
| 6/11/2025 | 4:19:52 PM | 64.8   | 66.5   | 67.2   | 84.6   | 56.5 | 58.1  |
| 6/11/2025 | 4:18:52 PM | 52.9   | 57     | 59.1   | 82.2   | 50.4 | 52.7  |
| 6/11/2025 | 4:17:52 PM | 65.5   | 67.3   | 68.2   | 84.5   | 56   | 57.7  |
| 6/11/2025 | 4:16:52 PM | 69     | 71.1   | 72.4   | 90.1   | 56.8 | 59.4  |
| 6/11/2025 | 4:15:52 PM | 65.7   | 67     | 67.8   | 85.6   | 58.9 | 60.1  |

|           | SAMPLETIME | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|------------|--------|--------|--------|--------|------|-------|
| 6/11/2025 | 4:14:52 PM | 64.7   | 67     | 67.7   | 85.5   | 55.5 | 57.4  |
| 6/11/2025 | 4:13:52 PM | 64.1   | 66.2   | 68     | 86.7   | 55.6 | 57.6  |
| 6/11/2025 | 4:12:52 PM | 60.4   | 62.2   | 63     | 77.8   | 51.9 | 54    |
| 6/11/2025 | 4:11:52 PM | 67.8   | 70.5   | 72.1   | 88.9   | 57.4 | 60.6  |
| 6/11/2025 | 4:10:52 PM | 69.6   | 71     | 71.7   | 87.2   | 60.1 | 62.1  |
| 6/11/2025 | 4:09:52 PM | 65.6   | 67.5   | 70.1   | 86.7   | 58.4 | 60.3  |
| 6/11/2025 | 4:08:52 PM | 68.4   | 70.1   | 70.8   | 87.1   | 61.3 | 63.1  |
| 6/11/2025 | 4:07:52 PM | 59.7   | 62.5   | 64.6   | 80.8   | 52   | 55.2  |
| 6/11/2025 | 4:06:52 PM | 64.1   | 66.6   | 68.4   | 84     | 55.6 | 58.2  |
| 6/11/2025 | 4:05:52 PM | 68.4   | 70.8   | 71.8   | 87     | 58.9 | 61.9  |
| 6/11/2025 | 4:04:52 PM | 69.5   | 71.6   | 72.4   | 86.9   | 58.9 | 61.1  |
| 6/11/2025 | 4:03:52 PM | 66.5   | 74.2   | 78.7   | 88.9   | 55.1 | 63.7  |
| 6/11/2025 | 4:02:52 PM | 66.8   | 68.6   | 72.5   | 91.6   | 58   | 60.4  |
| 6/11/2025 | 4:01:52 PM | 71.3   | 74     | 76.4   | 90.4   | 60.7 | 63.6  |
| 6/11/2025 | 4:00:52 PM | 66.6   | 68.1   | 68.6   | 85.1   | 57.5 | 60.4  |
| 6/11/2025 | 3:59:52 PM | 56.7   | 61.6   | 65.3   | 85.9   | 51.1 | 56.5  |
| 6/11/2025 | 3:58:52 PM | 60.9   | 61.9   | 64.9   | 84.7   | 52.4 | 58    |
| 6/11/2025 | 3:57:52 PM | 65.1   | 66.5   | 70.2   | 90.9   | 56.7 | 61.2  |
| 6/11/2025 | 3:56:52 PM | 66.6   | 68.5   | 69.2   | 86.1   | 57.4 | 59.9  |
| 6/11/2025 | 3:55:52 PM | 72.2   | 75.8   | 77.3   | 95.2   | 59.5 | 62.9  |
| 6/11/2025 | 3:54:52 PM | 61.3   | 62.7   | 63.4   | 78.6   | 52.5 | 55    |
| 6/11/2025 | 3:53:52 PM | 70.4   | 73     | 74.2   | 92.6   | 57.8 | 60.9  |
| 6/11/2025 | 3:52:52 PM | 65.7   | 68.4   | 70.6   | 88.1   | 54   | 57.9  |
| 6/11/2025 | 3:51:52 PM | 66.1   | 67.6   | 68.9   | 83.6   | 55.6 | 57.4  |
| 6/11/2025 | 3:50:52 PM | 60     | 63.6   | 65.4   | 79     | 51   | 55.1  |
| 6/11/2025 | 3:49:52 PM | 64.5   | 66.1   | 66.8   | 82.7   | 54.3 | 56.5  |
| 6/11/2025 | 3:48:52 PM | 65.4   | 68.8   | 72.8   | 85.2   | 57.2 | 61.3  |
| 6/11/2025 | 3:47:52 PM | 53.7   | 58.7   | 61.6   | 79.7   | 50.5 | 54.6  |
| 6/11/2025 | 3:46:52 PM | 66.3   | 68.2   | 69     | 83.7   | 55.2 | 57.6  |
| 6/11/2025 | 3:45:52 PM | 67.4   | 68.9   | 70.6   | 92.4   | 59.3 | 61.3  |
| 6/11/2025 | 3:44:52 PM | 65.3   | 65.3   | 66.8   | 82.9   | 54.5 | 58.7  |
| 6/11/2025 | 3:43:52 PM | 69.5   | 72.6   | 74.4   | 88.7   | 60.6 | 63.5  |
| 6/11/2025 | 3:42:52 PM | 66.5   | 68.8   | 69.8   | 85.8   | 56.4 | 59.3  |
| 6/11/2025 | 3:41:52 PM | 66     | 67.1   | 68     | 83.9   | 56.6 | 59.6  |
| 6/11/2025 | 3:40:52 PM | 57.5   | 61.2   | 66.7   | 82.3   | 53.8 | 58.6  |
| 6/11/2025 | 3:39:52 PM | 67.7   | 71.3   | 74.5   | 92.4   | 59.9 | 63.2  |
| 6/11/2025 | 3:38:52 PM | 65.9   | 67.5   | 68.3   | 82.8   | 59.4 | 61.3  |
| 6/11/2025 | 3:37:52 PM | 68.1   | 69.6   | 70.5   | 85.2   | 58.6 | 59.9  |
| 6/11/2025 | 3:36:52 PM | 70     | 72.8   | 74.8   | 92.1   | 59.4 | 62.6  |
| 6/11/2025 | 3:35:52 PM | 66.9   | 68.4   | 69     | 84.4   | 56.6 | 58.9  |
| 6/11/2025 | 3:34:52 PM | 55.1   | 61.7   | 66.2   | 84.2   | 51.4 | 57.2  |
| 6/11/2025 | 3:33:52 PM | 68.1   | 69.6   | 72.6   | 91.2   | 58.7 | 61.6  |
| 6/11/2025 | 3:32:52 PM | 61.9   | 63.9   | 65.8   | 82.7   | 54.4 | 57.7  |
| 6/11/2025 | 3:31:52 PM | 68.4   | 70.4   | 71.2   | 84.7   | 57.8 | 61    |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/11/2025  | 3:30:52 PM | 55.9   | 58.3   | 63     | 79.4   | 50.6 | 57.4  |
| 6/11/2025  | 3:29:52 PM | 65.5   | 67.2   | 68.1   | 82.7   | 54.7 | 57.3  |
| 6/11/2025  | 3:28:52 PM | 55.4   | 58.4   | 60.3   | 79.4   | 50.4 | 54    |
| 6/11/2025  | 3:27:52 PM | 55.4   | 60.6   | 63.8   | 83.4   | 51.4 | 56.6  |
| 6/11/2025  | 3:26:52 PM | 66.7   | 68.7   | 69.9   | 84.9   | 55.7 | 58.9  |
| 6/11/2025  | 3:25:52 PM | 63.8   | 65.7   | 68.7   | 84.8   | 54.9 | 58.2  |
| 6/11/2025  | 3:24:52 PM | 56.4   | 59.2   | 63     | 79.3   | 50.7 | 55    |
| 6/11/2025  | 3:23:52 PM | 56.7   | 59.8   | 62.6   | 80.2   | 51.7 | 55.2  |
| 6/11/2025  | 3:22:52 PM | 52.9   | 59     | 63.5   | 83.5   | 49.4 | 54.9  |
| 6/11/2025  | 3:21:52 PM | 66.6   | 67.9   | 68.8   | 85.3   | 57   | 59    |
| 6/11/2025  | 3:20:52 PM | 65.4   | 66.7   | 69.3   | 88.8   | 55.6 | 58.8  |
| 6/11/2025  | 3:19:52 PM | 53.6   | 59.2   | 63.8   | 82.7   | 50.5 | 56.7  |
| 6/11/2025  | 3:18:52 PM | 64.2   | 66.1   | 67     | 84.6   | 55.7 | 58.1  |
| 6/11/2025  | 3:17:52 PM | 67.5   | 69.5   | 70.4   | 86.2   | 56.8 | 59.3  |
| 6/11/2025  | 3:16:52 PM | 63.8   | 65     | 65.7   | 83.3   | 53.9 | 56.1  |
| 6/11/2025  | 3:15:52 PM | 65.1   | 67     | 68     | 83.6   | 54.2 | 56.3  |
| 6/11/2025  | 3:14:52 PM | 67.4   | 69.8   | 70.4   | 88.3   | 58.1 | 60.5  |
| 6/11/2025  | 3:13:52 PM | 66.6   | 68     | 68.6   | 84.3   | 57.3 | 59.1  |
| 6/11/2025  | 3:12:52 PM | 53.3   | 59.7   | 64.4   | 83.2   | 50.5 | 55.7  |
| 6/11/2025  | 3:11:52 PM | 68.9   | 71.3   | 72.6   | 89.2   | 56.4 | 60.8  |
| 6/11/2025  | 3:10:52 PM | 64     | 65.8   | 68     | 83.2   | 56.1 | 59.5  |
| 6/11/2025  | 3:09:52 PM | 68.9   | 71     | 72.7   | 90.4   | 56.8 | 60.4  |
| 6/11/2025  | 3:08:52 PM | 62.2   | 63.4   | 64.2   | 82.6   | 53.2 | 55.6  |
| 6/11/2025  | 3:07:52 PM | 68.2   | 70.5   | 71.8   | 88.2   | 55.3 | 58.9  |
| 6/11/2025  | 3:06:52 PM | 65.8   | 68     | 69.2   | 83.8   | 56   | 57.7  |
| 6/11/2025  | 3:05:52 PM | 67.7   | 70.8   | 72.8   | 88.4   | 56   | 60.7  |
| 6/11/2025  | 3:04:52 PM | 64.4   | 66.2   | 67     | 82.4   | 54.8 | 58.1  |
| 6/11/2025  | 3:03:52 PM | 54.3   | 59.6   | 62.7   | 85.2   | 50.8 | 54.6  |
| 6/11/2025  | 3:02:52 PM | 71.3   | 73.7   | 75.5   | 92.2   | 61.2 | 63.7  |
| 6/11/2025  | 3:01:52 PM | 65.8   | 67.1   | 68.1   | 84.5   | 56.3 | 58.6  |
| 6/11/2025  | 3:00:52 PM | 62.4   | 64.7   | 65.5   | 81.9   | 52.3 | 55    |
| 6/11/2025  | 2:59:52 PM | 55     | 59.2   | 61.7   | 85.3   | 50.6 | 54.2  |
| 6/11/2025  | 2:58:52 PM | 58.7   | 59.7   | 61.1   | 86.5   | 53.5 | 55.3  |
| 6/11/2025  | 2:57:52 PM | 68.9   | 71.1   | 72.2   | 87.9   | 58.5 | 61.5  |
| 6/11/2025  | 2:56:52 PM | 54.9   | 57.4   | 59.6   | 78.6   | 48.4 | 50.8  |
| 6/11/2025  | 2:55:52 PM | 63.6   | 65.1   | 65.9   | 82.1   | 55.5 | 56.6  |
| 6/11/2025  | 2:54:52 PM | 61.3   | 62.4   | 63.9   | 82.8   | 52.5 | 54    |
| 6/11/2025  | 2:53:52 PM | 66.3   | 68.2   | 69.6   | 85.2   | 56.7 | 58.2  |
| 6/11/2025  | 2:52:52 PM | 62.9   | 63.8   | 65.2   | 80.8   | 53.5 | 55.2  |
| 6/11/2025  | 2:51:52 PM | 71.1   | 73.9   | 76     | 89     | 59   | 62.7  |
| 6/11/2025  | 2:50:52 PM | 68.5   | 73.1   | 75.7   | 90.6   | 55   | 58.5  |
| 6/11/2025  | 2:49:52 PM | 70.5   | 73.6   | 74.5   | 88.9   | 60.3 | 62.9  |
| 6/11/2025  | 2:48:52 PM | 66.7   | 68.6   | 70.7   | 88.5   | 57.9 | 60.6  |
| 6/11/2025  | 2:47:52 PM | 65.4   | 67.1   | 68.8   | 85     | 57   | 59.5  |

|           | SAMPLETIME | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|-----------|------------|--------|--------|--------|--------|------|-------|
| 6/11/2025 | 2:46:52 PM | 68.2   | 71     | 72.7   | 89.5   | 58.9 | 61.9  |
| 6/11/2025 | 2:45:52 PM | 66.3   | 68.5   | 69.5   | 86.7   | 59.1 | 60.7  |
| 6/11/2025 | 2:44:52 PM | 65.8   | 66.9   | 67.6   | 83     | 58.7 | 59.8  |
| 6/11/2025 | 2:43:52 PM | 63.1   | 65.1   | 66.9   | 82     | 53.4 | 56.1  |
| 6/11/2025 | 2:42:52 PM | 66.7   | 68.7   | 72.1   | 88.8   | 58.8 | 62.3  |
| 6/11/2025 | 2:41:52 PM | 69.1   | 71.5   | 72     | 88.4   | 56.3 | 59    |
| 6/11/2025 | 2:40:52 PM | 62.7   | 61.5   | 66.1   | 86.4   | 51   | 55.3  |
| 6/11/2025 | 2:39:52 PM | 68.9   | 75.1   | 79     | 102    | 58.7 | 64.9  |
| 6/11/2025 | 2:38:52 PM | 67     | 69.1   | 69.6   | 85     | 57.9 | 60.4  |
| 6/11/2025 | 2:37:52 PM | 75     | 78.2   | 79.9   | 90.2   | 65.8 | 69.1  |
| 6/11/2025 | 2:36:52 PM | 73.1   | 75.7   | 77.9   | 84.4   | 65.3 | 68.2  |
| 6/11/2025 | 2:35:52 PM | 66.2   | 68.7   | 69.3   | 83     | 55.4 | 57.8  |
| 6/11/2025 | 2:34:52 PM | 78.5   | 81.9   | 83.3   | 101.5  | 65.3 | 69.1  |
| 6/11/2025 | 2:33:52 PM | 55.3   | 56.6   | 58     | 75.8   | 50.8 | 52.2  |
| 6/11/2025 | 2:32:52 PM | 53.5   | 58.6   | 63     | 79     | 50.5 | 54.8  |
| 6/11/2025 | 2:31:52 PM | 64.7   | 66.9   | 68.6   | 86.1   | 56.8 | 59.5  |
| 6/11/2025 | 2:30:52 PM | 67.6   | 69.8   | 71.6   | 87.1   | 59.3 | 62    |
| 6/11/2025 | 2:29:52 PM | 67.7   | 70     | 71     | 87.7   | 60.1 | 62.5  |
| 6/11/2025 | 2:28:52 PM | 66.4   | 69.3   | 71.1   | 86.1   | 58.5 | 61    |
| 6/11/2025 | 2:27:52 PM | 66.2   | 68.5   | 69.5   | 87.8   | 57.2 | 58.9  |
| 6/11/2025 | 2:26:52 PM | 65.7   | 67.6   | 70.3   | 86.8   | 53.7 | 60.2  |
| 6/11/2025 | 2:25:52 PM | 65     | 69.8   | 71.2   | 85.8   | 56   | 61.4  |
| 6/11/2025 | 2:24:52 PM | 57.1   | 63.9   | 68.4   | 87.8   | 51.9 | 59.2  |
| 6/11/2025 | 2:23:52 PM | 59.1   | 62.1   | 66.3   | 83.1   | 53   | 58.6  |
| 6/11/2025 | 2:22:52 PM | 65.4   | 67.3   | 71.2   | 85.7   | 57.3 | 62.1  |
| 6/11/2025 | 2:21:52 PM | 60     | 67.3   | 72.3   | 89.6   | 52.7 | 61.3  |
| 6/11/2025 | 2:20:52 PM | 65.6   | 67.7   | 69.6   | 88.9   | 57.9 | 61.2  |
| 6/11/2025 | 2:19:52 PM | 67.9   | 69.3   | 71     | 88     | 58.3 | 61.7  |
| 6/11/2025 | 2:18:52 PM | 67.8   | 69.4   | 73.7   | 91.5   | 60.1 | 63.4  |
| 6/11/2025 | 2:17:52 PM | 71     | 73.8   | 74.6   | 88     | 60.2 | 63.7  |
| 6/11/2025 | 2:16:52 PM | 69.6   | 72.5   | 74     | 96.9   | 60.3 | 63.6  |
| 6/11/2025 | 2:15:52 PM | 61.9   | 68.8   | 73.8   | 88.6   | 54.4 | 62.3  |
| 6/11/2025 | 2:14:52 PM | 69.9   | 73     | 74.6   | 91.1   | 60.7 | 63.8  |
| 6/11/2025 | 2:13:52 PM | 64.8   | 66.8   | 70.7   | 84.5   | 56.7 | 60.6  |
| 6/11/2025 | 2:12:52 PM | 68.3   | 70.1   | 70.9   | 89.1   | 58.5 | 62.4  |
| 6/11/2025 | 2:11:52 PM | 64.6   | 66.5   | 67.8   | 86.5   | 55.8 | 61.2  |
| 6/11/2025 | 2:10:52 PM | 66.9   | 69     | 71.1   | 86.3   | 58.3 | 63    |
| 6/11/2025 | 2:09:52 PM | 68.2   | 71.3   | 75.3   | 97.7   | 59.5 | 63.9  |
| 6/11/2025 | 2:08:52 PM | 65.8   | 68.1   | 69.7   | 86.5   | 58.8 | 61.8  |
| 6/11/2025 | 2:07:52 PM | 66.9   | 70.1   | 74.6   | 91     | 57.1 | 63.5  |
| 6/11/2025 | 2:06:52 PM | 66.1   | 68.5   | 72.8   | 91     | 56.5 | 63    |
| 6/11/2025 | 2:05:52 PM | 63.9   | 65.2   | 69.2   | 86.6   | 55.6 | 61.1  |
| 6/11/2025 | 2:04:52 PM | 61.8   | 67.7   | 72.8   | 89.8   | 54.9 | 61.3  |
| 6/11/2025 | 2:03:52 PM | 59.4   | 63.8   | 67.5   | 85.7   | 54.4 | 60.8  |

| SAMPLETIME |            | LASMAX | LAFMAX | LAIMAX | LCPEAK | LAEQ | LAIEQ |
|------------|------------|--------|--------|--------|--------|------|-------|
| 6/11/2025  | 2:02:52 PM | 74.5   | 76.8   | 77.3   | 98     | 63.9 | 66.3  |
| 6/11/2025  | 2:01:52 PM | 63.9   | 65.8   | 66.8   | 84.7   | 56   | 59.9  |
| 6/11/2025  | 2:00:52 PM | 61     | 67.4   | 71.6   | 87.8   | 56.1 | 61.5  |
| 6/11/2025  | 1:59:52 PM | 67.4   | 71.9   | 76.6   | 90.1   | 58.2 | 65.4  |
| 6/11/2025  | 1:58:52 PM | 66.6   | 69.7   | 74.7   | 92.4   | 58.3 | 64.9  |
| 6/11/2025  | 1:57:52 PM | 68.8   | 73.6   | 74.7   | 89.4   | 59.8 | 66.3  |
| 6/11/2025  | 1:56:52 PM | 65.1   | 73.2   | 78.2   | 93.6   | 57.7 | 67    |
| 6/11/2025  | 1:55:52 PM | 62.2   | 70     | 75     | 89     | 54.7 | 64.1  |
| 6/11/2025  | 1:54:52 PM | 67.9   | 70.4   | 75.1   | 90.6   | 59.6 | 65.1  |
| 6/11/2025  | 1:53:52 PM | 68.8   | 71.2   | 72.6   | 89.7   | 58.1 | 63.4  |
| 6/11/2025  | 1:52:52 PM | 62.7   | 68.9   | 74     | 91.5   | 56.3 | 64.9  |
| 6/11/2025  | 1:51:52 PM | 65.6   | 67.8   | 72.1   | 88.8   | 56.8 | 63.5  |
| 6/11/2025  | 1:50:52 PM | 65.9   | 70.4   | 75.2   | 92.3   | 59.4 | 66.6  |
| 6/11/2025  | 1:49:52 PM | 62.4   | 69.4   | 74.4   | 91.8   | 55   | 63.7  |
| 6/11/2025  | 1:48:52 PM | 67.4   | 69.3   | 73.7   | 90.2   | 59.8 | 66.5  |
| 6/11/2025  | 1:47:52 PM | 64.9   | 70.6   | 75.1   | 95.7   | 59.5 | 66.9  |
| 6/11/2025  | 1:46:52 PM | 65.8   | 69.9   | 74.5   | 90.6   | 60.1 | 66.5  |
| 6/11/2025  | 1:45:52 PM | 64.4   | 68.1   | 73.1   | 93.6   | 58.2 | 66    |
| 6/11/2025  | 1:44:52 PM | 67.4   | 69     | 73.5   | 90.6   | 59.7 | 65.1  |
| 6/11/2025  | 1:43:52 PM | 61.4   | 68.2   | 72.9   | 88.9   | 55.8 | 64.4  |
| 6/11/2025  | 1:42:52 PM | 67.6   | 73.1   | 77.8   | 93.3   | 60.8 | 66.9  |
| 6/11/2025  | 1:41:52 PM | 83.5   | 85.1   | 85.6   | 102.3  | 73   | 74.4  |
| 6/11/2025  | 1:40:52 PM | 69     | 71.2   | 73.4   | 90.5   | 63.3 | 67.1  |
| 6/11/2025  | 1:39:52 PM | 68.3   | 69.9   | 74.5   | 92.6   | 60.3 | 65.1  |
| 6/11/2025  | 1:38:52 PM | 70.3   | 72.8   | 73.7   | 89.6   | 61.9 | 66.6  |
| 6/11/2025  | 1:37:52 PM | 70     | 72.3   | 73.8   | 91     | 60.9 | 65.5  |
| 6/11/2025  | 1:36:52 PM | 68.7   | 70.3   | 75.3   | 92.4   | 61.9 | 66.9  |
| 6/11/2025  | 1:35:52 PM | 69.4   | 70.9   | 72.9   | 88.4   | 61.4 | 65.1  |
| 6/11/2025  | 1:34:52 PM | 71     | 73.9   | 75.7   | 94.2   | 60.6 | 66.6  |
| 6/11/2025  | 1:33:52 PM | 69     | 72.6   | 76.3   | 91.7   | 61.6 | 66.2  |
| 6/11/2025  | 1:32:52 PM | 68.3   | 71.2   | 75.8   | 97.5   | 62.4 | 67.2  |
| 6/11/2025  | 1:31:52 PM | 75.2   | 75.3   | 76.5   | 92.8   | 63.4 | 68.7  |

LMAX (all) 83.5

LMAX (after 2:25pm 6/11/2025) 78.5

**S057\_BIU070007\_18062025\_085112: Information Panel**

| Description         | Value                          |
|---------------------|--------------------------------|
| Name                | S057_BIU070007_18062025_085112 |
| Start Time          | 6/11/2025 11:37:09             |
| Stop Time           | 6/11/2025 11:57:11             |
| Device Name         | BIU070007                      |
| Model Type          | SoundPro DL                    |
| Device Firmware Rev | R.13J                          |
| Comments            |                                |

**S057\_BIU070007\_18062025\_085112: Logged Data Chart**

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 11:37:10 | 47.80  | 60.00 | 47.20  | 59.80 |
| 6/11/2025 11:37:11 | 48.40  | 64.70 | 48.40  | 64.70 |
| 6/11/2025 11:37:12 | 48.50  | 61.70 | 48.60  | 60.80 |
| 6/11/2025 11:37:13 | 48.40  | 60.60 | 48.40  | 61.40 |
| 6/11/2025 11:37:14 | 49.70  | 63.40 | 49.80  | 63.10 |
| 6/11/2025 11:37:15 | 52.00  | 66.70 | 52.60  | 66.80 |
| 6/11/2025 11:37:16 | 55.10  | 69.80 | 55.60  | 69.60 |
| 6/11/2025 11:37:17 | 58.60  | 72.70 | 59.00  | 72.80 |
| 6/11/2025 11:37:18 | 61.90  | 76.00 | 62.80  | 76.30 |
| 6/11/2025 11:37:19 | 64.10  | 77.00 | 64.90  | 76.80 |
| 6/11/2025 11:37:20 | 63.90  | 74.50 | 62.70  | 74.60 |
| 6/11/2025 11:37:21 | 62.70  | 69.40 | 57.50  | 69.30 |
| 6/11/2025 11:37:22 | 60.00  | 69.20 | 54.30  | 69.40 |
| 6/11/2025 11:37:23 | 57.20  | 64.60 | 52.10  | 64.40 |
| 6/11/2025 11:37:24 | 54.70  | 65.40 | 51.10  | 65.80 |
| 6/11/2025 11:37:25 | 52.80  | 63.90 | 50.80  | 63.40 |
| 6/11/2025 11:37:26 | 51.80  | 63.10 | 50.40  | 63.70 |
| 6/11/2025 11:37:27 | 50.80  | 62.50 | 48.90  | 62.40 |
| 6/11/2025 11:37:28 | 49.70  | 60.90 | 48.60  | 62.20 |
| 6/11/2025 11:37:29 | 49.90  | 62.60 | 50.00  | 62.70 |
| 6/11/2025 11:37:30 | 51.00  | 63.90 | 51.20  | 63.80 |
| 6/11/2025 11:37:31 | 52.60  | 66.30 | 53.00  | 65.90 |
| 6/11/2025 11:37:32 | 58.20  | 86.30 | 55.90  | 86.20 |
| 6/11/2025 11:37:33 | 58.40  | 73.90 | 59.30  | 73.90 |
| 6/11/2025 11:37:34 | 60.90  | 75.20 | 61.20  | 74.90 |
| 6/11/2025 11:37:35 | 62.40  | 75.90 | 62.90  | 75.80 |
| 6/11/2025 11:37:36 | 62.80  | 78.10 | 62.40  | 78.00 |
| 6/11/2025 11:37:37 | 62.00  | 73.70 | 61.10  | 73.50 |
| 6/11/2025 11:37:38 | 61.60  | 78.10 | 61.20  | 78.10 |
| 6/11/2025 11:37:39 | 62.90  | 76.20 | 62.80  | 76.00 |
| 6/11/2025 11:37:40 | 66.00  | 83.80 | 67.10  | 83.70 |
| 6/11/2025 11:37:41 | 65.70  | 81.30 | 62.90  | 81.30 |
| 6/11/2025 11:37:42 | 63.90  | 75.30 | 61.10  | 75.30 |
| 6/11/2025 11:37:43 | 62.10  | 70.70 | 58.40  | 71.00 |
| 6/11/2025 11:37:44 | 60.10  | 71.30 | 57.60  | 70.80 |
| 6/11/2025 11:37:45 | 58.80  | 69.50 | 56.50  | 69.40 |
| 6/11/2025 11:37:46 | 57.30  | 67.10 | 54.30  | 67.70 |
| 6/11/2025 11:37:47 | 55.50  | 64.90 | 52.20  | 64.50 |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:37:48 | 53.60         | 63.90        | 50.90         | 64.10        |
| 6/11/2025 11:37:49 | 52.00         | 62.80        | 49.80         | 63.20        |
| 6/11/2025 11:37:50 | 50.70         | 62.50        | 49.60         | 61.90        |
| 6/11/2025 11:37:51 | 50.10         | 62.50        | 48.90         | 61.70        |
| 6/11/2025 11:37:52 | 49.30         | 62.50        | 48.00         | 62.80        |
| 6/11/2025 11:37:53 | 48.60         | 60.80        | 47.80         | 60.80        |
| 6/11/2025 11:37:54 | 48.10         | 67.00        | 47.30         | 66.50        |
| 6/11/2025 11:37:55 | 47.90         | 64.40        | 47.30         | 64.40        |
| 6/11/2025 11:37:56 | 47.90         | 61.70        | 47.80         | 61.90        |
| 6/11/2025 11:37:57 | 47.90         | 59.90        | 47.00         | 59.70        |
| 6/11/2025 11:37:58 | 47.30         | 59.70        | 46.60         | 59.50        |
| 6/11/2025 11:37:59 | 47.20         | 63.10        | 47.10         | 63.70        |
| 6/11/2025 11:38:00 | 47.40         | 60.50        | 47.30         | 61.60        |
| 6/11/2025 11:38:01 | 48.00         | 61.40        | 48.00         | 60.80        |
| 6/11/2025 11:38:02 | 48.10         | 60.70        | 47.90         | 60.50        |
| 6/11/2025 11:38:03 | 48.50         | 66.50        | 48.20         | 65.40        |
| 6/11/2025 11:38:04 | 49.90         | 74.70        | 50.50         | 74.20        |
| 6/11/2025 11:38:05 | 50.60         | 64.00        | 50.60         | 63.80        |
| 6/11/2025 11:38:06 | 53.30         | 68.20        | 53.50         | 67.80        |
| 6/11/2025 11:38:07 | 57.10         | 70.90        | 57.30         | 71.10        |
| 6/11/2025 11:38:08 | 61.90         | 78.20        | 62.40         | 78.00        |
| 6/11/2025 11:38:09 | 64.80         | 79.30        | 65.70         | 79.50        |
| 6/11/2025 11:38:10 | 65.10         | 78.10        | 64.90         | 77.70        |
| 6/11/2025 11:38:11 | 64.50         | 73.10        | 60.00         | 72.60        |
| 6/11/2025 11:38:12 | 61.80         | 69.40        | 56.10         | 68.10        |
| 6/11/2025 11:38:13 | 59.00         | 66.20        | 53.50         | 65.70        |
| 6/11/2025 11:38:14 | 56.40         | 64.50        | 50.80         | 64.30        |
| 6/11/2025 11:38:15 | 53.60         | 62.60        | 49.40         | 61.70        |
| 6/11/2025 11:38:16 | 51.30         | 61.60        | 48.70         | 60.90        |
| 6/11/2025 11:38:17 | 49.90         | 62.20        | 49.40         | 63.20        |
| 6/11/2025 11:38:18 | 49.70         | 63.70        | 48.70         | 63.90        |
| 6/11/2025 11:38:19 | 49.10         | 60.70        | 48.60         | 60.90        |
| 6/11/2025 11:38:20 | 48.70         | 61.20        | 47.90         | 62.20        |
| 6/11/2025 11:38:21 | 48.50         | 61.30        | 48.40         | 61.90        |
| 6/11/2025 11:38:22 | 48.50         | 60.80        | 47.70         | 61.30        |
| 6/11/2025 11:38:23 | 47.90         | 60.20        | 47.30         | 59.90        |
| 6/11/2025 11:38:24 | 47.60         | 59.70        | 47.30         | 61.00        |
| 6/11/2025 11:38:25 | 47.80         | 60.60        | 47.90         | 60.40        |
| 6/11/2025 11:38:26 | 48.00         | 61.30        | 47.90         | 60.70        |
| 6/11/2025 11:38:27 | 47.90         | 60.10        | 47.70         | 60.90        |
| 6/11/2025 11:38:28 | 47.70         | 68.30        | 47.20         | 68.00        |
| 6/11/2025 11:38:29 | 47.60         | 60.50        | 47.50         | 60.00        |
| 6/11/2025 11:38:30 | 47.90         | 61.70        | 48.00         | 61.00        |
| 6/11/2025 11:38:31 | 48.50         | 60.90        | 48.80         | 61.40        |
| 6/11/2025 11:38:32 | 50.00         | 66.70        | 50.30         | 68.40        |
| 6/11/2025 11:38:33 | 50.10         | 63.40        | 49.90         | 62.50        |
| 6/11/2025 11:38:34 | 50.50         | 62.80        | 50.40         | 64.10        |
| 6/11/2025 11:38:35 | 51.40         | 64.40        | 51.60         | 64.40        |
| 6/11/2025 11:38:36 | 52.00         | 65.10        | 52.40         | 64.10        |
| 6/11/2025 11:38:37 | 51.90         | 63.90        | 51.30         | 64.30        |
| 6/11/2025 11:38:38 | 51.40         | 66.60        | 49.90         | 66.40        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:38:39 | 50.50         | 60.40        | 48.00         | 61.00        |
| 6/11/2025 11:38:40 | 48.90         | 60.30        | 47.60         | 60.00        |
| 6/11/2025 11:38:41 | 48.10         | 60.00        | 47.70         | 59.80        |
| 6/11/2025 11:38:42 | 48.00         | 59.70        | 47.40         | 59.40        |
| 6/11/2025 11:38:43 | 48.50         | 61.50        | 47.90         | 62.20        |
| 6/11/2025 11:38:44 | 49.30         | 63.10        | 48.90         | 63.00        |
| 6/11/2025 11:38:45 | 48.30         | 60.60        | 47.40         | 60.70        |
| 6/11/2025 11:38:46 | 48.00         | 61.30        | 47.80         | 60.40        |
| 6/11/2025 11:38:47 | 47.70         | 59.50        | 47.50         | 61.10        |
| 6/11/2025 11:38:48 | 47.80         | 60.20        | 47.50         | 60.10        |
| 6/11/2025 11:38:49 | 47.50         | 60.00        | 47.20         | 61.70        |
| 6/11/2025 11:38:50 | 47.40         | 59.70        | 47.00         | 60.80        |
| 6/11/2025 11:38:51 | 47.20         | 59.30        | 46.90         | 58.90        |
| 6/11/2025 11:38:52 | 47.50         | 60.20        | 47.30         | 60.20        |
| 6/11/2025 11:38:53 | 48.30         | 61.40        | 48.70         | 61.60        |
| 6/11/2025 11:38:54 | 48.50         | 61.70        | 48.30         | 60.80        |
| 6/11/2025 11:38:55 | 48.30         | 61.10        | 47.70         | 60.60        |
| 6/11/2025 11:38:56 | 48.00         | 61.40        | 47.90         | 62.10        |
| 6/11/2025 11:38:57 | 48.20         | 60.80        | 48.20         | 61.10        |
| 6/11/2025 11:38:58 | 48.70         | 62.50        | 48.20         | 61.70        |
| 6/11/2025 11:38:59 | 50.40         | 63.80        | 50.80         | 63.80        |
| 6/11/2025 11:39:00 | 50.90         | 65.10        | 51.00         | 63.90        |
| 6/11/2025 11:39:01 | 50.80         | 65.00        | 50.10         | 65.50        |
| 6/11/2025 11:39:02 | 50.20         | 63.60        | 49.60         | 63.60        |
| 6/11/2025 11:39:03 | 50.30         | 63.80        | 50.30         | 63.50        |
| 6/11/2025 11:39:04 | 50.50         | 63.70        | 50.10         | 63.70        |
| 6/11/2025 11:39:05 | 50.10         | 66.30        | 49.30         | 65.40        |
| 6/11/2025 11:39:06 | 49.50         | 61.70        | 48.90         | 62.70        |
| 6/11/2025 11:39:07 | 49.40         | 63.00        | 49.20         | 63.20        |
| 6/11/2025 11:39:08 | 49.40         | 61.50        | 49.00         | 62.10        |
| 6/11/2025 11:39:09 | 49.30         | 61.60        | 49.10         | 62.60        |
| 6/11/2025 11:39:10 | 49.40         | 63.20        | 49.40         | 62.80        |
| 6/11/2025 11:39:11 | 49.40         | 62.30        | 48.90         | 61.50        |
| 6/11/2025 11:39:12 | 49.20         | 61.50        | 49.10         | 61.70        |
| 6/11/2025 11:39:13 | 49.20         | 61.10        | 48.80         | 61.30        |
| 6/11/2025 11:39:14 | 49.00         | 62.30        | 49.10         | 63.70        |
| 6/11/2025 11:39:15 | 49.20         | 62.20        | 49.10         | 62.30        |
| 6/11/2025 11:39:16 | 49.20         | 61.50        | 49.00         | 61.80        |
| 6/11/2025 11:39:17 | 49.60         | 61.90        | 49.80         | 62.20        |
| 6/11/2025 11:39:18 | 50.20         | 64.40        | 50.70         | 65.30        |
| 6/11/2025 11:39:19 | 50.50         | 62.70        | 50.50         | 62.90        |
| 6/11/2025 11:39:20 | 51.10         | 64.40        | 51.30         | 65.00        |
| 6/11/2025 11:39:21 | 52.60         | 65.40        | 52.90         | 65.60        |
| 6/11/2025 11:39:22 | 55.20         | 69.60        | 55.50         | 69.90        |
| 6/11/2025 11:39:23 | 58.30         | 72.50        | 58.50         | 72.60        |
| 6/11/2025 11:39:24 | 61.40         | 74.20        | 62.00         | 74.40        |
| 6/11/2025 11:39:25 | 62.90         | 77.10        | 63.60         | 76.80        |
| 6/11/2025 11:39:26 | 63.60         | 77.00        | 63.70         | 76.90        |
| 6/11/2025 11:39:27 | 63.10         | 73.60        | 59.20         | 73.80        |
| 6/11/2025 11:39:28 | 60.70         | 68.50        | 55.90         | 68.50        |
| 6/11/2025 11:39:29 | 58.30         | 67.80        | 55.10         | 67.10        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:39:30 | 57.20         | 70.60        | 57.00         | 70.40        |
| 6/11/2025 11:39:31 | 59.80         | 75.20        | 60.20         | 75.00        |
| 6/11/2025 11:39:32 | 62.50         | 77.20        | 63.00         | 77.20        |
| 6/11/2025 11:39:33 | 64.40         | 80.60        | 65.00         | 80.30        |
| 6/11/2025 11:39:34 | 64.60         | 78.80        | 64.10         | 78.90        |
| 6/11/2025 11:39:35 | 63.90         | 72.80        | 60.00         | 72.50        |
| 6/11/2025 11:39:36 | 61.50         | 68.00        | 55.60         | 67.30        |
| 6/11/2025 11:39:37 | 58.70         | 67.20        | 54.20         | 66.90        |
| 6/11/2025 11:39:38 | 56.40         | 67.50        | 52.60         | 67.00        |
| 6/11/2025 11:39:39 | 54.30         | 64.60        | 51.00         | 63.90        |
| 6/11/2025 11:39:40 | 52.50         | 63.40        | 50.90         | 63.80        |
| 6/11/2025 11:39:41 | 51.50         | 62.80        | 50.50         | 62.40        |
| 6/11/2025 11:39:42 | 51.10         | 63.10        | 50.30         | 62.80        |
| 6/11/2025 11:39:43 | 50.50         | 62.20        | 49.80         | 62.70        |
| 6/11/2025 11:39:44 | 50.00         | 61.70        | 49.20         | 62.30        |
| 6/11/2025 11:39:45 | 49.50         | 61.90        | 48.90         | 62.00        |
| 6/11/2025 11:39:46 | 49.20         | 61.90        | 49.10         | 61.40        |
| 6/11/2025 11:39:47 | 49.20         | 61.20        | 48.80         | 61.20        |
| 6/11/2025 11:39:48 | 49.20         | 62.60        | 49.10         | 62.50        |
| 6/11/2025 11:39:49 | 49.20         | 61.30        | 48.50         | 61.60        |
| 6/11/2025 11:39:50 | 48.80         | 61.80        | 48.80         | 61.10        |
| 6/11/2025 11:39:51 | 49.20         | 62.20        | 49.40         | 61.50        |
| 6/11/2025 11:39:52 | 49.80         | 63.50        | 49.90         | 63.50        |
| 6/11/2025 11:39:53 | 50.60         | 67.40        | 51.00         | 67.00        |
| 6/11/2025 11:39:54 | 51.80         | 67.40        | 51.90         | 67.40        |
| 6/11/2025 11:39:55 | 55.60         | 81.30        | 55.60         | 81.20        |
| 6/11/2025 11:39:56 | 58.20         | 73.70        | 58.60         | 73.60        |
| 6/11/2025 11:39:57 | 63.70         | 79.60        | 63.80         | 79.70        |
| 6/11/2025 11:39:58 | 69.00         | 84.80        | 69.80         | 85.00        |
| 6/11/2025 11:39:59 | 71.30         | 85.20        | 72.20         | 85.10        |
| 6/11/2025 11:40:00 | 71.30         | 85.20        | 69.60         | 85.20        |
| 6/11/2025 11:40:01 | 70.40         | 83.30        | 69.60         | 83.30        |
| 6/11/2025 11:40:02 | 70.50         | 82.30        | 69.20         | 82.30        |
| 6/11/2025 11:40:03 | 69.20         | 77.00        | 64.20         | 76.90        |
| 6/11/2025 11:40:04 | 66.40         | 70.70        | 57.90         | 70.70        |
| 6/11/2025 11:40:05 | 62.90         | 65.50        | 53.50         | 66.20        |
| 6/11/2025 11:40:06 | 59.30         | 63.70        | 51.40         | 63.70        |
| 6/11/2025 11:40:07 | 56.00         | 65.30        | 50.00         | 64.40        |
| 6/11/2025 11:40:08 | 53.30         | 64.50        | 49.20         | 65.50        |
| 6/11/2025 11:40:09 | 51.10         | 61.10        | 48.90         | 61.20        |
| 6/11/2025 11:40:10 | 51.70         | 65.90        | 52.10         | 65.40        |
| 6/11/2025 11:40:11 | 52.60         | 66.20        | 52.70         | 65.70        |
| 6/11/2025 11:40:12 | 53.30         | 68.10        | 53.10         | 67.90        |
| 6/11/2025 11:40:13 | 53.00         | 66.40        | 52.20         | 65.80        |
| 6/11/2025 11:40:14 | 52.90         | 67.00        | 52.30         | 66.50        |
| 6/11/2025 11:40:15 | 53.20         | 78.30        | 53.30         | 78.30        |
| 6/11/2025 11:40:16 | 53.90         | 67.70        | 54.00         | 67.50        |
| 6/11/2025 11:40:17 | 55.80         | 69.80        | 56.00         | 70.20        |
| 6/11/2025 11:40:18 | 58.80         | 75.80        | 59.00         | 76.00        |
| 6/11/2025 11:40:19 | 61.80         | 77.10        | 62.20         | 76.80        |
| 6/11/2025 11:40:20 | 63.90         | 82.40        | 64.60         | 82.20        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:40:21 | 64.20         | 77.00        | 64.40         | 76.80        |
| 6/11/2025 11:40:22 | 64.50         | 78.50        | 64.00         | 78.50        |
| 6/11/2025 11:40:23 | 63.60         | 74.20        | 59.00         | 74.10        |
| 6/11/2025 11:40:24 | 61.10         | 70.60        | 57.70         | 70.40        |
| 6/11/2025 11:40:25 | 59.40         | 70.30        | 57.30         | 70.40        |
| 6/11/2025 11:40:26 | 58.10         | 68.80        | 55.80         | 68.50        |
| 6/11/2025 11:40:27 | 56.60         | 67.70        | 54.10         | 67.80        |
| 6/11/2025 11:40:28 | 55.10         | 65.40        | 52.30         | 65.50        |
| 6/11/2025 11:40:29 | 53.50         | 65.30        | 51.70         | 66.10        |
| 6/11/2025 11:40:30 | 52.70         | 66.10        | 51.80         | 66.20        |
| 6/11/2025 11:40:31 | 52.40         | 65.00        | 52.00         | 65.50        |
| 6/11/2025 11:40:32 | 52.50         | 72.10        | 51.90         | 72.00        |
| 6/11/2025 11:40:33 | 51.60         | 63.90        | 50.10         | 64.40        |
| 6/11/2025 11:40:34 | 51.00         | 63.70        | 50.20         | 64.00        |
| 6/11/2025 11:40:35 | 50.80         | 64.40        | 50.40         | 64.80        |
| 6/11/2025 11:40:36 | 51.10         | 64.80        | 50.50         | 64.70        |
| 6/11/2025 11:40:37 | 51.20         | 65.70        | 50.90         | 65.10        |
| 6/11/2025 11:40:38 | 52.00         | 67.00        | 51.90         | 67.10        |
| 6/11/2025 11:40:39 | 51.90         | 65.60        | 51.00         | 64.80        |
| 6/11/2025 11:40:40 | 52.20         | 65.70        | 52.00         | 66.10        |
| 6/11/2025 11:40:41 | 52.50         | 67.30        | 52.40         | 67.20        |
| 6/11/2025 11:40:42 | 52.50         | 66.50        | 51.60         | 66.90        |
| 6/11/2025 11:40:43 | 52.70         | 66.90        | 52.10         | 67.30        |
| 6/11/2025 11:40:44 | 52.90         | 66.90        | 52.90         | 66.90        |
| 6/11/2025 11:40:45 | 52.80         | 64.80        | 51.10         | 64.70        |
| 6/11/2025 11:40:46 | 53.00         | 66.80        | 52.70         | 67.90        |
| 6/11/2025 11:40:47 | 52.10         | 73.10        | 48.60         | 72.70        |
| 6/11/2025 11:40:48 | 50.10         | 60.10        | 47.80         | 60.10        |
| 6/11/2025 11:40:49 | 48.80         | 59.90        | 47.50         | 60.00        |
| 6/11/2025 11:40:50 | 48.30         | 63.60        | 48.00         | 63.40        |
| 6/11/2025 11:40:51 | 48.80         | 64.50        | 48.90         | 64.70        |
| 6/11/2025 11:40:52 | 48.60         | 60.80        | 48.00         | 60.40        |
| 6/11/2025 11:40:53 | 48.20         | 60.90        | 47.80         | 60.20        |
| 6/11/2025 11:40:54 | 48.20         | 61.70        | 48.20         | 61.10        |
| 6/11/2025 11:40:55 | 48.20         | 60.10        | 48.00         | 60.70        |
| 6/11/2025 11:40:56 | 48.10         | 60.40        | 47.90         | 60.80        |
| 6/11/2025 11:40:57 | 48.30         | 62.00        | 48.40         | 62.10        |
| 6/11/2025 11:40:58 | 48.60         | 65.90        | 48.60         | 65.90        |
| 6/11/2025 11:40:59 | 49.70         | 71.00        | 50.10         | 70.80        |
| 6/11/2025 11:41:00 | 50.40         | 71.60        | 50.30         | 71.20        |
| 6/11/2025 11:41:01 | 50.50         | 74.70        | 49.70         | 74.60        |
| 6/11/2025 11:41:02 | 49.80         | 68.90        | 48.90         | 68.50        |
| 6/11/2025 11:41:03 | 49.40         | 61.60        | 47.80         | 60.20        |
| 6/11/2025 11:41:04 | 48.30         | 61.40        | 47.80         | 61.00        |
| 6/11/2025 11:41:05 | 49.40         | 70.10        | 49.00         | 70.60        |
| 6/11/2025 11:41:06 | 48.60         | 60.90        | 47.60         | 61.20        |
| 6/11/2025 11:41:07 | 49.30         | 72.20        | 49.20         | 72.30        |
| 6/11/2025 11:41:08 | 49.60         | 67.30        | 49.20         | 67.60        |
| 6/11/2025 11:41:09 | 49.40         | 63.40        | 48.40         | 64.10        |
| 6/11/2025 11:41:10 | 49.60         | 67.10        | 49.40         | 67.10        |
| 6/11/2025 11:41:11 | 49.40         | 61.80        | 48.20         | 62.00        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:41:12 | 49.70         | 70.50        | 49.20         | 70.70        |
| 6/11/2025 11:41:13 | 49.00         | 60.40        | 47.60         | 59.90        |
| 6/11/2025 11:41:14 | 49.40         | 69.90        | 49.00         | 69.30        |
| 6/11/2025 11:41:15 | 48.60         | 64.10        | 47.60         | 62.40        |
| 6/11/2025 11:41:16 | 48.30         | 67.90        | 47.80         | 67.50        |
| 6/11/2025 11:41:17 | 49.30         | 69.40        | 49.60         | 69.10        |
| 6/11/2025 11:41:18 | 50.00         | 70.90        | 49.70         | 70.60        |
| 6/11/2025 11:41:19 | 49.40         | 61.60        | 48.00         | 61.00        |
| 6/11/2025 11:41:20 | 49.10         | 69.90        | 48.60         | 69.00        |
| 6/11/2025 11:41:21 | 48.80         | 65.20        | 47.90         | 66.60        |
| 6/11/2025 11:41:22 | 49.40         | 71.00        | 48.80         | 71.00        |
| 6/11/2025 11:41:23 | 49.30         | 63.70        | 48.70         | 63.20        |
| 6/11/2025 11:41:24 | 48.70         | 65.10        | 48.20         | 64.50        |
| 6/11/2025 11:41:25 | 48.50         | 61.80        | 48.50         | 61.70        |
| 6/11/2025 11:41:26 | 49.40         | 69.60        | 49.80         | 69.90        |
| 6/11/2025 11:41:27 | 51.30         | 65.50        | 51.50         | 65.20        |
| 6/11/2025 11:41:28 | 54.00         | 69.60        | 54.50         | 69.90        |
| 6/11/2025 11:41:29 | 57.60         | 71.10        | 58.30         | 71.10        |
| 6/11/2025 11:41:30 | 60.40         | 74.60        | 60.90         | 74.40        |
| 6/11/2025 11:41:31 | 63.50         | 77.60        | 64.00         | 77.60        |
| 6/11/2025 11:41:32 | 64.40         | 78.40        | 64.80         | 78.20        |
| 6/11/2025 11:41:33 | 64.10         | 74.20        | 61.80         | 74.20        |
| 6/11/2025 11:41:34 | 62.40         | 69.30        | 57.10         | 69.50        |
| 6/11/2025 11:41:35 | 59.70         | 68.20        | 56.00         | 68.30        |
| 6/11/2025 11:41:36 | 57.80         | 68.70        | 56.00         | 68.00        |
| 6/11/2025 11:41:37 | 56.80         | 69.50        | 56.20         | 69.80        |
| 6/11/2025 11:41:38 | 58.20         | 70.70        | 58.60         | 70.50        |
| 6/11/2025 11:41:39 | 60.80         | 73.80        | 61.10         | 73.50        |
| 6/11/2025 11:41:40 | 63.40         | 76.20        | 64.00         | 76.20        |
| 6/11/2025 11:41:41 | 64.80         | 76.90        | 65.10         | 76.80        |
| 6/11/2025 11:41:42 | 65.00         | 76.80        | 64.90         | 76.80        |
| 6/11/2025 11:41:43 | 64.50         | 75.00        | 62.10         | 74.50        |
| 6/11/2025 11:41:44 | 62.90         | 72.70        | 60.10         | 72.80        |
| 6/11/2025 11:41:45 | 61.40         | 74.20        | 60.10         | 74.00        |
| 6/11/2025 11:41:46 | 60.50         | 72.40        | 59.00         | 73.00        |
| 6/11/2025 11:41:47 | 59.60         | 72.10        | 58.10         | 72.00        |
| 6/11/2025 11:41:48 | 58.60         | 70.30        | 57.30         | 70.00        |
| 6/11/2025 11:41:49 | 57.80         | 69.40        | 57.20         | 70.00        |
| 6/11/2025 11:41:50 | 57.50         | 68.60        | 56.80         | 68.90        |
| 6/11/2025 11:41:51 | 56.90         | 68.20        | 56.20         | 68.70        |
| 6/11/2025 11:41:52 | 56.90         | 68.80        | 56.80         | 68.90        |
| 6/11/2025 11:41:53 | 56.70         | 69.80        | 56.50         | 69.40        |
| 6/11/2025 11:41:54 | 57.80         | 70.90        | 58.30         | 71.20        |
| 6/11/2025 11:41:55 | 58.00         | 70.30        | 58.00         | 70.10        |
| 6/11/2025 11:41:56 | 58.10         | 70.40        | 58.00         | 69.80        |
| 6/11/2025 11:41:57 | 58.10         | 69.70        | 57.90         | 69.40        |
| 6/11/2025 11:41:58 | 57.80         | 69.80        | 57.30         | 69.40        |
| 6/11/2025 11:41:59 | 57.40         | 68.20        | 56.20         | 67.80        |
| 6/11/2025 11:42:00 | 57.20         | 69.90        | 57.20         | 69.90        |
| 6/11/2025 11:42:01 | 57.50         | 72.10        | 57.60         | 71.80        |
| 6/11/2025 11:42:02 | 57.50         | 71.40        | 57.40         | 71.60        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:42:03 | 57.30         | 69.10        | 56.60         | 68.40        |
| 6/11/2025 11:42:04 | 56.90         | 68.00        | 56.20         | 67.80        |
| 6/11/2025 11:42:05 | 56.40         | 69.20        | 56.20         | 68.80        |
| 6/11/2025 11:42:06 | 56.20         | 67.40        | 55.50         | 68.10        |
| 6/11/2025 11:42:07 | 55.80         | 67.90        | 55.20         | 67.70        |
| 6/11/2025 11:42:08 | 55.50         | 68.00        | 55.40         | 68.00        |
| 6/11/2025 11:42:09 | 55.60         | 67.60        | 55.40         | 67.70        |
| 6/11/2025 11:42:10 | 55.60         | 67.60        | 55.60         | 68.10        |
| 6/11/2025 11:42:11 | 55.70         | 67.30        | 55.70         | 67.40        |
| 6/11/2025 11:42:12 | 55.40         | 67.90        | 54.80         | 67.30        |
| 6/11/2025 11:42:13 | 56.00         | 68.90        | 56.40         | 69.40        |
| 6/11/2025 11:42:14 | 56.50         | 70.10        | 56.50         | 69.90        |
| 6/11/2025 11:42:15 | 56.60         | 68.00        | 56.00         | 68.10        |
| 6/11/2025 11:42:16 | 56.20         | 68.30        | 56.30         | 68.30        |
| 6/11/2025 11:42:17 | 56.10         | 68.50        | 55.60         | 68.00        |
| 6/11/2025 11:42:18 | 56.10         | 68.40        | 56.20         | 67.80        |
| 6/11/2025 11:42:19 | 56.30         | 69.10        | 56.40         | 68.50        |
| 6/11/2025 11:42:20 | 56.90         | 80.70        | 56.60         | 80.40        |
| 6/11/2025 11:42:21 | 57.00         | 68.50        | 56.70         | 68.50        |
| 6/11/2025 11:42:22 | 56.60         | 68.40        | 56.40         | 68.50        |
| 6/11/2025 11:42:23 | 57.60         | 70.10        | 58.00         | 70.20        |
| 6/11/2025 11:42:24 | 58.90         | 71.80        | 59.20         | 71.60        |
| 6/11/2025 11:42:25 | 59.90         | 73.00        | 60.50         | 73.20        |
| 6/11/2025 11:42:26 | 60.00         | 72.20        | 60.00         | 72.50        |
| 6/11/2025 11:42:27 | 60.00         | 71.40        | 59.40         | 71.60        |
| 6/11/2025 11:42:28 | 59.70         | 70.30        | 59.00         | 70.10        |
| 6/11/2025 11:42:29 | 59.00         | 70.70        | 57.70         | 70.20        |
| 6/11/2025 11:42:30 | 58.30         | 69.30        | 57.20         | 69.70        |
| 6/11/2025 11:42:31 | 57.30         | 67.70        | 55.80         | 67.50        |
| 6/11/2025 11:42:32 | 56.50         | 67.60        | 56.00         | 67.80        |
| 6/11/2025 11:42:33 | 56.50         | 68.50        | 56.60         | 68.90        |
| 6/11/2025 11:42:34 | 56.70         | 69.40        | 56.70         | 68.70        |
| 6/11/2025 11:42:35 | 56.80         | 68.30        | 56.50         | 68.00        |
| 6/11/2025 11:42:36 | 56.80         | 69.40        | 56.80         | 69.00        |
| 6/11/2025 11:42:37 | 57.80         | 69.70        | 58.30         | 69.60        |
| 6/11/2025 11:42:38 | 57.70         | 69.70        | 57.70         | 69.70        |
| 6/11/2025 11:42:39 | 57.70         | 69.60        | 57.50         | 69.30        |
| 6/11/2025 11:42:40 | 57.90         | 69.70        | 57.80         | 70.00        |
| 6/11/2025 11:42:41 | 57.50         | 68.40        | 56.60         | 69.10        |
| 6/11/2025 11:42:42 | 57.20         | 68.70        | 57.10         | 68.90        |
| 6/11/2025 11:42:43 | 57.20         | 70.80        | 57.10         | 71.10        |
| 6/11/2025 11:42:44 | 57.40         | 70.10        | 57.60         | 69.80        |
| 6/11/2025 11:42:45 | 57.40         | 68.20        | 56.60         | 69.10        |
| 6/11/2025 11:42:46 | 57.10         | 68.90        | 57.00         | 68.60        |
| 6/11/2025 11:42:47 | 57.40         | 69.20        | 57.30         | 69.20        |
| 6/11/2025 11:42:48 | 57.00         | 67.50        | 56.10         | 68.10        |
| 6/11/2025 11:42:49 | 56.30         | 67.80        | 55.10         | 67.90        |
| 6/11/2025 11:42:50 | 55.50         | 66.70        | 54.50         | 66.70        |
| 6/11/2025 11:42:51 | 55.00         | 68.30        | 54.90         | 67.60        |
| 6/11/2025 11:42:52 | 54.80         | 66.50        | 54.60         | 66.60        |
| 6/11/2025 11:42:53 | 54.70         | 66.70        | 54.50         | 66.90        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:42:54 | 54.40         | 66.50        | 53.80         | 65.90        |
| 6/11/2025 11:42:55 | 58.00         | 71.50        | 58.20         | 71.90        |
| 6/11/2025 11:42:56 | 58.10         | 69.80        | 56.10         | 70.30        |
| 6/11/2025 11:42:57 | 56.50         | 67.00        | 54.90         | 66.90        |
| 6/11/2025 11:42:58 | 55.70         | 66.60        | 55.20         | 67.20        |
| 6/11/2025 11:42:59 | 55.70         | 69.60        | 55.60         | 69.60        |
| 6/11/2025 11:43:00 | 55.40         | 68.00        | 54.50         | 68.10        |
| 6/11/2025 11:43:01 | 54.80         | 68.10        | 54.10         | 67.90        |
| 6/11/2025 11:43:02 | 54.50         | 67.40        | 54.20         | 66.80        |
| 6/11/2025 11:43:03 | 57.40         | 72.90        | 57.60         | 72.80        |
| 6/11/2025 11:43:04 | 58.30         | 73.10        | 57.20         | 73.10        |
| 6/11/2025 11:43:05 | 56.80         | 71.80        | 54.90         | 72.10        |
| 6/11/2025 11:43:06 | 58.80         | 74.00        | 59.60         | 73.80        |
| 6/11/2025 11:43:07 | 58.90         | 72.10        | 57.30         | 72.30        |
| 6/11/2025 11:43:08 | 57.40         | 67.10        | 55.20         | 67.00        |
| 6/11/2025 11:43:09 | 56.10         | 67.10        | 54.90         | 67.60        |
| 6/11/2025 11:43:10 | 55.40         | 68.00        | 55.20         | 68.00        |
| 6/11/2025 11:43:11 | 55.40         | 66.50        | 54.90         | 67.10        |
| 6/11/2025 11:43:12 | 55.50         | 69.00        | 55.50         | 69.20        |
| 6/11/2025 11:43:13 | 56.00         | 70.00        | 56.10         | 69.80        |
| 6/11/2025 11:43:14 | 56.00         | 68.50        | 55.80         | 68.50        |
| 6/11/2025 11:43:15 | 58.10         | 73.40        | 58.30         | 73.30        |
| 6/11/2025 11:43:16 | 58.60         | 72.70        | 57.70         | 72.90        |
| 6/11/2025 11:43:17 | 57.60         | 66.40        | 54.60         | 66.00        |
| 6/11/2025 11:43:18 | 55.70         | 65.70        | 53.70         | 65.40        |
| 6/11/2025 11:43:19 | 55.80         | 69.70        | 55.30         | 69.60        |
| 6/11/2025 11:43:20 | 56.30         | 68.90        | 56.10         | 69.20        |
| 6/11/2025 11:43:21 | 55.50         | 66.40        | 54.50         | 66.50        |
| 6/11/2025 11:43:22 | 54.90         | 66.00        | 53.90         | 66.50        |
| 6/11/2025 11:43:23 | 54.50         | 67.00        | 54.40         | 67.10        |
| 6/11/2025 11:43:24 | 54.60         | 67.60        | 54.50         | 67.30        |
| 6/11/2025 11:43:25 | 59.20         | 75.40        | 59.20         | 75.10        |
| 6/11/2025 11:43:26 | 61.30         | 76.60        | 61.80         | 76.60        |
| 6/11/2025 11:43:27 | 60.90         | 72.00        | 58.90         | 71.60        |
| 6/11/2025 11:43:28 | 59.70         | 69.80        | 57.70         | 70.30        |
| 6/11/2025 11:43:29 | 58.40         | 68.70        | 56.50         | 68.60        |
| 6/11/2025 11:43:30 | 57.10         | 68.40        | 55.90         | 68.60        |
| 6/11/2025 11:43:31 | 57.00         | 69.70        | 57.10         | 70.10        |
| 6/11/2025 11:43:32 | 57.10         | 69.40        | 57.20         | 69.30        |
| 6/11/2025 11:43:33 | 57.30         | 70.30        | 57.30         | 69.40        |
| 6/11/2025 11:43:34 | 57.70         | 70.60        | 57.90         | 70.70        |
| 6/11/2025 11:43:35 | 58.20         | 78.90        | 58.10         | 78.60        |
| 6/11/2025 11:43:36 | 59.80         | 82.00        | 60.40         | 81.90        |
| 6/11/2025 11:43:37 | 61.60         | 75.20        | 62.00         | 75.30        |
| 6/11/2025 11:43:38 | 61.90         | 76.80        | 62.00         | 76.90        |
| 6/11/2025 11:43:39 | 61.90         | 73.70        | 60.90         | 73.80        |
| 6/11/2025 11:43:40 | 61.10         | 71.70        | 58.60         | 71.90        |
| 6/11/2025 11:43:41 | 59.50         | 70.50        | 58.10         | 70.10        |
| 6/11/2025 11:43:42 | 60.60         | 74.80        | 60.50         | 74.90        |
| 6/11/2025 11:43:43 | 62.60         | 76.00        | 63.20         | 75.90        |
| 6/11/2025 11:43:44 | 65.20         | 78.80        | 65.70         | 78.80        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:43:45 | 65.60         | 84.20        | 64.80         | 84.20        |
| 6/11/2025 11:43:46 | 64.40         | 73.00        | 59.40         | 72.90        |
| 6/11/2025 11:43:47 | 61.70         | 67.20        | 55.60         | 68.40        |
| 6/11/2025 11:43:48 | 58.80         | 65.20        | 53.10         | 65.70        |
| 6/11/2025 11:43:49 | 56.00         | 64.80        | 51.50         | 64.50        |
| 6/11/2025 11:43:50 | 53.70         | 68.30        | 49.80         | 68.30        |
| 6/11/2025 11:43:51 | 51.50         | 60.90        | 48.50         | 61.10        |
| 6/11/2025 11:43:52 | 49.90         | 60.90        | 48.30         | 61.70        |
| 6/11/2025 11:43:53 | 48.90         | 60.20        | 47.80         | 60.40        |
| 6/11/2025 11:43:54 | 48.20         | 61.80        | 48.00         | 62.30        |
| 6/11/2025 11:43:55 | 48.50         | 61.70        | 47.80         | 61.50        |
| 6/11/2025 11:43:56 | 47.90         | 62.70        | 47.30         | 63.50        |
| 6/11/2025 11:43:57 | 47.80         | 60.50        | 47.70         | 60.80        |
| 6/11/2025 11:43:58 | 47.70         | 59.80        | 47.20         | 60.20        |
| 6/11/2025 11:43:59 | 47.60         | 60.20        | 47.10         | 60.40        |
| 6/11/2025 11:44:00 | 47.50         | 60.10        | 47.40         | 60.10        |
| 6/11/2025 11:44:01 | 47.60         | 61.50        | 47.60         | 60.30        |
| 6/11/2025 11:44:02 | 47.80         | 61.50        | 47.70         | 61.00        |
| 6/11/2025 11:44:03 | 48.40         | 61.70        | 48.30         | 62.50        |
| 6/11/2025 11:44:04 | 48.50         | 60.60        | 48.50         | 61.00        |
| 6/11/2025 11:44:05 | 49.80         | 62.80        | 50.00         | 63.00        |
| 6/11/2025 11:44:06 | 49.70         | 62.70        | 48.90         | 62.00        |
| 6/11/2025 11:44:07 | 49.20         | 63.30        | 48.40         | 61.50        |
| 6/11/2025 11:44:08 | 48.90         | 61.10        | 48.60         | 61.40        |
| 6/11/2025 11:44:09 | 49.20         | 62.90        | 49.10         | 64.00        |
| 6/11/2025 11:44:10 | 49.90         | 63.30        | 50.10         | 62.60        |
| 6/11/2025 11:44:11 | 51.10         | 64.80        | 51.30         | 64.90        |
| 6/11/2025 11:44:12 | 53.60         | 68.40        | 53.80         | 68.30        |
| 6/11/2025 11:44:13 | 57.50         | 75.10        | 58.10         | 74.90        |
| 6/11/2025 11:44:14 | 60.10         | 73.10        | 60.70         | 72.70        |
| 6/11/2025 11:44:15 | 61.60         | 76.00        | 62.20         | 75.90        |
| 6/11/2025 11:44:16 | 61.60         | 73.40        | 60.90         | 73.50        |
| 6/11/2025 11:44:17 | 61.00         | 69.30        | 57.20         | 69.00        |
| 6/11/2025 11:44:18 | 58.70         | 66.90        | 54.10         | 66.70        |
| 6/11/2025 11:44:19 | 56.30         | 64.80        | 52.00         | 64.30        |
| 6/11/2025 11:44:20 | 53.90         | 63.80        | 50.00         | 64.10        |
| 6/11/2025 11:44:21 | 51.90         | 61.50        | 48.50         | 61.10        |
| 6/11/2025 11:44:22 | 50.00         | 60.80        | 47.70         | 60.30        |
| 6/11/2025 11:44:23 | 48.80         | 60.70        | 47.30         | 61.70        |
| 6/11/2025 11:44:24 | 47.90         | 59.70        | 47.00         | 60.40        |
| 6/11/2025 11:44:25 | 47.60         | 59.70        | 47.50         | 59.90        |
| 6/11/2025 11:44:26 | 47.40         | 59.90        | 47.10         | 60.20        |
| 6/11/2025 11:44:27 | 47.20         | 60.80        | 46.80         | 59.90        |
| 6/11/2025 11:44:28 | 47.40         | 60.50        | 47.30         | 61.10        |
| 6/11/2025 11:44:29 | 47.20         | 60.80        | 46.80         | 60.40        |
| 6/11/2025 11:44:30 | 47.10         | 59.30        | 46.70         | 60.10        |
| 6/11/2025 11:44:31 | 46.90         | 60.20        | 46.70         | 61.50        |
| 6/11/2025 11:44:32 | 46.90         | 60.40        | 46.90         | 59.70        |
| 6/11/2025 11:44:33 | 48.10         | 62.60        | 47.90         | 64.20        |
| 6/11/2025 11:44:34 | 48.40         | 60.80        | 48.60         | 62.30        |
| 6/11/2025 11:44:35 | 49.10         | 62.20        | 49.40         | 62.10        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:44:36 | 50.40         | 63.60        | 50.50         | 65.00        |
| 6/11/2025 11:44:37 | 53.20         | 67.50        | 53.80         | 67.10        |
| 6/11/2025 11:44:38 | 56.80         | 70.70        | 57.20         | 71.00        |
| 6/11/2025 11:44:39 | 61.00         | 74.30        | 61.60         | 74.60        |
| 6/11/2025 11:44:40 | 66.50         | 80.80        | 66.90         | 80.70        |
| 6/11/2025 11:44:41 | 67.50         | 81.30        | 67.50         | 81.20        |
| 6/11/2025 11:44:42 | 66.50         | 74.20        | 62.10         | 73.80        |
| 6/11/2025 11:44:43 | 64.10         | 71.30        | 58.00         | 71.40        |
| 6/11/2025 11:44:44 | 61.10         | 66.70        | 54.20         | 66.60        |
| 6/11/2025 11:44:45 | 58.00         | 64.90        | 51.80         | 65.00        |
| 6/11/2025 11:44:46 | 55.10         | 63.60        | 50.20         | 64.30        |
| 6/11/2025 11:44:47 | 52.70         | 62.60        | 50.10         | 62.70        |
| 6/11/2025 11:44:48 | 52.20         | 65.30        | 52.10         | 65.00        |
| 6/11/2025 11:44:49 | 54.50         | 74.60        | 54.70         | 74.90        |
| 6/11/2025 11:44:50 | 58.50         | 72.40        | 58.70         | 72.40        |
| 6/11/2025 11:44:51 | 62.70         | 78.50        | 63.10         | 78.60        |
| 6/11/2025 11:44:52 | 63.40         | 77.70        | 63.80         | 77.80        |
| 6/11/2025 11:44:53 | 62.80         | 71.60        | 59.30         | 71.30        |
| 6/11/2025 11:44:54 | 60.80         | 79.40        | 57.40         | 79.30        |
| 6/11/2025 11:44:55 | 58.70         | 65.00        | 52.50         | 63.90        |
| 6/11/2025 11:44:56 | 55.70         | 72.00        | 51.20         | 71.90        |
| 6/11/2025 11:44:57 | 53.50         | 64.30        | 50.40         | 64.60        |
| 6/11/2025 11:44:58 | 51.70         | 61.40        | 48.90         | 60.90        |
| 6/11/2025 11:44:59 | 50.20         | 65.60        | 48.60         | 64.90        |
| 6/11/2025 11:45:00 | 49.70         | 63.10        | 49.10         | 61.90        |
| 6/11/2025 11:45:01 | 49.00         | 60.50        | 48.00         | 60.40        |
| 6/11/2025 11:45:02 | 48.60         | 60.80        | 48.50         | 61.10        |
| 6/11/2025 11:45:03 | 49.00         | 62.30        | 49.10         | 62.70        |
| 6/11/2025 11:45:04 | 49.10         | 62.40        | 49.20         | 61.90        |
| 6/11/2025 11:45:05 | 49.10         | 60.90        | 48.50         | 60.90        |
| 6/11/2025 11:45:06 | 48.80         | 61.50        | 48.70         | 61.50        |
| 6/11/2025 11:45:07 | 49.00         | 62.90        | 48.80         | 62.70        |
| 6/11/2025 11:45:08 | 49.30         | 63.10        | 49.40         | 63.10        |
| 6/11/2025 11:45:09 | 49.40         | 61.60        | 49.40         | 62.50        |
| 6/11/2025 11:45:10 | 49.80         | 62.00        | 49.80         | 62.50        |
| 6/11/2025 11:45:11 | 50.90         | 64.70        | 50.90         | 64.80        |
| 6/11/2025 11:45:12 | 53.00         | 74.50        | 53.60         | 75.20        |
| 6/11/2025 11:45:13 | 54.20         | 69.30        | 54.80         | 69.20        |
| 6/11/2025 11:45:14 | 55.10         | 70.00        | 55.10         | 70.00        |
| 6/11/2025 11:45:15 | 58.20         | 72.00        | 58.70         | 72.10        |
| 6/11/2025 11:45:16 | 61.80         | 79.30        | 62.40         | 79.40        |
| 6/11/2025 11:45:17 | 64.20         | 78.00        | 64.50         | 78.00        |
| 6/11/2025 11:45:18 | 65.50         | 83.90        | 66.10         | 83.90        |
| 6/11/2025 11:45:19 | 65.40         | 79.70        | 63.70         | 79.60        |
| 6/11/2025 11:45:20 | 64.10         | 72.20        | 59.60         | 72.00        |
| 6/11/2025 11:45:21 | 61.60         | 70.00        | 56.50         | 69.70        |
| 6/11/2025 11:45:22 | 58.90         | 68.10        | 54.80         | 67.90        |
| 6/11/2025 11:45:23 | 56.80         | 68.90        | 54.00         | 68.60        |
| 6/11/2025 11:45:24 | 55.20         | 65.60        | 52.60         | 65.70        |
| 6/11/2025 11:45:25 | 53.70         | 77.10        | 51.90         | 76.90        |
| 6/11/2025 11:45:26 | 52.40         | 61.90        | 49.70         | 61.90        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:45:27 | 50.90         | 65.10        | 49.70         | 64.30        |
| 6/11/2025 11:45:28 | 50.30         | 61.50        | 49.20         | 61.40        |
| 6/11/2025 11:45:29 | 49.60         | 61.40        | 48.60         | 61.60        |
| 6/11/2025 11:45:30 | 50.30         | 63.80        | 50.70         | 63.90        |
| 6/11/2025 11:45:31 | 50.10         | 61.40        | 48.50         | 61.20        |
| 6/11/2025 11:45:32 | 49.10         | 61.10        | 47.70         | 61.60        |
| 6/11/2025 11:45:33 | 48.30         | 60.40        | 47.30         | 60.80        |
| 6/11/2025 11:45:34 | 47.70         | 60.30        | 47.20         | 59.80        |
| 6/11/2025 11:45:35 | 47.40         | 59.80        | 47.10         | 60.70        |
| 6/11/2025 11:45:36 | 47.30         | 61.00        | 47.00         | 60.20        |
| 6/11/2025 11:45:37 | 47.30         | 60.50        | 47.30         | 61.40        |
| 6/11/2025 11:45:38 | 47.30         | 61.20        | 47.00         | 60.30        |
| 6/11/2025 11:45:39 | 47.40         | 60.00        | 47.20         | 59.80        |
| 6/11/2025 11:45:40 | 47.80         | 61.50        | 47.40         | 61.50        |
| 6/11/2025 11:45:41 | 47.90         | 61.20        | 48.00         | 60.40        |
| 6/11/2025 11:45:42 | 47.70         | 60.60        | 47.20         | 60.10        |
| 6/11/2025 11:45:43 | 47.50         | 61.10        | 47.30         | 60.60        |
| 6/11/2025 11:45:44 | 47.60         | 60.40        | 47.50         | 60.00        |
| 6/11/2025 11:45:45 | 49.20         | 69.00        | 49.00         | 69.40        |
| 6/11/2025 11:45:46 | 48.90         | 60.50        | 48.10         | 60.70        |
| 6/11/2025 11:45:47 | 48.40         | 60.90        | 47.50         | 61.00        |
| 6/11/2025 11:45:48 | 48.10         | 60.90        | 47.90         | 60.10        |
| 6/11/2025 11:45:49 | 48.30         | 61.70        | 48.20         | 61.10        |
| 6/11/2025 11:45:50 | 48.10         | 60.60        | 47.40         | 59.70        |
| 6/11/2025 11:45:51 | 47.90         | 63.20        | 47.50         | 63.00        |
| 6/11/2025 11:45:52 | 47.50         | 60.30        | 47.20         | 59.50        |
| 6/11/2025 11:45:53 | 48.70         | 68.20        | 48.90         | 68.80        |
| 6/11/2025 11:45:54 | 48.70         | 66.90        | 47.30         | 67.00        |
| 6/11/2025 11:45:55 | 47.70         | 60.20        | 46.90         | 60.00        |
| 6/11/2025 11:45:56 | 47.30         | 60.00        | 47.00         | 60.50        |
| 6/11/2025 11:45:57 | 47.40         | 61.10        | 47.50         | 60.20        |
| 6/11/2025 11:45:58 | 47.50         | 60.10        | 47.60         | 60.00        |
| 6/11/2025 11:45:59 | 47.60         | 62.10        | 47.50         | 61.10        |
| 6/11/2025 11:46:00 | 47.50         | 60.80        | 47.30         | 60.90        |
| 6/11/2025 11:46:01 | 47.80         | 63.50        | 47.60         | 63.30        |
| 6/11/2025 11:46:02 | 48.10         | 62.70        | 48.20         | 62.50        |
| 6/11/2025 11:46:03 | 49.20         | 65.10        | 49.50         | 64.40        |
| 6/11/2025 11:46:04 | 48.90         | 61.00        | 47.10         | 60.00        |
| 6/11/2025 11:46:05 | 47.80         | 59.40        | 46.90         | 60.20        |
| 6/11/2025 11:46:06 | 48.30         | 66.70        | 48.60         | 66.90        |
| 6/11/2025 11:46:07 | 48.20         | 61.30        | 47.80         | 60.10        |
| 6/11/2025 11:46:08 | 48.50         | 61.80        | 48.40         | 62.30        |
| 6/11/2025 11:46:09 | 48.30         | 59.70        | 47.40         | 60.30        |
| 6/11/2025 11:46:10 | 47.70         | 60.70        | 46.90         | 60.00        |
| 6/11/2025 11:46:11 | 47.50         | 60.60        | 47.30         | 60.60        |
| 6/11/2025 11:46:12 | 47.50         | 65.30        | 47.10         | 64.60        |
| 6/11/2025 11:46:13 | 47.60         | 61.20        | 47.50         | 60.70        |
| 6/11/2025 11:46:14 | 47.40         | 60.00        | 47.20         | 60.20        |
| 6/11/2025 11:46:15 | 47.30         | 59.80        | 47.20         | 60.20        |
| 6/11/2025 11:46:16 | 47.70         | 60.80        | 47.80         | 60.10        |
| 6/11/2025 11:46:17 | 48.30         | 62.70        | 48.40         | 62.90        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:46:18 | 48.50         | 61.70        | 48.50         | 62.80        |
| 6/11/2025 11:46:19 | 48.70         | 61.50        | 48.40         | 60.80        |
| 6/11/2025 11:46:20 | 48.60         | 60.90        | 48.50         | 61.60        |
| 6/11/2025 11:46:21 | 48.40         | 61.40        | 47.90         | 60.40        |
| 6/11/2025 11:46:22 | 48.10         | 61.30        | 47.60         | 60.90        |
| 6/11/2025 11:46:23 | 47.70         | 60.30        | 47.10         | 60.20        |
| 6/11/2025 11:46:24 | 48.40         | 67.60        | 48.30         | 67.20        |
| 6/11/2025 11:46:25 | 48.40         | 62.70        | 48.20         | 61.10        |
| 6/11/2025 11:46:26 | 48.50         | 62.10        | 48.50         | 61.40        |
| 6/11/2025 11:46:27 | 48.90         | 63.30        | 49.10         | 62.30        |
| 6/11/2025 11:46:28 | 48.90         | 61.10        | 48.40         | 61.20        |
| 6/11/2025 11:46:29 | 48.50         | 60.70        | 47.70         | 60.70        |
| 6/11/2025 11:46:30 | 47.80         | 59.50        | 47.10         | 60.90        |
| 6/11/2025 11:46:31 | 47.70         | 60.90        | 47.70         | 61.30        |
| 6/11/2025 11:46:32 | 48.10         | 62.50        | 48.20         | 62.60        |
| 6/11/2025 11:46:33 | 48.00         | 60.40        | 47.40         | 62.40        |
| 6/11/2025 11:46:34 | 48.00         | 62.40        | 48.10         | 62.00        |
| 6/11/2025 11:46:35 | 47.80         | 60.00        | 47.20         | 59.30        |
| 6/11/2025 11:46:36 | 47.60         | 60.60        | 47.60         | 60.30        |
| 6/11/2025 11:46:37 | 48.10         | 65.90        | 48.10         | 65.60        |
| 6/11/2025 11:46:38 | 48.00         | 59.30        | 47.30         | 60.50        |
| 6/11/2025 11:46:39 | 47.60         | 60.80        | 47.30         | 60.10        |
| 6/11/2025 11:46:40 | 47.60         | 61.30        | 47.60         | 60.50        |
| 6/11/2025 11:46:41 | 48.10         | 64.60        | 48.20         | 63.70        |
| 6/11/2025 11:46:42 | 48.60         | 62.10        | 48.40         | 61.90        |
| 6/11/2025 11:46:43 | 48.90         | 62.00        | 49.20         | 61.50        |
| 6/11/2025 11:46:44 | 50.60         | 71.40        | 50.20         | 71.30        |
| 6/11/2025 11:46:45 | 50.60         | 63.60        | 49.80         | 62.50        |
| 6/11/2025 11:46:46 | 49.80         | 63.70        | 49.40         | 62.40        |
| 6/11/2025 11:46:47 | 49.80         | 62.30        | 49.80         | 62.70        |
| 6/11/2025 11:46:48 | 49.80         | 62.40        | 49.20         | 61.70        |
| 6/11/2025 11:46:49 | 49.60         | 63.70        | 49.60         | 63.60        |
| 6/11/2025 11:46:50 | 50.10         | 63.40        | 50.10         | 62.90        |
| 6/11/2025 11:46:51 | 50.10         | 63.70        | 50.00         | 63.30        |
| 6/11/2025 11:46:52 | 50.20         | 64.20        | 50.10         | 63.50        |
| 6/11/2025 11:46:53 | 52.30         | 68.10        | 52.50         | 69.10        |
| 6/11/2025 11:46:54 | 53.40         | 68.00        | 53.20         | 68.60        |
| 6/11/2025 11:46:55 | 52.60         | 65.10        | 51.90         | 64.50        |
| 6/11/2025 11:46:56 | 53.50         | 67.10        | 53.50         | 67.40        |
| 6/11/2025 11:46:57 | 56.00         | 69.60        | 56.40         | 69.50        |
| 6/11/2025 11:46:58 | 60.70         | 79.10        | 61.00         | 78.90        |
| 6/11/2025 11:46:59 | 65.90         | 82.00        | 66.70         | 82.00        |
| 6/11/2025 11:47:00 | 66.30         | 81.60        | 66.50         | 81.50        |
| 6/11/2025 11:47:01 | 67.10         | 83.60        | 67.30         | 83.50        |
| 6/11/2025 11:47:02 | 66.90         | 76.50        | 63.70         | 76.50        |
| 6/11/2025 11:47:03 | 64.80         | 77.30        | 61.00         | 77.10        |
| 6/11/2025 11:47:04 | 62.70         | 73.00        | 58.70         | 73.40        |
| 6/11/2025 11:47:05 | 60.30         | 67.60        | 55.20         | 67.20        |
| 6/11/2025 11:47:06 | 57.80         | 68.00        | 54.70         | 68.10        |
| 6/11/2025 11:47:07 | 56.10         | 68.80        | 54.80         | 68.40        |
| 6/11/2025 11:47:08 | 55.60         | 69.00        | 55.30         | 69.10        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:47:09 | 56.70         | 70.30        | 57.00         | 69.70        |
| 6/11/2025 11:47:10 | 58.10         | 73.20        | 58.40         | 73.30        |
| 6/11/2025 11:47:11 | 60.20         | 75.30        | 60.80         | 75.20        |
| 6/11/2025 11:47:12 | 60.50         | 71.70        | 60.50         | 71.80        |
| 6/11/2025 11:47:13 | 60.70         | 73.30        | 60.90         | 73.10        |
| 6/11/2025 11:47:14 | 60.90         | 74.00        | 60.70         | 73.50        |
| 6/11/2025 11:47:15 | 60.60         | 72.40        | 58.90         | 72.10        |
| 6/11/2025 11:47:16 | 59.40         | 69.60        | 57.40         | 69.30        |
| 6/11/2025 11:47:17 | 58.20         | 68.90        | 56.80         | 68.70        |
| 6/11/2025 11:47:18 | 59.00         | 73.40        | 58.90         | 73.50        |
| 6/11/2025 11:47:19 | 63.00         | 81.20        | 63.50         | 81.20        |
| 6/11/2025 11:47:20 | 69.00         | 86.60        | 69.20         | 86.70        |
| 6/11/2025 11:47:21 | 69.50         | 88.80        | 68.90         | 88.80        |
| 6/11/2025 11:47:22 | 68.20         | 79.10        | 63.40         | 79.10        |
| 6/11/2025 11:47:23 | 65.50         | 77.00        | 58.50         | 76.90        |
| 6/11/2025 11:47:24 | 62.40         | 69.40        | 56.00         | 69.10        |
| 6/11/2025 11:47:25 | 59.50         | 70.00        | 55.20         | 70.00        |
| 6/11/2025 11:47:26 | 57.40         | 70.80        | 56.90         | 70.90        |
| 6/11/2025 11:47:27 | 58.80         | 72.10        | 58.90         | 72.40        |
| 6/11/2025 11:47:28 | 61.10         | 75.10        | 61.80         | 75.50        |
| 6/11/2025 11:47:29 | 61.30         | 72.90        | 60.60         | 72.60        |
| 6/11/2025 11:47:30 | 60.60         | 74.30        | 58.50         | 74.20        |
| 6/11/2025 11:47:31 | 59.00         | 72.20        | 56.20         | 71.90        |
| 6/11/2025 11:47:32 | 57.30         | 66.30        | 53.20         | 66.30        |
| 6/11/2025 11:47:33 | 55.10         | 64.70        | 51.30         | 64.70        |
| 6/11/2025 11:47:34 | 52.90         | 63.10        | 50.20         | 63.00        |
| 6/11/2025 11:47:35 | 51.40         | 63.30        | 49.70         | 63.50        |
| 6/11/2025 11:47:36 | 50.30         | 64.10        | 49.00         | 63.20        |
| 6/11/2025 11:47:37 | 49.50         | 60.80        | 48.10         | 60.80        |
| 6/11/2025 11:47:38 | 48.60         | 60.90        | 47.90         | 61.10        |
| 6/11/2025 11:47:39 | 48.20         | 60.90        | 47.20         | 59.60        |
| 6/11/2025 11:47:40 | 47.80         | 61.70        | 47.60         | 61.00        |
| 6/11/2025 11:47:41 | 50.10         | 67.70        | 49.90         | 67.40        |
| 6/11/2025 11:47:42 | 48.90         | 61.60        | 47.30         | 61.10        |
| 6/11/2025 11:47:43 | 48.40         | 62.60        | 48.00         | 62.10        |
| 6/11/2025 11:47:44 | 47.90         | 59.90        | 47.10         | 61.00        |
| 6/11/2025 11:47:45 | 47.60         | 61.00        | 47.40         | 60.40        |
| 6/11/2025 11:47:46 | 47.70         | 62.30        | 47.80         | 60.60        |
| 6/11/2025 11:47:47 | 47.80         | 60.90        | 47.60         | 62.30        |
| 6/11/2025 11:47:48 | 47.50         | 59.90        | 47.10         | 59.90        |
| 6/11/2025 11:47:49 | 47.30         | 59.60        | 47.10         | 59.90        |
| 6/11/2025 11:47:50 | 47.30         | 60.20        | 46.90         | 60.30        |
| 6/11/2025 11:47:51 | 47.10         | 59.80        | 47.00         | 59.90        |
| 6/11/2025 11:47:52 | 47.30         | 60.30        | 47.20         | 60.60        |
| 6/11/2025 11:47:53 | 47.20         | 59.90        | 46.90         | 59.80        |
| 6/11/2025 11:47:54 | 47.10         | 60.70        | 46.90         | 59.80        |
| 6/11/2025 11:47:55 | 47.80         | 61.40        | 47.90         | 61.60        |
| 6/11/2025 11:47:56 | 48.40         | 62.50        | 48.50         | 61.30        |
| 6/11/2025 11:47:57 | 50.70         | 66.20        | 51.00         | 66.50        |
| 6/11/2025 11:47:58 | 54.70         | 74.60        | 55.20         | 74.30        |
| 6/11/2025 11:47:59 | 59.30         | 78.90        | 59.40         | 78.90        |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 11:48:00 | 64.90  | 80.80 | 65.40  | 80.70 |
| 6/11/2025 11:48:01 | 69.20  | 84.90 | 70.20  | 84.90 |
| 6/11/2025 11:48:02 | 69.20  | 80.10 | 67.90  | 79.90 |
| 6/11/2025 11:48:03 | 67.90  | 74.70 | 62.10  | 74.70 |
| 6/11/2025 11:48:04 | 64.90  | 69.70 | 56.90  | 69.90 |
| 6/11/2025 11:48:05 | 61.60  | 68.80 | 53.90  | 68.50 |
| 6/11/2025 11:48:06 | 58.30  | 72.20 | 50.20  | 71.90 |
| 6/11/2025 11:48:07 | 59.00  | 80.40 | 58.40  | 80.30 |
| 6/11/2025 11:48:08 | 57.00  | 59.50 | 48.00  | 60.50 |
| 6/11/2025 11:48:09 | 53.60  | 60.80 | 48.20  | 62.30 |
| 6/11/2025 11:48:10 | 51.00  | 61.50 | 48.40  | 61.20 |
| 6/11/2025 11:48:11 | 49.70  | 61.60 | 48.60  | 61.40 |
| 6/11/2025 11:48:12 | 49.10  | 61.60 | 48.30  | 61.10 |
| 6/11/2025 11:48:13 | 48.60  | 60.20 | 47.40  | 60.40 |
| 6/11/2025 11:48:14 | 47.80  | 59.70 | 46.80  | 60.90 |
| 6/11/2025 11:48:15 | 47.10  | 59.00 | 46.40  | 58.90 |
| 6/11/2025 11:48:16 | 46.80  | 58.80 | 46.50  | 59.30 |
| 6/11/2025 11:48:17 | 46.60  | 60.70 | 46.40  | 59.80 |
| 6/11/2025 11:48:18 | 46.50  | 59.70 | 46.40  | 59.10 |
| 6/11/2025 11:48:19 | 46.50  | 58.60 | 46.20  | 58.70 |
| 6/11/2025 11:48:20 | 48.20  | 66.90 | 47.50  | 67.00 |
| 6/11/2025 11:48:21 | 55.90  | 73.80 | 57.20  | 74.10 |
| 6/11/2025 11:48:22 | 56.40  | 72.90 | 52.90  | 72.70 |
| 6/11/2025 11:48:23 | 53.50  | 72.50 | 50.00  | 72.80 |
| 6/11/2025 11:48:24 | 57.20  | 73.40 | 58.40  | 73.40 |
| 6/11/2025 11:48:25 | 57.30  | 71.60 | 57.40  | 71.80 |
| 6/11/2025 11:48:26 | 57.30  | 72.40 | 57.30  | 72.10 |
| 6/11/2025 11:48:27 | 57.10  | 73.50 | 56.30  | 73.30 |
| 6/11/2025 11:48:28 | 57.80  | 74.00 | 58.10  | 74.10 |
| 6/11/2025 11:48:29 | 58.10  | 73.90 | 58.30  | 73.60 |
| 6/11/2025 11:48:30 | 58.10  | 73.30 | 58.10  | 73.00 |
| 6/11/2025 11:48:31 | 58.10  | 73.30 | 58.00  | 73.50 |
| 6/11/2025 11:48:32 | 58.50  | 75.00 | 58.40  | 74.60 |
| 6/11/2025 11:48:33 | 58.10  | 61.60 | 50.50  | 61.20 |
| 6/11/2025 11:48:34 | 55.10  | 72.90 | 52.80  | 72.50 |
| 6/11/2025 11:48:35 | 57.00  | 72.40 | 57.90  | 72.70 |
| 6/11/2025 11:48:36 | 57.70  | 73.70 | 58.00  | 73.50 |
| 6/11/2025 11:48:37 | 57.70  | 72.40 | 57.70  | 72.60 |
| 6/11/2025 11:48:38 | 57.70  | 74.00 | 57.60  | 74.20 |
| 6/11/2025 11:48:39 | 57.60  | 72.10 | 54.60  | 72.60 |
| 6/11/2025 11:48:40 | 55.30  | 60.60 | 47.90  | 61.90 |
| 6/11/2025 11:48:41 | 52.30  | 63.10 | 49.60  | 63.00 |
| 6/11/2025 11:48:42 | 57.00  | 74.90 | 57.40  | 74.70 |
| 6/11/2025 11:48:43 | 59.10  | 74.80 | 59.90  | 74.60 |
| 6/11/2025 11:48:44 | 66.70  | 82.70 | 68.00  | 82.80 |
| 6/11/2025 11:48:45 | 67.60  | 83.70 | 67.40  | 83.80 |
| 6/11/2025 11:48:46 | 68.50  | 83.60 | 68.70  | 83.80 |
| 6/11/2025 11:48:47 | 70.00  | 83.50 | 70.30  | 83.40 |
| 6/11/2025 11:48:48 | 70.90  | 84.40 | 71.20  | 84.30 |
| 6/11/2025 11:48:49 | 70.70  | 84.50 | 68.60  | 84.40 |
| 6/11/2025 11:48:50 | 69.30  | 82.60 | 68.40  | 82.60 |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:48:51 | 69.00         | 81.30        | 68.60         | 81.40        |
| 6/11/2025 11:48:52 | 69.20         | 83.60        | 68.60         | 83.70        |
| 6/11/2025 11:48:53 | 68.80         | 82.50        | 66.70         | 82.50        |
| 6/11/2025 11:48:54 | 67.70         | 81.60        | 65.90         | 81.40        |
| 6/11/2025 11:48:55 | 66.50         | 81.20        | 65.40         | 81.10        |
| 6/11/2025 11:48:56 | 65.50         | 77.50        | 63.80         | 77.60        |
| 6/11/2025 11:48:57 | 64.60         | 78.50        | 63.90         | 78.70        |
| 6/11/2025 11:48:58 | 64.10         | 76.70        | 62.50         | 76.80        |
| 6/11/2025 11:48:59 | 63.00         | 76.10        | 61.70         | 75.90        |
| 6/11/2025 11:49:00 | 64.50         | 79.80        | 65.00         | 79.70        |
| 6/11/2025 11:49:01 | 65.30         | 80.60        | 65.10         | 80.70        |
| 6/11/2025 11:49:02 | 65.40         | 78.30        | 65.40         | 78.10        |
| 6/11/2025 11:49:03 | 65.70         | 79.80        | 65.70         | 79.60        |
| 6/11/2025 11:49:04 | 67.60         | 82.00        | 67.80         | 81.80        |
| 6/11/2025 11:49:05 | 72.40         | 88.50        | 73.00         | 88.50        |
| 6/11/2025 11:49:06 | 72.40         | 83.40        | 70.30         | 83.20        |
| 6/11/2025 11:49:07 | 70.60         | 77.20        | 63.50         | 77.40        |
| 6/11/2025 11:49:08 | 67.30         | 74.40        | 59.10         | 74.20        |
| 6/11/2025 11:49:09 | 64.10         | 77.50        | 63.10         | 77.40        |
| 6/11/2025 11:49:10 | 67.30         | 81.70        | 67.60         | 81.80        |
| 6/11/2025 11:49:11 | 68.20         | 82.40        | 68.40         | 82.40        |
| 6/11/2025 11:49:12 | 68.60         | 83.70        | 68.80         | 83.60        |
| 6/11/2025 11:49:13 | 69.50         | 85.40        | 68.90         | 85.40        |
| 6/11/2025 11:49:14 | 68.90         | 82.70        | 68.30         | 82.60        |
| 6/11/2025 11:49:15 | 69.00         | 82.10        | 68.90         | 82.00        |
| 6/11/2025 11:49:16 | 69.90         | 84.50        | 69.40         | 84.60        |
| 6/11/2025 11:49:17 | 68.80         | 81.10        | 67.60         | 81.20        |
| 6/11/2025 11:49:18 | 68.10         | 81.90        | 65.20         | 81.70        |
| 6/11/2025 11:49:19 | 67.10         | 82.00        | 67.10         | 82.00        |
| 6/11/2025 11:49:20 | 68.20         | 82.70        | 68.20         | 82.50        |
| 6/11/2025 11:49:21 | 70.80         | 87.00        | 71.10         | 87.00        |
| 6/11/2025 11:49:22 | 71.00         | 86.30        | 70.70         | 86.20        |
| 6/11/2025 11:49:23 | 70.90         | 83.30        | 68.30         | 83.40        |
| 6/11/2025 11:49:24 | 69.10         | 80.90        | 67.20         | 80.90        |
| 6/11/2025 11:49:25 | 67.80         | 80.70        | 65.20         | 80.50        |
| 6/11/2025 11:49:26 | 66.30         | 78.70        | 65.20         | 78.60        |
| 6/11/2025 11:49:27 | 65.80         | 77.30        | 64.30         | 77.10        |
| 6/11/2025 11:49:28 | 64.40         | 70.70        | 58.90         | 71.10        |
| 6/11/2025 11:49:29 | 61.70         | 71.90        | 59.10         | 72.00        |
| 6/11/2025 11:49:30 | 60.30         | 71.30        | 59.10         | 72.10        |
| 6/11/2025 11:49:31 | 59.80         | 72.10        | 59.80         | 72.30        |
| 6/11/2025 11:49:32 | 59.90         | 70.80        | 58.80         | 70.90        |
| 6/11/2025 11:49:33 | 59.80         | 77.30        | 60.00         | 77.20        |
| 6/11/2025 11:49:34 | 59.70         | 71.80        | 59.50         | 71.90        |
| 6/11/2025 11:49:35 | 60.40         | 73.20        | 60.40         | 73.30        |
| 6/11/2025 11:49:36 | 60.70         | 73.60        | 60.50         | 73.70        |
| 6/11/2025 11:49:37 | 60.30         | 71.00        | 59.60         | 71.90        |
| 6/11/2025 11:49:38 | 59.70         | 71.90        | 59.30         | 72.30        |
| 6/11/2025 11:49:39 | 59.50         | 72.40        | 58.80         | 71.50        |
| 6/11/2025 11:49:40 | 59.30         | 70.70        | 59.20         | 70.50        |
| 6/11/2025 11:49:41 | 59.30         | 71.70        | 59.20         | 72.00        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:49:42 | 59.50         | 71.60        | 59.50         | 71.00        |
| 6/11/2025 11:49:43 | 59.60         | 71.90        | 59.50         | 72.00        |
| 6/11/2025 11:49:44 | 59.40         | 71.80        | 58.40         | 71.80        |
| 6/11/2025 11:49:45 | 59.00         | 71.60        | 58.90         | 71.30        |
| 6/11/2025 11:49:46 | 59.60         | 71.90        | 59.60         | 71.90        |
| 6/11/2025 11:49:47 | 59.70         | 70.90        | 59.60         | 70.80        |
| 6/11/2025 11:49:48 | 59.50         | 70.90        | 59.30         | 71.70        |
| 6/11/2025 11:49:49 | 59.40         | 70.90        | 58.50         | 71.00        |
| 6/11/2025 11:49:50 | 58.70         | 69.60        | 57.50         | 69.40        |
| 6/11/2025 11:49:51 | 58.50         | 70.70        | 58.20         | 70.80        |
| 6/11/2025 11:49:52 | 60.50         | 74.10        | 60.80         | 73.70        |
| 6/11/2025 11:49:53 | 63.50         | 77.00        | 64.00         | 76.70        |
| 6/11/2025 11:49:54 | 66.80         | 81.20        | 67.30         | 81.20        |
| 6/11/2025 11:49:55 | 68.50         | 81.30        | 69.00         | 81.20        |
| 6/11/2025 11:49:56 | 69.40         | 82.30        | 69.50         | 82.20        |
| 6/11/2025 11:49:57 | 68.80         | 77.50        | 65.70         | 77.60        |
| 6/11/2025 11:49:58 | 69.50         | 85.10        | 69.40         | 85.00        |
| 6/11/2025 11:49:59 | 69.50         | 80.20        | 68.30         | 80.30        |
| 6/11/2025 11:50:00 | 68.30         | 76.30        | 64.60         | 75.90        |
| 6/11/2025 11:50:01 | 66.10         | 74.90        | 61.40         | 74.80        |
| 6/11/2025 11:50:02 | 63.70         | 75.00        | 62.60         | 74.70        |
| 6/11/2025 11:50:03 | 66.10         | 81.30        | 66.30         | 81.20        |
| 6/11/2025 11:50:04 | 70.30         | 83.30        | 70.60         | 83.20        |
| 6/11/2025 11:50:05 | 72.00         | 86.30        | 73.00         | 86.20        |
| 6/11/2025 11:50:06 | 71.80         | 82.20        | 67.80         | 82.20        |
| 6/11/2025 11:50:07 | 69.20         | 74.20        | 61.80         | 74.60        |
| 6/11/2025 11:50:08 | 66.00         | 71.80        | 59.10         | 72.20        |
| 6/11/2025 11:50:09 | 62.90         | 72.40        | 58.60         | 71.60        |
| 6/11/2025 11:50:10 | 61.80         | 77.30        | 61.50         | 77.60        |
| 6/11/2025 11:50:11 | 63.30         | 76.60        | 63.80         | 76.50        |
| 6/11/2025 11:50:12 | 64.00         | 77.50        | 64.40         | 77.40        |
| 6/11/2025 11:50:13 | 64.00         | 77.10        | 63.50         | 77.10        |
| 6/11/2025 11:50:14 | 63.40         | 72.50        | 59.70         | 72.20        |
| 6/11/2025 11:50:15 | 61.10         | 73.90        | 56.10         | 74.20        |
| 6/11/2025 11:50:16 | 58.70         | 68.30        | 55.20         | 68.50        |
| 6/11/2025 11:50:17 | 56.70         | 66.30        | 53.50         | 65.90        |
| 6/11/2025 11:50:18 | 54.80         | 65.20        | 52.40         | 66.20        |
| 6/11/2025 11:50:19 | 53.50         | 65.40        | 52.00         | 64.60        |
| 6/11/2025 11:50:20 | 52.50         | 66.70        | 51.80         | 66.20        |
| 6/11/2025 11:50:21 | 52.10         | 64.30        | 51.00         | 64.70        |
| 6/11/2025 11:50:22 | 51.40         | 65.00        | 51.10         | 65.30        |
| 6/11/2025 11:50:23 | 51.40         | 62.60        | 50.20         | 63.00        |
| 6/11/2025 11:50:24 | 50.40         | 64.70        | 48.70         | 64.90        |
| 6/11/2025 11:50:25 | 49.70         | 80.40        | 48.80         | 80.20        |
| 6/11/2025 11:50:26 | 49.10         | 61.20        | 48.00         | 60.80        |
| 6/11/2025 11:50:27 | 48.50         | 60.60        | 47.60         | 59.80        |
| 6/11/2025 11:50:28 | 47.90         | 60.20        | 47.70         | 60.50        |
| 6/11/2025 11:50:29 | 48.60         | 61.60        | 48.80         | 62.90        |
| 6/11/2025 11:50:30 | 48.30         | 60.50        | 47.90         | 61.60        |
| 6/11/2025 11:50:31 | 48.00         | 67.50        | 47.90         | 66.40        |
| 6/11/2025 11:50:32 | 48.30         | 66.50        | 48.20         | 66.20        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:50:33 | 48.90         | 61.60        | 48.90         | 61.30        |
| 6/11/2025 11:50:34 | 51.10         | 65.40        | 51.30         | 64.90        |
| 6/11/2025 11:50:35 | 55.20         | 70.10        | 55.50         | 70.20        |
| 6/11/2025 11:50:36 | 59.60         | 75.90        | 60.20         | 75.90        |
| 6/11/2025 11:50:37 | 66.50         | 84.20        | 66.60         | 84.10        |
| 6/11/2025 11:50:38 | 69.10         | 89.70        | 70.30         | 89.70        |
| 6/11/2025 11:50:39 | 68.70         | 77.70        | 64.60         | 77.50        |
| 6/11/2025 11:50:40 | 66.20         | 71.30        | 58.50         | 71.00        |
| 6/11/2025 11:50:41 | 62.80         | 68.30        | 53.90         | 68.60        |
| 6/11/2025 11:50:42 | 59.30         | 64.00        | 50.80         | 63.20        |
| 6/11/2025 11:50:43 | 55.80         | 63.70        | 49.40         | 63.70        |
| 6/11/2025 11:50:44 | 52.90         | 61.80        | 49.00         | 62.40        |
| 6/11/2025 11:50:45 | 50.90         | 67.30        | 49.50         | 67.00        |
| 6/11/2025 11:50:46 | 50.00         | 60.30        | 48.30         | 62.20        |
| 6/11/2025 11:50:47 | 49.00         | 60.10        | 47.90         | 60.60        |
| 6/11/2025 11:50:48 | 48.40         | 60.30        | 47.70         | 61.50        |
| 6/11/2025 11:50:49 | 47.90         | 59.50        | 47.40         | 59.90        |
| 6/11/2025 11:50:50 | 47.60         | 59.60        | 47.20         | 60.20        |
| 6/11/2025 11:50:51 | 47.60         | 60.60        | 47.40         | 60.90        |
| 6/11/2025 11:50:52 | 47.50         | 62.30        | 46.90         | 62.90        |
| 6/11/2025 11:50:53 | 48.10         | 69.70        | 47.50         | 68.90        |
| 6/11/2025 11:50:54 | 48.20         | 59.00        | 47.60         | 60.80        |
| 6/11/2025 11:50:55 | 47.70         | 60.10        | 47.30         | 60.20        |
| 6/11/2025 11:50:56 | 47.40         | 59.50        | 47.00         | 59.30        |
| 6/11/2025 11:50:57 | 47.40         | 60.00        | 47.40         | 59.40        |
| 6/11/2025 11:50:58 | 47.50         | 65.60        | 47.10         | 65.00        |
| 6/11/2025 11:50:59 | 47.20         | 59.50        | 47.00         | 59.60        |
| 6/11/2025 11:51:00 | 47.30         | 59.80        | 47.20         | 60.20        |
| 6/11/2025 11:51:01 | 47.40         | 60.60        | 47.30         | 60.90        |
| 6/11/2025 11:51:02 | 47.40         | 60.20        | 47.10         | 59.10        |
| 6/11/2025 11:51:03 | 47.40         | 65.60        | 47.40         | 65.00        |
| 6/11/2025 11:51:04 | 47.80         | 61.40        | 47.60         | 62.20        |
| 6/11/2025 11:51:05 | 48.20         | 60.90        | 48.30         | 61.30        |
| 6/11/2025 11:51:06 | 48.20         | 59.60        | 47.80         | 59.70        |
| 6/11/2025 11:51:07 | 47.70         | 61.10        | 47.50         | 60.50        |
| 6/11/2025 11:51:08 | 47.80         | 61.40        | 47.70         | 60.90        |
| 6/11/2025 11:51:09 | 48.10         | 62.10        | 48.20         | 61.20        |
| 6/11/2025 11:51:10 | 48.20         | 61.20        | 48.20         | 61.90        |
| 6/11/2025 11:51:11 | 48.40         | 64.60        | 48.00         | 65.10        |
| 6/11/2025 11:51:12 | 48.60         | 63.00        | 48.40         | 62.30        |
| 6/11/2025 11:51:13 | 48.80         | 62.80        | 48.80         | 62.50        |
| 6/11/2025 11:51:14 | 48.70         | 66.50        | 47.90         | 65.70        |
| 6/11/2025 11:51:15 | 48.20         | 64.50        | 47.60         | 65.30        |
| 6/11/2025 11:51:16 | 48.00         | 60.70        | 47.80         | 61.00        |
| 6/11/2025 11:51:17 | 47.90         | 60.40        | 47.70         | 60.10        |
| 6/11/2025 11:51:18 | 48.00         | 60.90        | 47.90         | 61.70        |
| 6/11/2025 11:51:19 | 48.00         | 61.50        | 47.80         | 60.50        |
| 6/11/2025 11:51:20 | 47.70         | 60.40        | 47.60         | 60.10        |
| 6/11/2025 11:51:21 | 48.00         | 60.60        | 47.90         | 61.10        |
| 6/11/2025 11:51:22 | 48.20         | 60.80        | 48.20         | 62.80        |
| 6/11/2025 11:51:23 | 48.30         | 61.60        | 48.30         | 61.30        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:51:24 | 48.40         | 61.20        | 48.30         | 60.80        |
| 6/11/2025 11:51:25 | 48.60         | 61.40        | 48.50         | 61.60        |
| 6/11/2025 11:51:26 | 48.70         | 61.20        | 48.70         | 61.20        |
| 6/11/2025 11:51:27 | 48.90         | 61.40        | 48.80         | 61.30        |
| 6/11/2025 11:51:28 | 49.60         | 70.10        | 49.60         | 70.00        |
| 6/11/2025 11:51:29 | 50.60         | 63.10        | 50.70         | 64.00        |
| 6/11/2025 11:51:30 | 53.30         | 67.50        | 53.70         | 67.70        |
| 6/11/2025 11:51:31 | 57.20         | 72.80        | 57.70         | 73.20        |
| 6/11/2025 11:51:32 | 61.70         | 75.80        | 62.20         | 75.70        |
| 6/11/2025 11:51:33 | 66.10         | 79.90        | 66.40         | 79.60        |
| 6/11/2025 11:51:34 | 70.30         | 84.40        | 71.30         | 84.30        |
| 6/11/2025 11:51:35 | 70.40         | 82.50        | 69.60         | 82.50        |
| 6/11/2025 11:51:36 | 69.40         | 78.50        | 64.10         | 78.60        |
| 6/11/2025 11:51:37 | 66.50         | 71.60        | 59.00         | 71.00        |
| 6/11/2025 11:51:38 | 63.20         | 68.80        | 55.30         | 68.80        |
| 6/11/2025 11:51:39 | 59.90         | 71.50        | 53.80         | 71.60        |
| 6/11/2025 11:51:40 | 57.00         | 63.30        | 50.60         | 62.70        |
| 6/11/2025 11:51:41 | 54.10         | 64.20        | 50.10         | 63.90        |
| 6/11/2025 11:51:42 | 52.10         | 62.60        | 49.90         | 62.20        |
| 6/11/2025 11:51:43 | 50.80         | 62.50        | 49.60         | 62.20        |
| 6/11/2025 11:51:44 | 50.10         | 60.60        | 48.60         | 61.50        |
| 6/11/2025 11:51:45 | 49.10         | 60.40        | 47.90         | 60.80        |
| 6/11/2025 11:51:46 | 48.40         | 60.00        | 47.90         | 60.30        |
| 6/11/2025 11:51:47 | 48.20         | 60.80        | 47.90         | 61.00        |
| 6/11/2025 11:51:48 | 48.20         | 60.40        | 47.80         | 61.00        |
| 6/11/2025 11:51:49 | 48.10         | 62.70        | 48.20         | 62.40        |
| 6/11/2025 11:51:50 | 48.10         | 61.20        | 47.70         | 60.00        |
| 6/11/2025 11:51:51 | 47.70         | 61.20        | 47.40         | 60.80        |
| 6/11/2025 11:51:52 | 47.70         | 59.90        | 47.60         | 59.90        |
| 6/11/2025 11:51:53 | 47.90         | 60.40        | 47.80         | 61.80        |
| 6/11/2025 11:51:54 | 48.40         | 63.70        | 48.30         | 63.70        |
| 6/11/2025 11:51:55 | 48.00         | 61.00        | 47.60         | 61.50        |
| 6/11/2025 11:51:56 | 47.80         | 60.60        | 47.30         | 60.20        |
| 6/11/2025 11:51:57 | 47.50         | 59.90        | 47.00         | 59.60        |
| 6/11/2025 11:51:58 | 47.50         | 61.20        | 47.50         | 60.00        |
| 6/11/2025 11:51:59 | 47.60         | 61.10        | 47.50         | 60.40        |
| 6/11/2025 11:52:00 | 48.60         | 61.60        | 48.70         | 61.50        |
| 6/11/2025 11:52:01 | 48.80         | 61.60        | 48.80         | 61.20        |
| 6/11/2025 11:52:02 | 49.80         | 62.90        | 49.80         | 63.50        |
| 6/11/2025 11:52:03 | 49.90         | 62.10        | 49.80         | 61.80        |
| 6/11/2025 11:52:04 | 49.70         | 61.50        | 48.20         | 60.40        |
| 6/11/2025 11:52:05 | 48.70         | 60.90        | 47.30         | 59.70        |
| 6/11/2025 11:52:06 | 47.90         | 60.40        | 47.70         | 60.30        |
| 6/11/2025 11:52:07 | 47.80         | 60.70        | 47.50         | 60.80        |
| 6/11/2025 11:52:08 | 47.80         | 61.00        | 47.70         | 60.60        |
| 6/11/2025 11:52:09 | 47.90         | 60.90        | 47.70         | 60.00        |
| 6/11/2025 11:52:10 | 48.10         | 61.30        | 48.00         | 60.90        |
| 6/11/2025 11:52:11 | 47.90         | 59.10        | 46.70         | 60.40        |
| 6/11/2025 11:52:12 | 47.20         | 60.40        | 47.00         | 60.10        |
| 6/11/2025 11:52:13 | 47.80         | 63.40        | 47.60         | 63.40        |
| 6/11/2025 11:52:14 | 50.20         | 64.80        | 50.20         | 65.40        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:52:15 | 51.00         | 64.60        | 50.80         | 65.30        |
| 6/11/2025 11:52:16 | 51.30         | 65.30        | 50.90         | 64.80        |
| 6/11/2025 11:52:17 | 51.20         | 66.20        | 51.00         | 65.70        |
| 6/11/2025 11:52:18 | 51.40         | 65.30        | 50.90         | 65.70        |
| 6/11/2025 11:52:19 | 51.40         | 65.40        | 50.60         | 65.20        |
| 6/11/2025 11:52:20 | 52.30         | 66.60        | 52.10         | 65.90        |
| 6/11/2025 11:52:21 | 52.30         | 66.70        | 51.70         | 66.80        |
| 6/11/2025 11:52:22 | 51.80         | 64.90        | 50.40         | 65.30        |
| 6/11/2025 11:52:23 | 51.60         | 64.40        | 51.10         | 65.00        |
| 6/11/2025 11:52:24 | 51.40         | 64.50        | 50.40         | 64.70        |
| 6/11/2025 11:52:25 | 50.60         | 62.90        | 49.00         | 63.00        |
| 6/11/2025 11:52:26 | 50.00         | 64.20        | 49.50         | 63.80        |
| 6/11/2025 11:52:27 | 51.00         | 65.80        | 51.20         | 64.80        |
| 6/11/2025 11:52:28 | 51.00         | 64.00        | 50.30         | 64.60        |
| 6/11/2025 11:52:29 | 50.90         | 64.10        | 50.30         | 64.90        |
| 6/11/2025 11:52:30 | 50.80         | 63.50        | 50.50         | 63.10        |
| 6/11/2025 11:52:31 | 50.50         | 63.70        | 49.80         | 62.90        |
| 6/11/2025 11:52:32 | 50.60         | 65.10        | 50.10         | 64.80        |
| 6/11/2025 11:52:33 | 50.80         | 65.00        | 50.80         | 64.90        |
| 6/11/2025 11:52:34 | 50.80         | 61.80        | 48.40         | 61.10        |
| 6/11/2025 11:52:35 | 49.10         | 61.40        | 48.20         | 62.00        |
| 6/11/2025 11:52:36 | 48.60         | 60.10        | 48.00         | 60.90        |
| 6/11/2025 11:52:37 | 48.30         | 60.80        | 47.40         | 59.50        |
| 6/11/2025 11:52:38 | 47.60         | 59.30        | 46.60         | 60.10        |
| 6/11/2025 11:52:39 | 47.10         | 59.80        | 46.90         | 59.40        |
| 6/11/2025 11:52:40 | 47.10         | 58.70        | 46.80         | 61.80        |
| 6/11/2025 11:52:41 | 47.00         | 60.10        | 47.00         | 59.20        |
| 6/11/2025 11:52:42 | 46.90         | 59.20        | 46.50         | 59.10        |
| 6/11/2025 11:52:43 | 46.80         | 59.30        | 46.60         | 59.50        |
| 6/11/2025 11:52:44 | 46.70         | 58.30        | 46.60         | 59.50        |
| 6/11/2025 11:52:45 | 46.80         | 59.70        | 46.70         | 59.90        |
| 6/11/2025 11:52:46 | 46.80         | 59.60        | 46.70         | 59.50        |
| 6/11/2025 11:52:47 | 46.90         | 60.60        | 46.90         | 60.70        |
| 6/11/2025 11:52:48 | 46.90         | 59.40        | 46.80         | 59.60        |
| 6/11/2025 11:52:49 | 47.20         | 60.80        | 47.40         | 60.50        |
| 6/11/2025 11:52:50 | 47.40         | 60.70        | 47.40         | 60.80        |
| 6/11/2025 11:52:51 | 47.50         | 59.60        | 47.50         | 59.80        |
| 6/11/2025 11:52:52 | 47.60         | 60.40        | 47.60         | 61.10        |
| 6/11/2025 11:52:53 | 47.60         | 59.80        | 47.30         | 61.20        |
| 6/11/2025 11:52:54 | 47.40         | 59.90        | 47.20         | 59.60        |
| 6/11/2025 11:52:55 | 47.20         | 59.50        | 46.90         | 59.00        |
| 6/11/2025 11:52:56 | 47.20         | 60.50        | 46.80         | 60.30        |
| 6/11/2025 11:52:57 | 47.10         | 62.60        | 47.10         | 62.60        |
| 6/11/2025 11:52:58 | 47.30         | 60.00        | 47.30         | 60.40        |
| 6/11/2025 11:52:59 | 47.20         | 60.00        | 47.00         | 60.30        |
| 6/11/2025 11:53:00 | 47.20         | 60.00        | 47.10         | 60.10        |
| 6/11/2025 11:53:01 | 47.50         | 61.00        | 47.60         | 60.90        |
| 6/11/2025 11:53:02 | 47.40         | 59.50        | 47.00         | 59.10        |
| 6/11/2025 11:53:03 | 47.00         | 59.90        | 46.50         | 59.30        |
| 6/11/2025 11:53:04 | 47.00         | 63.10        | 47.00         | 63.10        |
| 6/11/2025 11:53:05 | 47.00         | 60.90        | 47.00         | 59.50        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:53:06 | 47.10         | 59.70        | 47.00         | 59.90        |
| 6/11/2025 11:53:07 | 47.20         | 60.40        | 47.20         | 61.00        |
| 6/11/2025 11:53:08 | 47.10         | 60.00        | 47.10         | 59.90        |
| 6/11/2025 11:53:09 | 47.20         | 60.40        | 46.80         | 60.00        |
| 6/11/2025 11:53:10 | 47.90         | 62.00        | 47.70         | 61.80        |
| 6/11/2025 11:53:11 | 48.50         | 60.90        | 48.90         | 61.50        |
| 6/11/2025 11:53:12 | 48.50         | 62.00        | 47.70         | 62.10        |
| 6/11/2025 11:53:13 | 48.10         | 62.00        | 48.00         | 63.80        |
| 6/11/2025 11:53:14 | 48.10         | 60.20        | 47.80         | 60.10        |
| 6/11/2025 11:53:15 | 47.90         | 60.30        | 47.10         | 61.40        |
| 6/11/2025 11:53:16 | 47.40         | 66.70        | 46.90         | 66.30        |
| 6/11/2025 11:53:17 | 47.50         | 60.10        | 47.40         | 59.80        |
| 6/11/2025 11:53:18 | 47.50         | 59.90        | 47.30         | 59.80        |
| 6/11/2025 11:53:19 | 47.80         | 60.30        | 47.90         | 61.00        |
| 6/11/2025 11:53:20 | 47.70         | 60.40        | 47.20         | 59.80        |
| 6/11/2025 11:53:21 | 47.50         | 60.10        | 47.40         | 59.80        |
| 6/11/2025 11:53:22 | 47.50         | 61.10        | 47.30         | 59.80        |
| 6/11/2025 11:53:23 | 47.60         | 62.00        | 47.40         | 60.50        |
| 6/11/2025 11:53:24 | 48.10         | 63.60        | 47.80         | 63.80        |
| 6/11/2025 11:53:25 | 48.20         | 62.80        | 47.80         | 63.90        |
| 6/11/2025 11:53:26 | 47.80         | 61.00        | 47.60         | 61.10        |
| 6/11/2025 11:53:27 | 47.60         | 59.50        | 47.00         | 60.10        |
| 6/11/2025 11:53:28 | 47.40         | 60.10        | 47.20         | 60.20        |
| 6/11/2025 11:53:29 | 47.70         | 64.80        | 47.60         | 65.50        |
| 6/11/2025 11:53:30 | 49.30         | 65.00        | 49.20         | 65.80        |
| 6/11/2025 11:53:31 | 49.10         | 61.00        | 48.20         | 61.00        |
| 6/11/2025 11:53:32 | 48.80         | 61.90        | 48.60         | 61.00        |
| 6/11/2025 11:53:33 | 48.50         | 61.20        | 48.30         | 60.50        |
| 6/11/2025 11:53:34 | 48.40         | 60.60        | 47.90         | 61.30        |
| 6/11/2025 11:53:35 | 48.10         | 60.70        | 47.80         | 62.30        |
| 6/11/2025 11:53:36 | 48.00         | 60.80        | 48.00         | 61.00        |
| 6/11/2025 11:53:37 | 48.10         | 60.60        | 48.10         | 61.10        |
| 6/11/2025 11:53:38 | 48.20         | 60.10        | 47.80         | 60.40        |
| 6/11/2025 11:53:39 | 48.00         | 60.60        | 47.80         | 61.80        |
| 6/11/2025 11:53:40 | 48.00         | 61.50        | 47.90         | 60.70        |
| 6/11/2025 11:53:41 | 47.90         | 61.10        | 47.80         | 60.60        |
| 6/11/2025 11:53:42 | 48.10         | 60.80        | 48.00         | 60.80        |
| 6/11/2025 11:53:43 | 48.10         | 60.10        | 48.00         | 60.70        |
| 6/11/2025 11:53:44 | 50.30         | 65.40        | 50.00         | 65.30        |
| 6/11/2025 11:53:45 | 50.20         | 60.70        | 48.30         | 60.80        |
| 6/11/2025 11:53:46 | 48.80         | 62.00        | 47.50         | 61.40        |
| 6/11/2025 11:53:47 | 48.40         | 61.80        | 48.10         | 61.00        |
| 6/11/2025 11:53:48 | 48.10         | 60.10        | 47.20         | 59.30        |
| 6/11/2025 11:53:49 | 47.60         | 60.50        | 47.20         | 60.70        |
| 6/11/2025 11:53:50 | 47.70         | 61.50        | 47.70         | 60.50        |
| 6/11/2025 11:53:51 | 47.60         | 59.30        | 47.30         | 60.10        |
| 6/11/2025 11:53:52 | 48.00         | 69.60        | 48.00         | 69.90        |
| 6/11/2025 11:53:53 | 48.00         | 59.80        | 47.70         | 60.30        |
| 6/11/2025 11:53:54 | 47.80         | 62.40        | 47.40         | 60.20        |
| 6/11/2025 11:53:55 | 48.00         | 61.90        | 48.20         | 62.40        |
| 6/11/2025 11:53:56 | 47.90         | 60.20        | 47.30         | 60.10        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:53:57 | 47.70         | 59.50        | 47.10         | 59.90        |
| 6/11/2025 11:53:58 | 47.30         | 60.30        | 47.20         | 60.70        |
| 6/11/2025 11:53:59 | 47.50         | 60.00        | 47.60         | 59.90        |
| 6/11/2025 11:54:00 | 47.80         | 64.50        | 47.70         | 65.90        |
| 6/11/2025 11:54:01 | 47.70         | 60.00        | 47.20         | 60.10        |
| 6/11/2025 11:54:02 | 47.40         | 60.40        | 47.20         | 60.00        |
| 6/11/2025 11:54:03 | 47.70         | 61.20        | 47.40         | 61.20        |
| 6/11/2025 11:54:04 | 48.30         | 63.10        | 48.70         | 63.80        |
| 6/11/2025 11:54:05 | 48.20         | 59.70        | 47.00         | 59.90        |
| 6/11/2025 11:54:06 | 47.80         | 60.60        | 47.50         | 61.00        |
| 6/11/2025 11:54:07 | 47.40         | 59.70        | 47.20         | 60.80        |
| 6/11/2025 11:54:08 | 47.50         | 61.20        | 47.30         | 60.10        |
| 6/11/2025 11:54:09 | 47.40         | 59.50        | 47.20         | 59.40        |
| 6/11/2025 11:54:10 | 47.40         | 59.60        | 47.00         | 59.90        |
| 6/11/2025 11:54:11 | 47.60         | 62.10        | 47.30         | 61.70        |
| 6/11/2025 11:54:12 | 47.60         | 60.80        | 47.10         | 60.80        |
| 6/11/2025 11:54:13 | 47.60         | 62.10        | 47.20         | 61.20        |
| 6/11/2025 11:54:14 | 47.90         | 60.80        | 48.10         | 61.90        |
| 6/11/2025 11:54:15 | 48.00         | 63.50        | 47.80         | 64.50        |
| 6/11/2025 11:54:16 | 48.00         | 60.80        | 47.50         | 60.80        |
| 6/11/2025 11:54:17 | 47.60         | 61.40        | 47.40         | 60.90        |
| 6/11/2025 11:54:18 | 47.60         | 61.50        | 47.40         | 60.20        |
| 6/11/2025 11:54:19 | 47.60         | 60.60        | 47.30         | 60.90        |
| 6/11/2025 11:54:20 | 47.50         | 60.60        | 47.30         | 60.80        |
| 6/11/2025 11:54:21 | 47.40         | 61.10        | 47.20         | 61.20        |
| 6/11/2025 11:54:22 | 47.50         | 59.90        | 47.20         | 60.10        |
| 6/11/2025 11:54:23 | 47.40         | 60.50        | 47.30         | 59.90        |
| 6/11/2025 11:54:24 | 48.20         | 62.50        | 48.60         | 62.40        |
| 6/11/2025 11:54:25 | 48.20         | 60.20        | 47.30         | 60.20        |
| 6/11/2025 11:54:26 | 48.00         | 61.00        | 48.00         | 61.70        |
| 6/11/2025 11:54:27 | 48.40         | 61.50        | 48.20         | 61.70        |
| 6/11/2025 11:54:28 | 48.40         | 61.90        | 47.90         | 62.20        |
| 6/11/2025 11:54:29 | 48.30         | 63.50        | 48.00         | 61.60        |
| 6/11/2025 11:54:30 | 48.50         | 62.20        | 48.50         | 62.30        |
| 6/11/2025 11:54:31 | 48.40         | 60.60        | 47.50         | 61.00        |
| 6/11/2025 11:54:32 | 47.90         | 59.90        | 47.50         | 60.10        |
| 6/11/2025 11:54:33 | 47.70         | 61.20        | 47.40         | 61.40        |
| 6/11/2025 11:54:34 | 47.70         | 60.10        | 47.60         | 60.60        |
| 6/11/2025 11:54:35 | 48.30         | 60.60        | 48.30         | 61.10        |
| 6/11/2025 11:54:36 | 49.10         | 62.00        | 49.20         | 61.60        |
| 6/11/2025 11:54:37 | 51.90         | 65.80        | 52.30         | 65.40        |
| 6/11/2025 11:54:38 | 52.20         | 64.40        | 52.00         | 63.80        |
| 6/11/2025 11:54:39 | 52.70         | 66.60        | 52.10         | 66.30        |
| 6/11/2025 11:54:40 | 52.80         | 64.50        | 50.60         | 64.20        |
| 6/11/2025 11:54:41 | 51.00         | 61.80        | 48.50         | 61.60        |
| 6/11/2025 11:54:42 | 49.90         | 63.10        | 49.60         | 62.50        |
| 6/11/2025 11:54:43 | 49.70         | 61.20        | 48.70         | 61.10        |
| 6/11/2025 11:54:44 | 49.10         | 62.10        | 48.70         | 62.40        |
| 6/11/2025 11:54:45 | 49.00         | 61.20        | 48.60         | 60.80        |
| 6/11/2025 11:54:46 | 48.50         | 60.90        | 47.60         | 61.10        |
| 6/11/2025 11:54:47 | 48.70         | 64.30        | 48.30         | 64.30        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:54:48 | 49.20         | 63.50        | 49.50         | 63.30        |
| 6/11/2025 11:54:49 | 49.70         | 61.60        | 49.70         | 62.30        |
| 6/11/2025 11:54:50 | 50.10         | 64.00        | 50.20         | 64.60        |
| 6/11/2025 11:54:51 | 50.70         | 64.10        | 50.80         | 63.60        |
| 6/11/2025 11:54:52 | 51.10         | 74.50        | 51.00         | 74.60        |
| 6/11/2025 11:54:53 | 51.30         | 65.80        | 51.40         | 66.00        |
| 6/11/2025 11:54:54 | 52.80         | 66.00        | 52.80         | 66.00        |
| 6/11/2025 11:54:55 | 55.70         | 68.70        | 56.50         | 68.20        |
| 6/11/2025 11:54:56 | 59.80         | 75.90        | 59.90         | 76.10        |
| 6/11/2025 11:54:57 | 63.90         | 77.20        | 64.60         | 77.30        |
| 6/11/2025 11:54:58 | 68.40         | 83.50        | 69.10         | 83.30        |
| 6/11/2025 11:54:59 | 68.50         | 80.70        | 68.10         | 80.50        |
| 6/11/2025 11:55:00 | 67.70         | 75.50        | 63.40         | 75.30        |
| 6/11/2025 11:55:01 | 65.20         | 72.00        | 58.80         | 71.40        |
| 6/11/2025 11:55:02 | 62.20         | 69.40        | 56.30         | 69.40        |
| 6/11/2025 11:55:03 | 59.40         | 72.90        | 54.30         | 72.90        |
| 6/11/2025 11:55:04 | 56.70         | 69.00        | 51.50         | 69.10        |
| 6/11/2025 11:55:05 | 54.10         | 64.20        | 49.90         | 63.60        |
| 6/11/2025 11:55:06 | 52.10         | 63.10        | 49.60         | 62.80        |
| 6/11/2025 11:55:07 | 51.40         | 76.20        | 51.10         | 76.50        |
| 6/11/2025 11:55:08 | 51.70         | 64.90        | 51.50         | 65.50        |
| 6/11/2025 11:55:09 | 53.50         | 67.70        | 53.90         | 66.80        |
| 6/11/2025 11:55:10 | 56.20         | 69.40        | 56.70         | 69.90        |
| 6/11/2025 11:55:11 | 60.80         | 76.70        | 61.10         | 76.80        |
| 6/11/2025 11:55:12 | 64.20         | 78.00        | 64.80         | 78.40        |
| 6/11/2025 11:55:13 | 65.70         | 81.90        | 66.40         | 81.70        |
| 6/11/2025 11:55:14 | 65.50         | 77.90        | 63.70         | 77.80        |
| 6/11/2025 11:55:15 | 64.10         | 73.00        | 59.50         | 73.30        |
| 6/11/2025 11:55:16 | 61.60         | 68.10        | 55.70         | 68.10        |
| 6/11/2025 11:55:17 | 58.70         | 64.80        | 52.00         | 64.70        |
| 6/11/2025 11:55:18 | 55.60         | 63.40        | 49.40         | 62.90        |
| 6/11/2025 11:55:19 | 52.80         | 61.30        | 48.50         | 61.40        |
| 6/11/2025 11:55:20 | 50.60         | 61.80        | 48.20         | 61.60        |
| 6/11/2025 11:55:21 | 49.30         | 61.80        | 48.50         | 61.70        |
| 6/11/2025 11:55:22 | 49.00         | 61.10        | 48.10         | 61.20        |
| 6/11/2025 11:55:23 | 48.90         | 64.50        | 48.60         | 64.00        |
| 6/11/2025 11:55:24 | 48.50         | 60.60        | 48.00         | 60.90        |
| 6/11/2025 11:55:25 | 48.50         | 61.00        | 48.50         | 60.60        |
| 6/11/2025 11:55:26 | 48.50         | 60.60        | 48.50         | 61.10        |
| 6/11/2025 11:55:27 | 48.70         | 62.00        | 48.70         | 62.10        |
| 6/11/2025 11:55:28 | 49.70         | 64.30        | 49.90         | 64.00        |
| 6/11/2025 11:55:29 | 50.20         | 66.30        | 50.20         | 65.60        |
| 6/11/2025 11:55:30 | 50.40         | 64.70        | 50.40         | 65.30        |
| 6/11/2025 11:55:31 | 50.10         | 62.80        | 49.00         | 62.40        |
| 6/11/2025 11:55:32 | 49.40         | 62.30        | 48.50         | 61.10        |
| 6/11/2025 11:55:33 | 49.10         | 62.30        | 48.80         | 63.00        |
| 6/11/2025 11:55:34 | 48.80         | 60.60        | 48.30         | 60.40        |
| 6/11/2025 11:55:35 | 48.60         | 62.00        | 48.50         | 61.70        |
| 6/11/2025 11:55:36 | 48.60         | 60.50        | 48.20         | 61.10        |
| 6/11/2025 11:55:37 | 48.30         | 61.30        | 48.00         | 60.60        |
| 6/11/2025 11:55:38 | 48.40         | 63.70        | 48.30         | 64.00        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 11:55:39 | 48.20         | 60.60        | 47.90         | 61.90        |
| 6/11/2025 11:55:40 | 48.00         | 61.70        | 47.70         | 61.50        |
| 6/11/2025 11:55:41 | 47.90         | 63.60        | 47.80         | 63.70        |
| 6/11/2025 11:55:42 | 47.80         | 59.50        | 47.30         | 59.90        |
| 6/11/2025 11:55:43 | 47.50         | 60.10        | 47.40         | 60.20        |
| 6/11/2025 11:55:44 | 47.50         | 60.20        | 47.30         | 60.60        |
| 6/11/2025 11:55:45 | 47.60         | 60.70        | 47.60         | 60.30        |
| 6/11/2025 11:55:46 | 47.80         | 61.90        | 47.80         | 60.60        |
| 6/11/2025 11:55:47 | 47.80         | 64.30        | 47.70         | 64.30        |
| 6/11/2025 11:55:48 | 47.90         | 60.60        | 47.80         | 60.20        |
| 6/11/2025 11:55:49 | 47.80         | 60.10        | 47.60         | 60.40        |
| 6/11/2025 11:55:50 | 48.20         | 61.10        | 48.30         | 61.20        |
| 6/11/2025 11:55:51 | 49.40         | 63.70        | 49.40         | 63.20        |
| 6/11/2025 11:55:52 | 51.10         | 65.30        | 51.70         | 65.90        |
| 6/11/2025 11:55:53 | 54.20         | 69.10        | 54.50         | 68.90        |
| 6/11/2025 11:55:54 | 57.60         | 71.90        | 58.00         | 71.90        |
| 6/11/2025 11:55:55 | 60.20         | 75.00        | 60.80         | 74.70        |
| 6/11/2025 11:55:56 | 62.40         | 77.10        | 63.00         | 76.70        |
| 6/11/2025 11:55:57 | 63.30         | 77.00        | 63.70         | 77.00        |
| 6/11/2025 11:55:58 | 63.40         | 74.20        | 62.10         | 74.00        |
| 6/11/2025 11:55:59 | 62.20         | 71.40        | 59.00         | 71.60        |
| 6/11/2025 11:56:00 | 60.20         | 68.60        | 55.70         | 68.40        |
| 6/11/2025 11:56:01 | 57.80         | 69.70        | 53.50         | 69.10        |
| 6/11/2025 11:56:02 | 55.50         | 64.00        | 51.20         | 64.90        |
| 6/11/2025 11:56:03 | 53.20         | 62.30        | 48.90         | 62.20        |
| 6/11/2025 11:56:04 | 50.90         | 60.70        | 47.70         | 60.90        |
| 6/11/2025 11:56:05 | 49.20         | 60.80        | 47.60         | 60.80        |
| 6/11/2025 11:56:06 | 48.30         | 60.40        | 47.70         | 60.60        |
| 6/11/2025 11:56:07 | 48.10         | 61.60        | 48.00         | 61.10        |
| 6/11/2025 11:56:08 | 48.60         | 61.10        | 48.80         | 61.60        |
| 6/11/2025 11:56:09 | 49.60         | 63.50        | 49.50         | 62.80        |
| 6/11/2025 11:56:10 | 51.20         | 64.40        | 51.60         | 65.30        |
| 6/11/2025 11:56:11 | 53.40         | 67.70        | 53.80         | 67.10        |
| 6/11/2025 11:56:12 | 54.80         | 68.60        | 55.40         | 68.50        |
| 6/11/2025 11:56:13 | 57.30         | 72.00        | 57.60         | 71.70        |
| 6/11/2025 11:56:14 | 61.10         | 74.50        | 61.50         | 74.60        |
| 6/11/2025 11:56:15 | 62.00         | 79.40        | 62.50         | 79.50        |
| 6/11/2025 11:56:16 | 61.70         | 72.00        | 59.40         | 72.00        |
| 6/11/2025 11:56:17 | 60.10         | 72.10        | 57.50         | 72.30        |
| 6/11/2025 11:56:18 | 58.60         | 74.30        | 54.90         | 73.90        |
| 6/11/2025 11:56:19 | 56.30         | 64.40        | 51.70         | 64.80        |
| 6/11/2025 11:56:20 | 54.00         | 64.30        | 50.80         | 63.90        |
| 6/11/2025 11:56:21 | 52.20         | 62.90        | 50.10         | 62.80        |
| 6/11/2025 11:56:22 | 51.00         | 67.70        | 50.20         | 67.70        |
| 6/11/2025 11:56:23 | 50.60         | 64.30        | 49.90         | 65.10        |
| 6/11/2025 11:56:24 | 50.30         | 64.30        | 50.10         | 63.30        |
| 6/11/2025 11:56:25 | 52.50         | 74.30        | 52.90         | 74.30        |
| 6/11/2025 11:56:26 | 54.90         | 82.70        | 55.70         | 82.60        |
| 6/11/2025 11:56:27 | 56.10         | 70.80        | 56.50         | 70.50        |
| 6/11/2025 11:56:28 | 57.00         | 69.70        | 57.20         | 69.70        |
| 6/11/2025 11:56:29 | 60.00         | 75.80        | 60.50         | 75.40        |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 11:56:30 | 61.70  | 74.70 | 62.10  | 74.90 |
| 6/11/2025 11:56:31 | 62.60  | 76.10 | 63.00  | 75.80 |
| 6/11/2025 11:56:32 | 62.60  | 74.10 | 61.60  | 74.10 |
| 6/11/2025 11:56:33 | 61.70  | 70.80 | 58.10  | 70.40 |
| 6/11/2025 11:56:34 | 59.50  | 68.10 | 55.70  | 68.70 |
| 6/11/2025 11:56:35 | 57.50  | 68.20 | 53.20  | 69.00 |
| 6/11/2025 11:56:36 | 55.10  | 64.60 | 50.10  | 63.90 |
| 6/11/2025 11:56:37 | 52.50  | 66.30 | 49.50  | 64.70 |
| 6/11/2025 11:56:38 | 50.80  | 61.40 | 47.60  | 60.20 |
| 6/11/2025 11:56:39 | 49.10  | 60.10 | 47.20  | 60.30 |
| 6/11/2025 11:56:40 | 48.00  | 61.00 | 47.40  | 60.90 |
| 6/11/2025 11:56:41 | 47.70  | 62.30 | 47.00  | 61.90 |
| 6/11/2025 11:56:42 | 47.40  | 60.70 | 47.00  | 59.80 |
| 6/11/2025 11:56:43 | 47.20  | 59.50 | 47.00  | 60.00 |
| 6/11/2025 11:56:44 | 47.20  | 60.20 | 46.70  | 60.00 |
| 6/11/2025 11:56:45 | 46.90  | 59.00 | 46.60  | 59.50 |
| 6/11/2025 11:56:46 | 46.80  | 60.80 | 46.70  | 60.50 |
| 6/11/2025 11:56:47 | 46.70  | 60.10 | 46.40  | 59.90 |
| 6/11/2025 11:56:48 | 46.80  | 59.50 | 46.60  | 59.50 |
| 6/11/2025 11:56:49 | 46.60  | 58.80 | 46.40  | 59.70 |
| 6/11/2025 11:56:50 | 46.60  | 59.10 | 46.30  | 58.60 |
| 6/11/2025 11:56:51 | 46.50  | 59.40 | 46.30  | 59.30 |
| 6/11/2025 11:56:52 | 46.40  | 59.20 | 45.90  | 58.40 |
| 6/11/2025 11:56:53 | 46.50  | 60.70 | 46.40  | 59.80 |
| 6/11/2025 11:56:54 | 46.50  | 60.00 | 46.30  | 60.30 |
| 6/11/2025 11:56:55 | 46.50  | 59.00 | 46.30  | 58.80 |
| 6/11/2025 11:56:56 | 46.40  | 59.70 | 46.10  | 59.30 |
| 6/11/2025 11:56:57 | 46.20  | 58.90 | 46.00  | 59.00 |
| 6/11/2025 11:56:58 | 46.30  | 58.90 | 46.30  | 59.50 |
| 6/11/2025 11:56:59 | 46.30  | 59.70 | 46.20  | 60.30 |
| 6/11/2025 11:57:00 | 46.60  | 59.80 | 46.60  | 59.40 |
| 6/11/2025 11:57:01 | 46.60  | 58.90 | 46.50  | 58.70 |
| 6/11/2025 11:57:02 | 46.70  | 59.00 | 46.60  | 59.70 |
| 6/11/2025 11:57:03 | 46.80  | 58.80 | 46.60  | 59.20 |
| 6/11/2025 11:57:04 | 46.70  | 60.10 | 46.40  | 59.60 |
| 6/11/2025 11:57:05 | 46.70  | 60.30 | 46.50  | 58.50 |
| 6/11/2025 11:57:06 | 46.80  | 59.60 | 46.60  | 59.00 |
| 6/11/2025 11:57:07 | 46.80  | 59.60 | 46.20  | 58.80 |
| 6/11/2025 11:57:08 | 46.40  | 59.50 | 46.10  | 58.70 |
| 6/11/2025 11:57:09 | 46.50  | 60.20 | 46.60  | 60.10 |
| 6/11/2025 11:57:10 | 47.40  | 62.50 | 47.30  | 62.40 |
| 6/11/2025 11:57:11 | 47.80  | 67.10 | 47.50  | 67.50 |

|      |       |     |      |
|------|-------|-----|------|
|      |       | Min | 45.9 |
|      |       | Leq | 58.9 |
| Lmax | 72.40 | Max | 73.0 |

**S058\_BIU070007\_18062025\_085113: Information Panel**

| Description         | Value                          |
|---------------------|--------------------------------|
| Name                | S058_BIU070007_18062025_085113 |
| Start Time          | 6/11/2025 12:07:11             |
| Stop Time           | 6/11/2025 12:28:05             |
| Device Name         | BIU070007                      |
| Model Type          | SoundPro DL                    |
| Device Firmware Rev | R.13J                          |
| Comments            |                                |

**S058\_BIU070007\_18062025\_085113: Logged Data Chart**

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:07:12 | 50.80  | 73.20 | 50.90  | 73.30 |
| 6/11/2025 12:07:13 | 50.60  | 63.40 | 48.60  | 62.50 |
| 6/11/2025 12:07:14 | 49.60  | 62.50 | 48.90  | 62.30 |
| 6/11/2025 12:07:15 | 49.10  | 62.00 | 48.90  | 62.40 |
| 6/11/2025 12:07:16 | 49.10  | 62.10 | 48.50  | 64.50 |
| 6/11/2025 12:07:17 | 49.00  | 62.40 | 49.00  | 61.60 |
| 6/11/2025 12:07:18 | 49.40  | 63.60 | 49.30  | 64.00 |
| 6/11/2025 12:07:19 | 49.20  | 63.10 | 49.00  | 62.70 |
| 6/11/2025 12:07:20 | 49.20  | 62.30 | 49.10  | 61.60 |
| 6/11/2025 12:07:21 | 49.60  | 64.40 | 49.40  | 64.10 |
| 6/11/2025 12:07:22 | 49.30  | 63.00 | 48.60  | 62.30 |
| 6/11/2025 12:07:23 | 49.00  | 60.30 | 48.40  | 61.30 |
| 6/11/2025 12:07:24 | 48.60  | 64.90 | 48.30  | 65.40 |
| 6/11/2025 12:07:25 | 48.60  | 61.20 | 48.30  | 61.40 |
| 6/11/2025 12:07:26 | 48.60  | 60.70 | 48.00  | 61.40 |
| 6/11/2025 12:07:27 | 48.30  | 62.40 | 48.00  | 61.40 |
| 6/11/2025 12:07:28 | 48.20  | 61.00 | 47.80  | 60.90 |
| 6/11/2025 12:07:29 | 48.10  | 60.30 | 48.00  | 60.80 |
| 6/11/2025 12:07:30 | 48.00  | 59.90 | 47.50  | 60.10 |
| 6/11/2025 12:07:31 | 47.80  | 63.00 | 47.40  | 62.20 |
| 6/11/2025 12:07:32 | 48.00  | 61.70 | 48.00  | 60.60 |
| 6/11/2025 12:07:33 | 48.00  | 60.90 | 48.00  | 61.50 |
| 6/11/2025 12:07:34 | 48.40  | 61.20 | 48.60  | 62.20 |
| 6/11/2025 12:07:35 | 48.60  | 61.30 | 48.30  | 60.60 |
| 6/11/2025 12:07:36 | 48.30  | 60.50 | 48.20  | 62.30 |
| 6/11/2025 12:07:37 | 48.70  | 61.50 | 48.80  | 61.10 |
| 6/11/2025 12:07:38 | 51.00  | 65.80 | 51.30  | 66.00 |
| 6/11/2025 12:07:39 | 52.40  | 68.10 | 52.60  | 68.10 |
| 6/11/2025 12:07:40 | 52.50  | 65.70 | 52.10  | 64.60 |
| 6/11/2025 12:07:41 | 52.10  | 64.60 | 51.10  | 65.20 |
| 6/11/2025 12:07:42 | 51.40  | 64.10 | 50.60  | 65.00 |
| 6/11/2025 12:07:43 | 51.30  | 65.50 | 51.10  | 65.00 |
| 6/11/2025 12:07:44 | 51.40  | 64.50 | 51.10  | 64.50 |
| 6/11/2025 12:07:45 | 51.40  | 64.30 | 51.00  | 63.30 |
| 6/11/2025 12:07:46 | 51.70  | 64.90 | 51.40  | 64.60 |
| 6/11/2025 12:07:47 | 51.60  | 64.90 | 51.40  | 64.70 |
| 6/11/2025 12:07:48 | 51.80  | 66.10 | 51.30  | 66.10 |
| 6/11/2025 12:07:49 | 52.30  | 66.60 | 52.10  | 65.30 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:07:50 | 52.40  | 66.00 | 51.70  | 65.60 |
| 6/11/2025 12:07:51 | 51.60  | 63.10 | 49.30  | 62.70 |
| 6/11/2025 12:07:52 | 50.40  | 63.20 | 49.40  | 61.60 |
| 6/11/2025 12:07:53 | 49.70  | 61.60 | 48.90  | 61.70 |
| 6/11/2025 12:07:54 | 49.20  | 62.60 | 48.40  | 62.50 |
| 6/11/2025 12:07:55 | 48.90  | 61.90 | 48.50  | 61.30 |
| 6/11/2025 12:07:56 | 48.80  | 61.70 | 48.80  | 61.70 |
| 6/11/2025 12:07:57 | 48.90  | 66.70 | 48.70  | 66.80 |
| 6/11/2025 12:07:58 | 48.90  | 61.50 | 48.20  | 62.30 |
| 6/11/2025 12:07:59 | 48.50  | 62.00 | 48.30  | 61.90 |
| 6/11/2025 12:08:00 | 48.70  | 63.90 | 48.50  | 64.20 |
| 6/11/2025 12:08:01 | 48.60  | 60.60 | 47.80  | 61.50 |
| 6/11/2025 12:08:02 | 48.40  | 61.60 | 48.30  | 62.50 |
| 6/11/2025 12:08:03 | 49.00  | 62.50 | 49.10  | 62.40 |
| 6/11/2025 12:08:04 | 49.20  | 61.70 | 49.10  | 61.70 |
| 6/11/2025 12:08:05 | 49.30  | 66.50 | 49.20  | 66.00 |
| 6/11/2025 12:08:06 | 49.20  | 62.70 | 48.80  | 62.10 |
| 6/11/2025 12:08:07 | 48.90  | 60.60 | 48.40  | 60.80 |
| 6/11/2025 12:08:08 | 48.60  | 61.20 | 48.00  | 61.20 |
| 6/11/2025 12:08:09 | 48.30  | 60.50 | 48.10  | 60.80 |
| 6/11/2025 12:08:10 | 48.80  | 64.30 | 48.70  | 64.60 |
| 6/11/2025 12:08:11 | 49.00  | 70.20 | 48.70  | 70.20 |
| 6/11/2025 12:08:12 | 48.70  | 61.20 | 47.90  | 61.20 |
| 6/11/2025 12:08:13 | 48.30  | 59.90 | 47.60  | 59.90 |
| 6/11/2025 12:08:14 | 48.20  | 61.20 | 48.30  | 61.60 |
| 6/11/2025 12:08:15 | 48.10  | 61.30 | 47.90  | 61.10 |
| 6/11/2025 12:08:16 | 49.10  | 63.90 | 49.20  | 64.00 |
| 6/11/2025 12:08:17 | 48.80  | 61.60 | 48.30  | 61.40 |
| 6/11/2025 12:08:18 | 49.10  | 63.70 | 48.90  | 63.70 |
| 6/11/2025 12:08:19 | 49.70  | 64.80 | 49.70  | 64.10 |
| 6/11/2025 12:08:20 | 49.30  | 63.90 | 48.20  | 64.30 |
| 6/11/2025 12:08:21 | 48.90  | 60.80 | 48.30  | 60.60 |
| 6/11/2025 12:08:22 | 49.30  | 62.40 | 49.50  | 63.60 |
| 6/11/2025 12:08:23 | 49.60  | 63.40 | 49.40  | 63.40 |
| 6/11/2025 12:08:24 | 49.30  | 61.10 | 48.00  | 62.40 |
| 6/11/2025 12:08:25 | 48.70  | 62.10 | 48.70  | 62.50 |
| 6/11/2025 12:08:26 | 48.70  | 61.70 | 48.10  | 61.10 |
| 6/11/2025 12:08:27 | 49.00  | 63.40 | 48.80  | 62.40 |
| 6/11/2025 12:08:28 | 49.20  | 62.50 | 48.60  | 61.50 |
| 6/11/2025 12:08:29 | 49.10  | 64.10 | 49.00  | 62.50 |
| 6/11/2025 12:08:30 | 48.90  | 61.70 | 48.70  | 62.90 |
| 6/11/2025 12:08:31 | 48.90  | 61.90 | 48.80  | 61.70 |
| 6/11/2025 12:08:32 | 49.30  | 62.40 | 48.40  | 62.50 |
| 6/11/2025 12:08:33 | 48.70  | 63.20 | 48.40  | 62.70 |
| 6/11/2025 12:08:34 | 49.10  | 64.40 | 48.50  | 65.40 |
| 6/11/2025 12:08:35 | 50.20  | 64.90 | 50.70  | 65.80 |
| 6/11/2025 12:08:36 | 50.10  | 64.20 | 49.80  | 64.90 |
| 6/11/2025 12:08:37 | 50.30  | 63.40 | 50.00  | 63.90 |
| 6/11/2025 12:08:38 | 50.50  | 69.90 | 50.10  | 70.30 |
| 6/11/2025 12:08:39 | 50.00  | 69.60 | 49.30  | 69.80 |
| 6/11/2025 12:08:40 | 49.60  | 62.30 | 49.20  | 62.00 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:08:41 | 49.40  | 62.40 | 49.00  | 62.70 |
| 6/11/2025 12:08:42 | 50.20  | 65.40 | 50.20  | 66.00 |
| 6/11/2025 12:08:43 | 49.90  | 63.30 | 49.30  | 61.60 |
| 6/11/2025 12:08:44 | 50.00  | 64.80 | 50.20  | 63.00 |
| 6/11/2025 12:08:45 | 50.60  | 64.60 | 50.90  | 63.30 |
| 6/11/2025 12:08:46 | 50.50  | 62.60 | 50.30  | 63.70 |
| 6/11/2025 12:08:47 | 50.60  | 64.00 | 50.60  | 64.30 |
| 6/11/2025 12:08:48 | 50.60  | 67.80 | 50.50  | 68.20 |
| 6/11/2025 12:08:49 | 51.00  | 65.10 | 51.10  | 65.10 |
| 6/11/2025 12:08:50 | 51.20  | 65.40 | 51.20  | 65.00 |
| 6/11/2025 12:08:51 | 50.90  | 63.40 | 50.20  | 63.20 |
| 6/11/2025 12:08:52 | 51.10  | 67.50 | 50.90  | 67.40 |
| 6/11/2025 12:08:53 | 50.50  | 64.00 | 49.70  | 63.70 |
| 6/11/2025 12:08:54 | 50.30  | 64.40 | 50.20  | 63.60 |
| 6/11/2025 12:08:55 | 50.00  | 63.40 | 49.80  | 62.10 |
| 6/11/2025 12:08:56 | 50.20  | 62.70 | 50.10  | 62.60 |
| 6/11/2025 12:08:57 | 50.30  | 65.00 | 50.40  | 65.00 |
| 6/11/2025 12:08:58 | 51.40  | 71.10 | 51.60  | 71.00 |
| 6/11/2025 12:08:59 | 52.40  | 65.30 | 52.40  | 66.00 |
| 6/11/2025 12:09:00 | 54.50  | 73.40 | 55.30  | 73.40 |
| 6/11/2025 12:09:01 | 55.80  | 75.30 | 55.90  | 75.00 |
| 6/11/2025 12:09:02 | 58.60  | 76.00 | 59.00  | 76.30 |
| 6/11/2025 12:09:03 | 64.20  | 80.20 | 64.20  | 80.20 |
| 6/11/2025 12:09:04 | 66.80  | 82.40 | 67.90  | 82.40 |
| 6/11/2025 12:09:05 | 66.50  | 76.80 | 63.30  | 76.90 |
| 6/11/2025 12:09:06 | 64.40  | 71.00 | 57.80  | 70.90 |
| 6/11/2025 12:09:07 | 61.20  | 67.30 | 54.80  | 67.70 |
| 6/11/2025 12:09:08 | 58.40  | 69.60 | 54.00  | 69.80 |
| 6/11/2025 12:09:09 | 56.10  | 67.10 | 53.80  | 67.50 |
| 6/11/2025 12:09:10 | 55.30  | 68.50 | 54.60  | 68.60 |
| 6/11/2025 12:09:11 | 55.70  | 69.00 | 55.30  | 68.90 |
| 6/11/2025 12:09:12 | 58.90  | 78.20 | 59.50  | 78.20 |
| 6/11/2025 12:09:13 | 61.10  | 80.00 | 61.50  | 80.00 |
| 6/11/2025 12:09:14 | 63.40  | 77.30 | 63.80  | 77.50 |
| 6/11/2025 12:09:15 | 63.90  | 79.80 | 63.80  | 79.80 |
| 6/11/2025 12:09:16 | 63.20  | 72.80 | 60.00  | 72.90 |
| 6/11/2025 12:09:17 | 61.30  | 73.50 | 57.70  | 73.30 |
| 6/11/2025 12:09:18 | 59.20  | 70.50 | 56.10  | 70.60 |
| 6/11/2025 12:09:19 | 57.40  | 67.80 | 55.10  | 67.80 |
| 6/11/2025 12:09:20 | 56.00  | 66.70 | 54.10  | 67.00 |
| 6/11/2025 12:09:21 | 54.90  | 66.80 | 53.30  | 66.60 |
| 6/11/2025 12:09:22 | 53.80  | 64.50 | 51.90  | 63.80 |
| 6/11/2025 12:09:23 | 52.80  | 65.50 | 52.20  | 66.00 |
| 6/11/2025 12:09:24 | 52.50  | 64.20 | 50.90  | 64.00 |
| 6/11/2025 12:09:25 | 51.70  | 64.10 | 51.40  | 64.40 |
| 6/11/2025 12:09:26 | 51.50  | 62.80 | 49.70  | 61.70 |
| 6/11/2025 12:09:27 | 50.20  | 61.50 | 49.80  | 62.30 |
| 6/11/2025 12:09:28 | 50.00  | 63.80 | 49.80  | 62.30 |
| 6/11/2025 12:09:29 | 50.00  | 61.70 | 49.80  | 62.60 |
| 6/11/2025 12:09:30 | 50.00  | 64.40 | 49.60  | 65.10 |
| 6/11/2025 12:09:31 | 49.90  | 62.10 | 49.60  | 62.30 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:09:32 | 50.00  | 64.00 | 49.90  | 62.50 |
| 6/11/2025 12:09:33 | 49.80  | 62.90 | 49.70  | 62.80 |
| 6/11/2025 12:09:34 | 50.30  | 66.60 | 50.00  | 66.40 |
| 6/11/2025 12:09:35 | 50.90  | 64.30 | 50.90  | 64.00 |
| 6/11/2025 12:09:36 | 50.40  | 63.20 | 49.90  | 63.40 |
| 6/11/2025 12:09:37 | 50.30  | 63.30 | 50.00  | 63.20 |
| 6/11/2025 12:09:38 | 50.30  | 63.10 | 50.20  | 63.50 |
| 6/11/2025 12:09:39 | 50.60  | 63.60 | 50.70  | 63.30 |
| 6/11/2025 12:09:40 | 50.80  | 63.70 | 50.90  | 64.40 |
| 6/11/2025 12:09:41 | 51.10  | 65.30 | 50.50  | 66.00 |
| 6/11/2025 12:09:42 | 50.40  | 64.10 | 49.30  | 64.00 |
| 6/11/2025 12:09:43 | 49.80  | 62.10 | 48.90  | 61.60 |
| 6/11/2025 12:09:44 | 49.30  | 63.00 | 48.90  | 62.40 |
| 6/11/2025 12:09:45 | 49.90  | 62.90 | 50.10  | 62.70 |
| 6/11/2025 12:09:46 | 50.80  | 65.90 | 51.30  | 64.40 |
| 6/11/2025 12:09:47 | 53.00  | 67.10 | 53.30  | 66.80 |
| 6/11/2025 12:09:48 | 56.10  | 72.00 | 56.60  | 71.90 |
| 6/11/2025 12:09:49 | 60.50  | 75.70 | 61.20  | 75.60 |
| 6/11/2025 12:09:50 | 63.30  | 77.20 | 63.80  | 77.00 |
| 6/11/2025 12:09:51 | 64.80  | 77.80 | 65.50  | 77.90 |
| 6/11/2025 12:09:52 | 65.10  | 78.70 | 65.20  | 78.70 |
| 6/11/2025 12:09:53 | 64.90  | 73.90 | 61.20  | 73.70 |
| 6/11/2025 12:09:54 | 62.60  | 70.20 | 57.30  | 69.80 |
| 6/11/2025 12:09:55 | 59.90  | 70.40 | 54.80  | 70.80 |
| 6/11/2025 12:09:56 | 57.30  | 68.40 | 53.40  | 69.10 |
| 6/11/2025 12:09:57 | 55.10  | 65.50 | 50.40  | 64.90 |
| 6/11/2025 12:09:58 | 52.70  | 62.90 | 50.00  | 63.70 |
| 6/11/2025 12:09:59 | 51.30  | 65.70 | 49.60  | 64.40 |
| 6/11/2025 12:10:00 | 50.20  | 66.20 | 49.50  | 65.10 |
| 6/11/2025 12:10:01 | 49.90  | 62.40 | 48.20  | 61.70 |
| 6/11/2025 12:10:02 | 48.60  | 65.00 | 47.20  | 64.70 |
| 6/11/2025 12:10:03 | 48.10  | 65.00 | 47.90  | 63.90 |
| 6/11/2025 12:10:04 | 49.10  | 69.00 | 48.30  | 69.00 |
| 6/11/2025 12:10:05 | 50.50  | 71.00 | 50.40  | 71.00 |
| 6/11/2025 12:10:06 | 49.90  | 61.60 | 47.50  | 61.40 |
| 6/11/2025 12:10:07 | 48.60  | 60.30 | 47.40  | 59.60 |
| 6/11/2025 12:10:08 | 48.00  | 63.90 | 47.50  | 63.70 |
| 6/11/2025 12:10:09 | 48.00  | 60.90 | 47.70  | 61.20 |
| 6/11/2025 12:10:10 | 48.10  | 60.70 | 47.70  | 60.00 |
| 6/11/2025 12:10:11 | 47.60  | 60.40 | 46.70  | 60.50 |
| 6/11/2025 12:10:12 | 47.40  | 59.70 | 47.30  | 59.70 |
| 6/11/2025 12:10:13 | 47.50  | 61.00 | 47.20  | 61.40 |
| 6/11/2025 12:10:14 | 47.80  | 64.00 | 47.70  | 64.20 |
| 6/11/2025 12:10:15 | 48.00  | 61.80 | 48.00  | 61.20 |
| 6/11/2025 12:10:16 | 47.80  | 60.00 | 47.40  | 61.20 |
| 6/11/2025 12:10:17 | 48.20  | 60.50 | 48.30  | 59.80 |
| 6/11/2025 12:10:18 | 48.60  | 61.50 | 48.60  | 62.50 |
| 6/11/2025 12:10:19 | 48.80  | 61.30 | 48.50  | 61.80 |
| 6/11/2025 12:10:20 | 48.70  | 60.70 | 48.10  | 60.60 |
| 6/11/2025 12:10:21 | 48.90  | 63.30 | 48.80  | 64.30 |
| 6/11/2025 12:10:22 | 48.70  | 61.40 | 48.10  | 62.60 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:10:23 | 48.40  | 61.90 | 47.90  | 60.80 |
| 6/11/2025 12:10:24 | 48.30  | 61.00 | 47.90  | 60.60 |
| 6/11/2025 12:10:25 | 48.20  | 61.50 | 48.00  | 61.50 |
| 6/11/2025 12:10:26 | 48.80  | 68.70 | 48.80  | 69.20 |
| 6/11/2025 12:10:27 | 48.80  | 61.00 | 48.60  | 61.80 |
| 6/11/2025 12:10:28 | 48.70  | 60.80 | 47.90  | 60.60 |
| 6/11/2025 12:10:29 | 48.30  | 60.20 | 47.80  | 60.10 |
| 6/11/2025 12:10:30 | 48.00  | 61.40 | 47.50  | 60.80 |
| 6/11/2025 12:10:31 | 47.90  | 61.40 | 47.80  | 60.10 |
| 6/11/2025 12:10:32 | 48.50  | 63.60 | 48.50  | 63.70 |
| 6/11/2025 12:10:33 | 48.70  | 61.70 | 48.40  | 62.20 |
| 6/11/2025 12:10:34 | 48.50  | 63.20 | 48.10  | 62.00 |
| 6/11/2025 12:10:35 | 49.30  | 62.60 | 49.70  | 62.90 |
| 6/11/2025 12:10:36 | 49.50  | 62.00 | 49.20  | 62.20 |
| 6/11/2025 12:10:37 | 50.80  | 65.00 | 51.00  | 65.10 |
| 6/11/2025 12:10:38 | 54.10  | 70.50 | 54.00  | 69.70 |
| 6/11/2025 12:10:39 | 56.20  | 71.60 | 56.70  | 71.90 |
| 6/11/2025 12:10:40 | 61.30  | 77.20 | 61.80  | 77.30 |
| 6/11/2025 12:10:41 | 64.40  | 79.60 | 65.30  | 79.50 |
| 6/11/2025 12:10:42 | 67.90  | 86.00 | 68.50  | 85.90 |
| 6/11/2025 12:10:43 | 67.90  | 83.10 | 66.80  | 83.10 |
| 6/11/2025 12:10:44 | 66.70  | 75.60 | 61.80  | 75.30 |
| 6/11/2025 12:10:45 | 64.00  | 70.00 | 57.20  | 69.90 |
| 6/11/2025 12:10:46 | 61.00  | 68.60 | 56.10  | 68.20 |
| 6/11/2025 12:10:47 | 59.00  | 72.10 | 58.40  | 71.90 |
| 6/11/2025 12:10:48 | 63.10  | 77.40 | 63.00  | 77.20 |
| 6/11/2025 12:10:49 | 68.40  | 85.30 | 69.40  | 85.20 |
| 6/11/2025 12:10:50 | 68.40  | 79.30 | 67.50  | 79.00 |
| 6/11/2025 12:10:51 | 67.80  | 81.10 | 67.20  | 80.80 |
| 6/11/2025 12:10:52 | 69.30  | 85.70 | 69.90  | 85.50 |
| 6/11/2025 12:10:53 | 68.90  | 77.20 | 65.10  | 77.00 |
| 6/11/2025 12:10:54 | 66.50  | 73.60 | 59.50  | 73.40 |
| 6/11/2025 12:10:55 | 63.30  | 67.00 | 54.60  | 67.40 |
| 6/11/2025 12:10:56 | 59.80  | 68.30 | 51.60  | 68.30 |
| 6/11/2025 12:10:57 | 56.40  | 63.10 | 50.00  | 62.70 |
| 6/11/2025 12:10:58 | 53.60  | 66.70 | 50.30  | 66.30 |
| 6/11/2025 12:10:59 | 51.80  | 63.20 | 50.40  | 62.70 |
| 6/11/2025 12:11:00 | 51.00  | 63.90 | 50.60  | 63.50 |
| 6/11/2025 12:11:01 | 50.60  | 64.50 | 49.80  | 64.60 |
| 6/11/2025 12:11:02 | 50.30  | 62.90 | 49.70  | 63.20 |
| 6/11/2025 12:11:03 | 49.80  | 62.30 | 49.10  | 63.80 |
| 6/11/2025 12:11:04 | 49.40  | 61.50 | 48.90  | 62.70 |
| 6/11/2025 12:11:05 | 49.10  | 61.00 | 48.10  | 61.30 |
| 6/11/2025 12:11:06 | 48.50  | 64.00 | 48.40  | 64.90 |
| 6/11/2025 12:11:07 | 48.90  | 62.90 | 48.70  | 62.20 |
| 6/11/2025 12:11:08 | 50.50  | 76.80 | 50.50  | 77.10 |
| 6/11/2025 12:11:09 | 50.10  | 62.80 | 48.60  | 61.80 |
| 6/11/2025 12:11:10 | 49.30  | 61.10 | 48.10  | 61.40 |
| 6/11/2025 12:11:11 | 48.90  | 63.30 | 48.70  | 63.90 |
| 6/11/2025 12:11:12 | 49.80  | 67.10 | 49.60  | 67.30 |
| 6/11/2025 12:11:13 | 49.80  | 62.20 | 49.20  | 61.90 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:11:14 | 49.20  | 61.90 | 48.60  | 61.90 |
| 6/11/2025 12:11:15 | 49.40  | 63.50 | 49.30  | 63.90 |
| 6/11/2025 12:11:16 | 49.60  | 66.80 | 49.20  | 67.20 |
| 6/11/2025 12:11:17 | 49.40  | 61.20 | 48.40  | 61.60 |
| 6/11/2025 12:11:18 | 51.00  | 74.10 | 49.30  | 74.00 |
| 6/11/2025 12:11:19 | 51.40  | 64.90 | 51.10  | 65.40 |
| 6/11/2025 12:11:20 | 50.30  | 61.00 | 48.40  | 61.10 |
| 6/11/2025 12:11:21 | 49.20  | 61.10 | 47.70  | 60.40 |
| 6/11/2025 12:11:22 | 48.40  | 61.70 | 48.00  | 61.40 |
| 6/11/2025 12:11:23 | 48.40  | 61.00 | 48.20  | 61.20 |
| 6/11/2025 12:11:24 | 48.50  | 61.60 | 48.20  | 61.20 |
| 6/11/2025 12:11:25 | 48.60  | 61.50 | 48.40  | 61.80 |
| 6/11/2025 12:11:26 | 48.70  | 61.80 | 48.70  | 61.10 |
| 6/11/2025 12:11:27 | 49.10  | 62.90 | 49.10  | 62.90 |
| 6/11/2025 12:11:28 | 49.60  | 64.30 | 49.70  | 63.30 |
| 6/11/2025 12:11:29 | 49.60  | 62.20 | 49.50  | 63.10 |
| 6/11/2025 12:11:30 | 49.80  | 67.00 | 49.30  | 67.10 |
| 6/11/2025 12:11:31 | 50.00  | 64.50 | 50.10  | 62.30 |
| 6/11/2025 12:11:32 | 50.20  | 64.30 | 50.20  | 64.20 |
| 6/11/2025 12:11:33 | 51.20  | 72.20 | 50.40  | 72.20 |
| 6/11/2025 12:11:34 | 51.30  | 63.40 | 50.90  | 63.10 |
| 6/11/2025 12:11:35 | 50.80  | 65.10 | 50.20  | 64.30 |
| 6/11/2025 12:11:36 | 50.40  | 63.20 | 49.80  | 63.20 |
| 6/11/2025 12:11:37 | 49.90  | 64.30 | 49.70  | 64.70 |
| 6/11/2025 12:11:38 | 49.90  | 64.60 | 49.70  | 65.00 |
| 6/11/2025 12:11:39 | 50.80  | 67.60 | 50.90  | 67.70 |
| 6/11/2025 12:11:40 | 51.40  | 65.30 | 51.50  | 65.00 |
| 6/11/2025 12:11:41 | 51.90  | 66.40 | 51.90  | 65.90 |
| 6/11/2025 12:11:42 | 53.40  | 68.00 | 53.70  | 68.00 |
| 6/11/2025 12:11:43 | 54.80  | 67.90 | 55.20  | 68.20 |
| 6/11/2025 12:11:44 | 56.80  | 71.80 | 57.30  | 71.80 |
| 6/11/2025 12:11:45 | 57.30  | 70.00 | 57.70  | 70.00 |
| 6/11/2025 12:11:46 | 57.80  | 71.30 | 57.90  | 71.60 |
| 6/11/2025 12:11:47 | 57.70  | 69.50 | 56.20  | 69.70 |
| 6/11/2025 12:11:48 | 56.50  | 66.40 | 53.60  | 66.70 |
| 6/11/2025 12:11:49 | 54.90  | 64.50 | 52.10  | 64.80 |
| 6/11/2025 12:11:50 | 53.30  | 63.00 | 50.30  | 63.40 |
| 6/11/2025 12:11:51 | 51.50  | 63.20 | 49.30  | 63.50 |
| 6/11/2025 12:11:52 | 50.30  | 61.90 | 48.70  | 61.50 |
| 6/11/2025 12:11:53 | 49.30  | 63.00 | 48.30  | 62.10 |
| 6/11/2025 12:11:54 | 49.20  | 62.60 | 49.00  | 62.90 |
| 6/11/2025 12:11:55 | 50.00  | 65.90 | 49.70  | 65.70 |
| 6/11/2025 12:11:56 | 50.20  | 63.70 | 49.70  | 64.00 |
| 6/11/2025 12:11:57 | 51.00  | 72.00 | 50.50  | 71.70 |
| 6/11/2025 12:11:58 | 51.30  | 65.70 | 50.60  | 65.30 |
| 6/11/2025 12:11:59 | 50.50  | 64.70 | 49.70  | 65.20 |
| 6/11/2025 12:12:00 | 49.90  | 61.80 | 49.30  | 62.80 |
| 6/11/2025 12:12:01 | 49.60  | 62.10 | 49.00  | 62.90 |
| 6/11/2025 12:12:02 | 49.20  | 60.70 | 48.10  | 61.10 |
| 6/11/2025 12:12:03 | 48.60  | 61.40 | 48.20  | 61.00 |
| 6/11/2025 12:12:04 | 49.60  | 72.10 | 50.10  | 72.00 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:12:05 | 49.40  | 61.50 | 48.60  | 60.80 |
| 6/11/2025 12:12:06 | 48.90  | 61.70 | 48.20  | 60.50 |
| 6/11/2025 12:12:07 | 51.30  | 66.70 | 52.10  | 67.00 |
| 6/11/2025 12:12:08 | 50.90  | 63.20 | 49.80  | 63.00 |
| 6/11/2025 12:12:09 | 51.30  | 66.20 | 51.10  | 65.40 |
| 6/11/2025 12:12:10 | 51.30  | 65.80 | 51.10  | 64.90 |
| 6/11/2025 12:12:11 | 51.90  | 64.00 | 51.80  | 64.80 |
| 6/11/2025 12:12:12 | 53.50  | 71.10 | 53.80  | 71.00 |
| 6/11/2025 12:12:13 | 53.20  | 65.50 | 52.40  | 66.10 |
| 6/11/2025 12:12:14 | 53.40  | 65.80 | 53.50  | 65.80 |
| 6/11/2025 12:12:15 | 54.60  | 69.40 | 54.60  | 69.80 |
| 6/11/2025 12:12:16 | 57.30  | 72.00 | 57.40  | 72.50 |
| 6/11/2025 12:12:17 | 61.90  | 76.10 | 62.40  | 76.00 |
| 6/11/2025 12:12:18 | 65.70  | 86.80 | 66.30  | 86.70 |
| 6/11/2025 12:12:19 | 65.90  | 80.40 | 65.80  | 80.30 |
| 6/11/2025 12:12:20 | 65.30  | 79.10 | 63.40  | 78.90 |
| 6/11/2025 12:12:21 | 65.20  | 79.70 | 64.80  | 79.80 |
| 6/11/2025 12:12:22 | 70.80  | 85.70 | 71.10  | 85.70 |
| 6/11/2025 12:12:23 | 71.90  | 86.90 | 72.50  | 86.90 |
| 6/11/2025 12:12:24 | 71.30  | 78.20 | 65.70  | 78.00 |
| 6/11/2025 12:12:25 | 68.30  | 73.40 | 61.20  | 73.50 |
| 6/11/2025 12:12:26 | 65.10  | 68.00 | 55.50  | 68.50 |
| 6/11/2025 12:12:27 | 61.50  | 67.20 | 52.70  | 67.40 |
| 6/11/2025 12:12:28 | 58.10  | 63.90 | 50.70  | 63.10 |
| 6/11/2025 12:12:29 | 54.90  | 66.50 | 51.40  | 65.90 |
| 6/11/2025 12:12:30 | 53.60  | 64.80 | 52.10  | 64.70 |
| 6/11/2025 12:12:31 | 52.30  | 61.80 | 49.50  | 61.70 |
| 6/11/2025 12:12:32 | 51.60  | 63.70 | 51.30  | 64.40 |
| 6/11/2025 12:12:33 | 51.90  | 64.90 | 52.00  | 65.40 |
| 6/11/2025 12:12:34 | 52.50  | 65.40 | 52.10  | 65.20 |
| 6/11/2025 12:12:35 | 52.60  | 65.00 | 51.80  | 65.60 |
| 6/11/2025 12:12:36 | 51.70  | 64.10 | 51.40  | 64.70 |
| 6/11/2025 12:12:37 | 51.70  | 63.30 | 50.60  | 64.90 |
| 6/11/2025 12:12:38 | 50.80  | 61.20 | 49.40  | 61.30 |
| 6/11/2025 12:12:39 | 49.90  | 63.10 | 49.30  | 63.70 |
| 6/11/2025 12:12:40 | 49.90  | 65.70 | 48.90  | 65.10 |
| 6/11/2025 12:12:41 | 49.10  | 61.30 | 48.30  | 62.30 |
| 6/11/2025 12:12:42 | 48.80  | 62.40 | 48.70  | 62.90 |
| 6/11/2025 12:12:43 | 53.40  | 77.80 | 53.40  | 77.90 |
| 6/11/2025 12:12:44 | 53.40  | 67.30 | 52.70  | 67.50 |
| 6/11/2025 12:12:45 | 56.20  | 72.80 | 56.40  | 71.90 |
| 6/11/2025 12:12:46 | 57.10  | 76.80 | 57.30  | 76.20 |
| 6/11/2025 12:12:47 | 56.40  | 65.60 | 52.40  | 66.30 |
| 6/11/2025 12:12:48 | 54.10  | 62.70 | 49.80  | 63.90 |
| 6/11/2025 12:12:49 | 51.80  | 62.00 | 49.10  | 62.10 |
| 6/11/2025 12:12:50 | 50.40  | 63.80 | 48.80  | 62.90 |
| 6/11/2025 12:12:51 | 49.40  | 62.70 | 47.90  | 62.60 |
| 6/11/2025 12:12:52 | 48.60  | 60.60 | 47.70  | 60.40 |
| 6/11/2025 12:12:53 | 48.80  | 61.90 | 48.80  | 62.10 |
| 6/11/2025 12:12:54 | 49.10  | 62.40 | 49.00  | 61.40 |
| 6/11/2025 12:12:55 | 48.70  | 59.90 | 47.20  | 61.40 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:12:56 | 48.00  | 60.90 | 47.70  | 62.40 |
| 6/11/2025 12:12:57 | 48.90  | 61.90 | 48.80  | 61.50 |
| 6/11/2025 12:12:58 | 51.80  | 65.60 | 52.70  | 65.50 |
| 6/11/2025 12:12:59 | 51.60  | 61.50 | 49.10  | 61.30 |
| 6/11/2025 12:13:00 | 50.60  | 64.00 | 50.20  | 63.90 |
| 6/11/2025 12:13:01 | 50.00  | 61.90 | 49.20  | 62.10 |
| 6/11/2025 12:13:02 | 49.90  | 64.90 | 49.70  | 63.70 |
| 6/11/2025 12:13:03 | 50.40  | 64.70 | 50.60  | 63.80 |
| 6/11/2025 12:13:04 | 50.90  | 64.00 | 51.00  | 64.00 |
| 6/11/2025 12:13:05 | 51.20  | 67.30 | 50.90  | 66.90 |
| 6/11/2025 12:13:06 | 65.40  | 93.60 | 60.70  | 93.50 |
| 6/11/2025 12:13:07 | 65.40  | 77.70 | 61.40  | 78.00 |
| 6/11/2025 12:13:08 | 61.90  | 67.40 | 54.90  | 67.10 |
| 6/11/2025 12:13:09 | 59.20  | 72.90 | 58.70  | 73.10 |
| 6/11/2025 12:13:10 | 63.20  | 78.00 | 63.30  | 77.70 |
| 6/11/2025 12:13:11 | 65.50  | 78.80 | 66.30  | 78.70 |
| 6/11/2025 12:13:12 | 66.10  | 81.90 | 66.10  | 81.70 |
| 6/11/2025 12:13:13 | 65.70  | 79.60 | 63.50  | 79.50 |
| 6/11/2025 12:13:14 | 64.00  | 71.10 | 57.50  | 71.30 |
| 6/11/2025 12:13:15 | 60.90  | 67.80 | 54.20  | 67.60 |
| 6/11/2025 12:13:16 | 57.90  | 70.40 | 52.70  | 69.80 |
| 6/11/2025 12:13:17 | 55.40  | 68.90 | 51.80  | 68.00 |
| 6/11/2025 12:13:18 | 53.50  | 66.20 | 50.80  | 65.90 |
| 6/11/2025 12:13:19 | 52.00  | 62.60 | 49.80  | 62.80 |
| 6/11/2025 12:13:20 | 50.70  | 64.40 | 50.10  | 64.50 |
| 6/11/2025 12:13:21 | 50.90  | 65.60 | 50.90  | 66.20 |
| 6/11/2025 12:13:22 | 51.30  | 64.10 | 51.50  | 63.90 |
| 6/11/2025 12:13:23 | 51.60  | 64.10 | 51.60  | 64.30 |
| 6/11/2025 12:13:24 | 51.40  | 63.20 | 50.30  | 63.30 |
| 6/11/2025 12:13:25 | 50.80  | 62.70 | 50.20  | 61.70 |
| 6/11/2025 12:13:26 | 50.90  | 63.40 | 50.80  | 62.90 |
| 6/11/2025 12:13:27 | 51.20  | 64.00 | 51.10  | 63.60 |
| 6/11/2025 12:13:28 | 51.30  | 63.60 | 51.00  | 62.90 |
| 6/11/2025 12:13:29 | 51.10  | 67.90 | 50.90  | 67.80 |
| 6/11/2025 12:13:30 | 52.40  | 65.40 | 52.10  | 66.40 |
| 6/11/2025 12:13:31 | 54.10  | 69.10 | 54.70  | 68.30 |
| 6/11/2025 12:13:32 | 54.10  | 65.20 | 52.10  | 65.00 |
| 6/11/2025 12:13:33 | 52.60  | 65.80 | 51.70  | 66.10 |
| 6/11/2025 12:13:34 | 52.50  | 66.00 | 52.30  | 64.80 |
| 6/11/2025 12:13:35 | 52.30  | 67.20 | 52.00  | 66.80 |
| 6/11/2025 12:13:36 | 52.30  | 64.50 | 51.80  | 63.50 |
| 6/11/2025 12:13:37 | 52.70  | 68.20 | 52.60  | 68.50 |
| 6/11/2025 12:13:38 | 53.40  | 67.50 | 53.70  | 67.50 |
| 6/11/2025 12:13:39 | 53.90  | 67.40 | 54.00  | 67.10 |
| 6/11/2025 12:13:40 | 54.40  | 67.10 | 54.30  | 67.10 |
| 6/11/2025 12:13:41 | 54.40  | 67.60 | 54.40  | 67.30 |
| 6/11/2025 12:13:42 | 55.90  | 70.10 | 55.80  | 70.00 |
| 6/11/2025 12:13:43 | 59.60  | 74.40 | 60.10  | 74.10 |
| 6/11/2025 12:13:44 | 65.70  | 81.70 | 65.90  | 81.70 |
| 6/11/2025 12:13:45 | 73.70  | 90.10 | 73.80  | 90.10 |
| 6/11/2025 12:13:46 | 75.00  | 88.60 | 75.90  | 88.60 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:13:47 | 74.60  | 83.80 | 71.00  | 83.90 |
| 6/11/2025 12:13:48 | 72.40  | 78.80 | 65.70  | 78.80 |
| 6/11/2025 12:13:49 | 69.20  | 74.10 | 61.50  | 74.00 |
| 6/11/2025 12:13:50 | 65.80  | 72.00 | 57.50  | 72.50 |
| 6/11/2025 12:13:51 | 62.40  | 68.70 | 55.80  | 68.80 |
| 6/11/2025 12:13:52 | 59.50  | 68.20 | 55.60  | 68.00 |
| 6/11/2025 12:13:53 | 57.50  | 66.40 | 54.20  | 65.60 |
| 6/11/2025 12:13:54 | 55.60  | 65.40 | 52.90  | 64.90 |
| 6/11/2025 12:13:55 | 54.30  | 64.90 | 53.10  | 65.60 |
| 6/11/2025 12:13:56 | 53.70  | 64.90 | 53.10  | 65.40 |
| 6/11/2025 12:13:57 | 54.00  | 70.90 | 53.70  | 71.00 |
| 6/11/2025 12:13:58 | 55.60  | 70.50 | 55.50  | 70.70 |
| 6/11/2025 12:13:59 | 54.40  | 64.80 | 51.90  | 65.80 |
| 6/11/2025 12:14:00 | 53.10  | 65.40 | 51.80  | 64.90 |
| 6/11/2025 12:14:01 | 53.70  | 72.40 | 53.40  | 72.60 |
| 6/11/2025 12:14:02 | 53.10  | 65.00 | 52.30  | 65.20 |
| 6/11/2025 12:14:03 | 52.80  | 64.90 | 52.50  | 64.90 |
| 6/11/2025 12:14:04 | 53.30  | 68.00 | 53.10  | 67.80 |
| 6/11/2025 12:14:05 | 53.30  | 64.50 | 52.30  | 65.00 |
| 6/11/2025 12:14:06 | 52.90  | 70.90 | 52.40  | 71.30 |
| 6/11/2025 12:14:07 | 53.40  | 67.50 | 52.90  | 67.90 |
| 6/11/2025 12:14:08 | 52.60  | 64.70 | 52.10  | 65.00 |
| 6/11/2025 12:14:09 | 53.00  | 66.00 | 53.10  | 65.10 |
| 6/11/2025 12:14:10 | 54.10  | 65.80 | 54.30  | 65.50 |
| 6/11/2025 12:14:11 | 54.50  | 68.50 | 54.30  | 68.80 |
| 6/11/2025 12:14:12 | 54.60  | 66.70 | 53.90  | 67.00 |
| 6/11/2025 12:14:13 | 54.10  | 66.70 | 53.60  | 66.30 |
| 6/11/2025 12:14:14 | 54.20  | 66.00 | 54.20  | 65.50 |
| 6/11/2025 12:14:15 | 54.80  | 67.50 | 54.60  | 67.00 |
| 6/11/2025 12:14:16 | 55.90  | 69.10 | 56.00  | 68.80 |
| 6/11/2025 12:14:17 | 56.40  | 69.70 | 56.60  | 69.90 |
| 6/11/2025 12:14:18 | 56.90  | 74.20 | 56.90  | 74.00 |
| 6/11/2025 12:14:19 | 58.50  | 71.40 | 58.80  | 71.30 |
| 6/11/2025 12:14:20 | 60.90  | 77.40 | 61.50  | 77.10 |
| 6/11/2025 12:14:21 | 61.00  | 74.30 | 60.50  | 74.40 |
| 6/11/2025 12:14:22 | 60.40  | 71.90 | 58.40  | 71.50 |
| 6/11/2025 12:14:23 | 59.10  | 68.80 | 56.70  | 68.50 |
| 6/11/2025 12:14:24 | 57.70  | 67.90 | 55.60  | 68.00 |
| 6/11/2025 12:14:25 | 56.40  | 68.40 | 54.50  | 69.00 |
| 6/11/2025 12:14:26 | 55.40  | 69.20 | 54.70  | 68.80 |
| 6/11/2025 12:14:27 | 55.40  | 66.10 | 54.20  | 65.30 |
| 6/11/2025 12:14:28 | 56.10  | 70.70 | 55.60  | 70.60 |
| 6/11/2025 12:14:29 | 59.10  | 73.40 | 59.60  | 73.50 |
| 6/11/2025 12:14:30 | 60.50  | 73.60 | 60.50  | 73.50 |
| 6/11/2025 12:14:31 | 59.70  | 70.40 | 59.30  | 70.40 |
| 6/11/2025 12:14:32 | 60.40  | 72.30 | 60.60  | 72.20 |
| 6/11/2025 12:14:33 | 61.80  | 74.30 | 62.40  | 74.10 |
| 6/11/2025 12:14:34 | 62.90  | 74.30 | 63.40  | 74.10 |
| 6/11/2025 12:14:35 | 62.80  | 72.20 | 61.30  | 72.50 |
| 6/11/2025 12:14:36 | 61.90  | 71.50 | 60.30  | 71.30 |
| 6/11/2025 12:14:37 | 60.60  | 67.90 | 55.10  | 67.10 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:14:38 | 57.80  | 66.20 | 53.20  | 66.50 |
| 6/11/2025 12:14:39 | 55.50  | 64.90 | 52.30  | 65.40 |
| 6/11/2025 12:14:40 | 53.70  | 64.80 | 51.80  | 64.70 |
| 6/11/2025 12:14:41 | 52.60  | 63.10 | 51.00  | 63.70 |
| 6/11/2025 12:14:42 | 52.60  | 66.40 | 52.30  | 66.80 |
| 6/11/2025 12:14:43 | 52.40  | 67.50 | 51.50  | 67.60 |
| 6/11/2025 12:14:44 | 52.20  | 65.50 | 52.00  | 65.40 |
| 6/11/2025 12:14:45 | 52.30  | 64.80 | 52.10  | 65.30 |
| 6/11/2025 12:14:46 | 53.40  | 69.10 | 53.60  | 69.10 |
| 6/11/2025 12:14:47 | 55.50  | 69.00 | 55.70  | 69.00 |
| 6/11/2025 12:14:48 | 59.10  | 76.00 | 59.60  | 76.20 |
| 6/11/2025 12:14:49 | 62.10  | 76.10 | 62.50  | 76.10 |
| 6/11/2025 12:14:50 | 64.40  | 78.60 | 64.90  | 78.60 |
| 6/11/2025 12:14:51 | 64.60  | 77.00 | 64.10  | 77.00 |
| 6/11/2025 12:14:52 | 63.80  | 73.70 | 59.70  | 73.00 |
| 6/11/2025 12:14:53 | 61.50  | 70.70 | 57.60  | 70.20 |
| 6/11/2025 12:14:54 | 59.40  | 68.40 | 56.70  | 69.10 |
| 6/11/2025 12:14:55 | 57.90  | 67.50 | 55.60  | 67.20 |
| 6/11/2025 12:14:56 | 56.50  | 68.40 | 54.80  | 68.70 |
| 6/11/2025 12:14:57 | 55.60  | 68.20 | 54.60  | 68.60 |
| 6/11/2025 12:14:58 | 56.40  | 70.10 | 56.40  | 70.50 |
| 6/11/2025 12:14:59 | 62.10  | 77.20 | 62.10  | 77.50 |
| 6/11/2025 12:15:00 | 67.40  | 83.00 | 67.70  | 83.00 |
| 6/11/2025 12:15:01 | 72.10  | 86.40 | 72.90  | 86.50 |
| 6/11/2025 12:15:02 | 73.30  | 89.10 | 73.70  | 89.10 |
| 6/11/2025 12:15:03 | 72.90  | 85.10 | 70.00  | 85.10 |
| 6/11/2025 12:15:04 | 70.90  | 82.40 | 65.30  | 82.30 |
| 6/11/2025 12:15:05 | 68.00  | 72.10 | 60.00  | 72.30 |
| 6/11/2025 12:15:06 | 64.70  | 70.40 | 56.60  | 70.70 |
| 6/11/2025 12:15:07 | 61.40  | 69.10 | 55.00  | 69.00 |
| 6/11/2025 12:15:08 | 58.50  | 65.70 | 52.40  | 65.50 |
| 6/11/2025 12:15:09 | 55.60  | 66.40 | 51.20  | 66.50 |
| 6/11/2025 12:15:10 | 53.40  | 65.70 | 51.70  | 66.00 |
| 6/11/2025 12:15:11 | 54.60  | 78.10 | 54.90  | 78.10 |
| 6/11/2025 12:15:12 | 56.30  | 69.90 | 56.40  | 69.60 |
| 6/11/2025 12:15:13 | 62.20  | 76.70 | 62.50  | 76.50 |
| 6/11/2025 12:15:14 | 67.50  | 81.90 | 68.10  | 81.70 |
| 6/11/2025 12:15:15 | 70.40  | 85.50 | 71.40  | 85.40 |
| 6/11/2025 12:15:16 | 71.00  | 89.60 | 70.40  | 89.50 |
| 6/11/2025 12:15:17 | 69.90  | 79.20 | 64.50  | 79.20 |
| 6/11/2025 12:15:18 | 67.10  | 73.00 | 60.70  | 73.20 |
| 6/11/2025 12:15:19 | 64.10  | 70.90 | 57.90  | 70.90 |
| 6/11/2025 12:15:20 | 61.10  | 69.00 | 53.00  | 69.10 |
| 6/11/2025 12:15:21 | 57.80  | 67.80 | 51.70  | 67.30 |
| 6/11/2025 12:15:22 | 55.00  | 67.90 | 50.60  | 67.90 |
| 6/11/2025 12:15:23 | 52.80  | 66.80 | 50.50  | 66.60 |
| 6/11/2025 12:15:24 | 51.30  | 61.30 | 48.70  | 61.90 |
| 6/11/2025 12:15:25 | 49.90  | 62.80 | 48.50  | 62.20 |
| 6/11/2025 12:15:26 | 49.00  | 59.90 | 47.50  | 59.90 |
| 6/11/2025 12:15:27 | 48.20  | 61.50 | 47.40  | 60.60 |
| 6/11/2025 12:15:28 | 48.00  | 61.30 | 47.50  | 60.70 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:15:29 | 48.80  | 64.20 | 48.80  | 63.20 |
| 6/11/2025 12:15:30 | 48.90  | 65.50 | 48.20  | 65.20 |
| 6/11/2025 12:15:31 | 49.00  | 62.10 | 48.80  | 61.70 |
| 6/11/2025 12:15:32 | 48.80  | 63.40 | 48.20  | 63.40 |
| 6/11/2025 12:15:33 | 48.30  | 61.00 | 47.30  | 60.20 |
| 6/11/2025 12:15:34 | 47.90  | 60.10 | 47.20  | 60.50 |
| 6/11/2025 12:15:35 | 47.60  | 59.90 | 47.50  | 60.70 |
| 6/11/2025 12:15:36 | 48.00  | 62.50 | 47.90  | 61.10 |
| 6/11/2025 12:15:37 | 48.00  | 60.70 | 47.80  | 60.90 |
| 6/11/2025 12:15:38 | 48.00  | 65.80 | 47.80  | 64.90 |
| 6/11/2025 12:15:39 | 48.00  | 61.30 | 47.90  | 62.00 |
| 6/11/2025 12:15:40 | 48.30  | 61.30 | 48.40  | 62.30 |
| 6/11/2025 12:15:41 | 48.30  | 62.60 | 48.10  | 63.00 |
| 6/11/2025 12:15:42 | 53.40  | 70.40 | 54.30  | 70.40 |
| 6/11/2025 12:15:43 | 54.80  | 68.50 | 54.70  | 68.50 |
| 6/11/2025 12:15:44 | 54.70  | 69.90 | 53.90  | 69.60 |
| 6/11/2025 12:15:45 | 53.90  | 66.30 | 52.30  | 65.70 |
| 6/11/2025 12:15:46 | 53.20  | 66.20 | 52.10  | 65.90 |
| 6/11/2025 12:15:47 | 52.70  | 65.70 | 52.10  | 66.50 |
| 6/11/2025 12:15:48 | 52.50  | 65.50 | 51.80  | 65.10 |
| 6/11/2025 12:15:49 | 52.30  | 66.10 | 51.30  | 65.70 |
| 6/11/2025 12:15:50 | 52.20  | 65.20 | 51.80  | 64.80 |
| 6/11/2025 12:15:51 | 51.90  | 65.40 | 51.20  | 66.70 |
| 6/11/2025 12:15:52 | 51.60  | 64.60 | 50.80  | 65.10 |
| 6/11/2025 12:15:53 | 51.90  | 65.60 | 51.90  | 65.40 |
| 6/11/2025 12:15:54 | 51.90  | 65.30 | 51.30  | 64.50 |
| 6/11/2025 12:15:55 | 51.80  | 67.10 | 51.50  | 67.30 |
| 6/11/2025 12:15:56 | 52.80  | 67.20 | 52.90  | 66.90 |
| 6/11/2025 12:15:57 | 53.00  | 65.90 | 52.30  | 65.80 |
| 6/11/2025 12:15:58 | 52.60  | 65.70 | 51.70  | 65.60 |
| 6/11/2025 12:15:59 | 52.30  | 65.80 | 51.60  | 65.80 |
| 6/11/2025 12:16:00 | 52.50  | 66.30 | 52.20  | 66.30 |
| 6/11/2025 12:16:01 | 52.40  | 66.90 | 51.80  | 67.50 |
| 6/11/2025 12:16:02 | 52.00  | 66.40 | 51.10  | 65.70 |
| 6/11/2025 12:16:03 | 53.10  | 67.00 | 53.40  | 67.50 |
| 6/11/2025 12:16:04 | 53.10  | 67.70 | 52.20  | 66.50 |
| 6/11/2025 12:16:05 | 52.40  | 66.20 | 50.90  | 66.20 |
| 6/11/2025 12:16:06 | 52.40  | 66.50 | 52.00  | 66.60 |
| 6/11/2025 12:16:07 | 52.00  | 64.50 | 51.10  | 64.70 |
| 6/11/2025 12:16:08 | 51.50  | 63.60 | 50.60  | 64.20 |
| 6/11/2025 12:16:09 | 50.80  | 63.20 | 50.00  | 64.70 |
| 6/11/2025 12:16:10 | 50.50  | 63.50 | 50.30  | 63.90 |
| 6/11/2025 12:16:11 | 50.80  | 63.40 | 50.40  | 63.40 |
| 6/11/2025 12:16:12 | 50.70  | 64.10 | 50.10  | 64.60 |
| 6/11/2025 12:16:13 | 50.80  | 63.50 | 50.70  | 65.10 |
| 6/11/2025 12:16:14 | 51.20  | 67.00 | 50.80  | 66.70 |
| 6/11/2025 12:16:15 | 51.70  | 65.30 | 51.30  | 65.20 |
| 6/11/2025 12:16:16 | 51.70  | 64.60 | 50.10  | 64.40 |
| 6/11/2025 12:16:17 | 50.00  | 62.50 | 48.40  | 62.40 |
| 6/11/2025 12:16:18 | 50.20  | 64.30 | 50.30  | 64.80 |
| 6/11/2025 12:16:19 | 50.50  | 65.00 | 50.50  | 64.70 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:16:20 | 51.00  | 64.60 | 50.90  | 64.00 |
| 6/11/2025 12:16:21 | 51.50  | 64.50 | 51.50  | 64.10 |
| 6/11/2025 12:16:22 | 51.80  | 66.70 | 51.60  | 65.60 |
| 6/11/2025 12:16:23 | 52.70  | 65.90 | 52.90  | 65.10 |
| 6/11/2025 12:16:24 | 55.30  | 72.40 | 55.60  | 72.30 |
| 6/11/2025 12:16:25 | 59.00  | 72.30 | 59.40  | 72.60 |
| 6/11/2025 12:16:26 | 64.40  | 78.20 | 64.80  | 78.30 |
| 6/11/2025 12:16:27 | 69.30  | 83.40 | 70.00  | 83.20 |
| 6/11/2025 12:16:28 | 69.40  | 81.90 | 68.50  | 81.80 |
| 6/11/2025 12:16:29 | 68.20  | 77.30 | 63.40  | 77.10 |
| 6/11/2025 12:16:30 | 65.50  | 70.50 | 57.60  | 70.20 |
| 6/11/2025 12:16:31 | 62.10  | 67.70 | 53.90  | 67.60 |
| 6/11/2025 12:16:32 | 58.80  | 64.40 | 51.30  | 64.20 |
| 6/11/2025 12:16:33 | 55.60  | 63.80 | 48.50  | 63.40 |
| 6/11/2025 12:16:34 | 52.40  | 59.90 | 47.40  | 60.80 |
| 6/11/2025 12:16:35 | 50.00  | 60.80 | 47.50  | 60.50 |
| 6/11/2025 12:16:36 | 48.70  | 61.00 | 48.20  | 61.60 |
| 6/11/2025 12:16:37 | 48.60  | 62.10 | 48.60  | 61.10 |
| 6/11/2025 12:16:38 | 49.00  | 63.40 | 48.90  | 64.10 |
| 6/11/2025 12:16:39 | 49.40  | 67.70 | 49.60  | 67.00 |
| 6/11/2025 12:16:40 | 49.70  | 62.30 | 49.70  | 63.30 |
| 6/11/2025 12:16:41 | 49.70  | 63.50 | 49.10  | 62.80 |
| 6/11/2025 12:16:42 | 49.30  | 63.30 | 48.30  | 62.90 |
| 6/11/2025 12:16:43 | 48.70  | 63.60 | 48.30  | 63.20 |
| 6/11/2025 12:16:44 | 48.70  | 60.50 | 48.00  | 60.60 |
| 6/11/2025 12:16:45 | 48.20  | 60.20 | 47.40  | 60.10 |
| 6/11/2025 12:16:46 | 47.90  | 60.50 | 47.70  | 61.50 |
| 6/11/2025 12:16:47 | 48.80  | 62.00 | 48.90  | 62.10 |
| 6/11/2025 12:16:48 | 49.00  | 61.90 | 48.80  | 63.50 |
| 6/11/2025 12:16:49 | 48.50  | 61.00 | 47.30  | 60.40 |
| 6/11/2025 12:16:50 | 47.80  | 60.60 | 47.30  | 61.10 |
| 6/11/2025 12:16:51 | 47.50  | 60.20 | 47.10  | 61.20 |
| 6/11/2025 12:16:52 | 47.40  | 60.10 | 47.30  | 60.60 |
| 6/11/2025 12:16:53 | 47.60  | 68.40 | 47.60  | 68.80 |
| 6/11/2025 12:16:54 | 47.70  | 61.40 | 47.50  | 60.70 |
| 6/11/2025 12:16:55 | 47.90  | 61.10 | 47.80  | 60.60 |
| 6/11/2025 12:16:56 | 48.00  | 62.30 | 47.80  | 60.90 |
| 6/11/2025 12:16:57 | 48.70  | 71.00 | 48.80  | 70.90 |
| 6/11/2025 12:16:58 | 48.70  | 60.90 | 48.10  | 60.10 |
| 6/11/2025 12:16:59 | 49.90  | 73.60 | 48.80  | 73.80 |
| 6/11/2025 12:17:00 | 49.90  | 63.00 | 48.90  | 62.50 |
| 6/11/2025 12:17:01 | 48.80  | 61.40 | 47.90  | 60.80 |
| 6/11/2025 12:17:02 | 48.90  | 65.80 | 48.70  | 65.20 |
| 6/11/2025 12:17:03 | 49.00  | 63.00 | 48.90  | 62.80 |
| 6/11/2025 12:17:04 | 49.20  | 64.80 | 49.00  | 64.40 |
| 6/11/2025 12:17:05 | 49.20  | 64.40 | 48.80  | 65.40 |
| 6/11/2025 12:17:06 | 48.80  | 60.80 | 48.20  | 61.10 |
| 6/11/2025 12:17:07 | 48.60  | 60.30 | 48.00  | 61.20 |
| 6/11/2025 12:17:08 | 48.20  | 61.00 | 47.90  | 60.90 |
| 6/11/2025 12:17:09 | 48.10  | 60.90 | 48.00  | 61.30 |
| 6/11/2025 12:17:10 | 48.10  | 60.20 | 47.70  | 61.40 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:17:11 | 49.00  | 65.90 | 49.40  | 66.10 |
| 6/11/2025 12:17:12 | 48.90  | 61.40 | 48.30  | 61.10 |
| 6/11/2025 12:17:13 | 49.70  | 64.20 | 49.00  | 65.40 |
| 6/11/2025 12:17:14 | 49.70  | 66.40 | 49.00  | 66.00 |
| 6/11/2025 12:17:15 | 49.40  | 62.80 | 48.80  | 64.10 |
| 6/11/2025 12:17:16 | 48.80  | 61.50 | 48.10  | 60.80 |
| 6/11/2025 12:17:17 | 48.40  | 60.10 | 47.60  | 60.00 |
| 6/11/2025 12:17:18 | 47.90  | 60.20 | 47.30  | 60.60 |
| 6/11/2025 12:17:19 | 47.90  | 61.20 | 47.80  | 61.30 |
| 6/11/2025 12:17:20 | 48.10  | 61.00 | 47.80  | 60.80 |
| 6/11/2025 12:17:21 | 48.10  | 62.60 | 47.70  | 61.40 |
| 6/11/2025 12:17:22 | 47.60  | 59.90 | 47.00  | 61.10 |
| 6/11/2025 12:17:23 | 47.20  | 59.70 | 46.90  | 60.30 |
| 6/11/2025 12:17:24 | 47.30  | 60.30 | 47.10  | 60.00 |
| 6/11/2025 12:17:25 | 47.40  | 60.90 | 47.40  | 60.60 |
| 6/11/2025 12:17:26 | 48.00  | 66.80 | 48.00  | 68.10 |
| 6/11/2025 12:17:27 | 48.10  | 70.30 | 47.90  | 70.30 |
| 6/11/2025 12:17:28 | 48.20  | 60.70 | 48.00  | 59.90 |
| 6/11/2025 12:17:29 | 48.10  | 61.80 | 47.80  | 60.50 |
| 6/11/2025 12:17:30 | 48.70  | 66.90 | 48.60  | 65.30 |
| 6/11/2025 12:17:31 | 49.30  | 66.20 | 49.50  | 66.90 |
| 6/11/2025 12:17:32 | 49.20  | 61.70 | 48.70  | 62.30 |
| 6/11/2025 12:17:33 | 48.70  | 61.10 | 47.80  | 60.80 |
| 6/11/2025 12:17:34 | 48.40  | 60.80 | 48.20  | 63.90 |
| 6/11/2025 12:17:35 | 49.00  | 62.60 | 49.00  | 63.10 |
| 6/11/2025 12:17:36 | 48.70  | 61.30 | 48.00  | 61.50 |
| 6/11/2025 12:17:37 | 48.30  | 61.30 | 47.70  | 59.80 |
| 6/11/2025 12:17:38 | 48.70  | 68.10 | 48.60  | 68.20 |
| 6/11/2025 12:17:39 | 48.70  | 63.70 | 48.50  | 62.80 |
| 6/11/2025 12:17:40 | 49.70  | 67.00 | 50.00  | 66.50 |
| 6/11/2025 12:17:41 | 49.90  | 67.30 | 49.10  | 66.90 |
| 6/11/2025 12:17:42 | 49.60  | 62.60 | 48.80  | 62.70 |
| 6/11/2025 12:17:43 | 48.90  | 62.20 | 48.20  | 61.30 |
| 6/11/2025 12:17:44 | 48.80  | 62.80 | 48.50  | 61.60 |
| 6/11/2025 12:17:45 | 48.50  | 60.50 | 47.90  | 62.10 |
| 6/11/2025 12:17:46 | 48.10  | 60.10 | 47.80  | 60.10 |
| 6/11/2025 12:17:47 | 48.30  | 64.10 | 48.20  | 64.50 |
| 6/11/2025 12:17:48 | 48.20  | 61.50 | 47.70  | 60.90 |
| 6/11/2025 12:17:49 | 48.20  | 61.50 | 48.20  | 61.70 |
| 6/11/2025 12:17:50 | 48.10  | 63.60 | 47.90  | 62.80 |
| 6/11/2025 12:17:51 | 48.10  | 63.40 | 47.80  | 64.50 |
| 6/11/2025 12:17:52 | 48.50  | 64.30 | 48.50  | 64.20 |
| 6/11/2025 12:17:53 | 48.30  | 60.50 | 47.40  | 59.30 |
| 6/11/2025 12:17:54 | 48.70  | 62.10 | 48.80  | 62.20 |
| 6/11/2025 12:17:55 | 49.50  | 65.30 | 49.70  | 64.70 |
| 6/11/2025 12:17:56 | 49.70  | 66.90 | 49.40  | 67.60 |
| 6/11/2025 12:17:57 | 49.30  | 67.90 | 48.40  | 68.00 |
| 6/11/2025 12:17:58 | 48.70  | 63.40 | 48.00  | 63.50 |
| 6/11/2025 12:17:59 | 48.40  | 60.60 | 47.60  | 60.60 |
| 6/11/2025 12:18:00 | 48.10  | 62.20 | 47.80  | 62.00 |
| 6/11/2025 12:18:01 | 47.80  | 59.70 | 47.10  | 60.50 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:18:02 | 47.50  | 60.30 | 47.20  | 61.40 |
| 6/11/2025 12:18:03 | 47.40  | 61.00 | 47.20  | 62.10 |
| 6/11/2025 12:18:04 | 47.60  | 60.40 | 47.40  | 60.30 |
| 6/11/2025 12:18:05 | 48.00  | 60.90 | 47.90  | 60.70 |
| 6/11/2025 12:18:06 | 47.50  | 59.70 | 46.70  | 60.10 |
| 6/11/2025 12:18:07 | 47.20  | 59.60 | 47.00  | 59.90 |
| 6/11/2025 12:18:08 | 47.20  | 59.80 | 47.00  | 59.30 |
| 6/11/2025 12:18:09 | 47.30  | 60.80 | 47.20  | 60.90 |
| 6/11/2025 12:18:10 | 48.30  | 68.80 | 48.90  | 69.50 |
| 6/11/2025 12:18:11 | 49.70  | 62.50 | 49.70  | 62.40 |
| 6/11/2025 12:18:12 | 50.00  | 62.10 | 49.50  | 62.30 |
| 6/11/2025 12:18:13 | 49.40  | 69.60 | 47.90  | 69.30 |
| 6/11/2025 12:18:14 | 49.80  | 63.70 | 50.20  | 63.90 |
| 6/11/2025 12:18:15 | 49.60  | 62.20 | 48.50  | 62.40 |
| 6/11/2025 12:18:16 | 49.20  | 62.70 | 49.10  | 61.80 |
| 6/11/2025 12:18:17 | 49.80  | 65.80 | 49.70  | 65.70 |
| 6/11/2025 12:18:18 | 49.50  | 64.70 | 48.10  | 64.40 |
| 6/11/2025 12:18:19 | 49.00  | 62.20 | 48.20  | 61.40 |
| 6/11/2025 12:18:20 | 48.30  | 60.60 | 47.20  | 61.00 |
| 6/11/2025 12:18:21 | 48.10  | 64.70 | 47.80  | 64.80 |
| 6/11/2025 12:18:22 | 48.00  | 59.70 | 46.90  | 59.30 |
| 6/11/2025 12:18:23 | 47.40  | 59.90 | 47.10  | 59.90 |
| 6/11/2025 12:18:24 | 47.30  | 59.70 | 46.90  | 60.30 |
| 6/11/2025 12:18:25 | 47.10  | 59.20 | 46.70  | 59.10 |
| 6/11/2025 12:18:26 | 47.00  | 59.70 | 46.80  | 59.90 |
| 6/11/2025 12:18:27 | 47.20  | 59.70 | 47.10  | 61.00 |
| 6/11/2025 12:18:28 | 47.70  | 60.80 | 47.70  | 61.70 |
| 6/11/2025 12:18:29 | 48.10  | 63.10 | 48.20  | 64.00 |
| 6/11/2025 12:18:30 | 48.50  | 62.60 | 48.50  | 63.10 |
| 6/11/2025 12:18:31 | 49.30  | 64.50 | 49.60  | 64.20 |
| 6/11/2025 12:18:32 | 49.30  | 64.90 | 48.80  | 65.40 |
| 6/11/2025 12:18:33 | 50.50  | 65.50 | 50.80  | 65.70 |
| 6/11/2025 12:18:34 | 50.00  | 62.90 | 49.50  | 62.50 |
| 6/11/2025 12:18:35 | 51.20  | 65.40 | 50.90  | 65.90 |
| 6/11/2025 12:18:36 | 51.70  | 64.00 | 51.90  | 64.50 |
| 6/11/2025 12:18:37 | 51.90  | 65.60 | 51.30  | 66.00 |
| 6/11/2025 12:18:38 | 51.60  | 64.20 | 50.90  | 64.30 |
| 6/11/2025 12:18:39 | 51.20  | 64.40 | 50.40  | 64.80 |
| 6/11/2025 12:18:40 | 51.00  | 64.30 | 50.80  | 63.90 |
| 6/11/2025 12:18:41 | 52.40  | 66.20 | 52.60  | 66.70 |
| 6/11/2025 12:18:42 | 55.40  | 70.40 | 55.70  | 70.20 |
| 6/11/2025 12:18:43 | 59.70  | 75.00 | 60.20  | 74.50 |
| 6/11/2025 12:18:44 | 62.80  | 79.90 | 63.50  | 79.80 |
| 6/11/2025 12:18:45 | 64.10  | 77.60 | 64.70  | 77.30 |
| 6/11/2025 12:18:46 | 64.20  | 76.30 | 63.50  | 76.50 |
| 6/11/2025 12:18:47 | 63.30  | 75.00 | 59.00  | 74.90 |
| 6/11/2025 12:18:48 | 60.90  | 67.30 | 55.40  | 67.50 |
| 6/11/2025 12:18:49 | 58.20  | 66.00 | 53.00  | 66.30 |
| 6/11/2025 12:18:50 | 55.70  | 65.00 | 51.40  | 66.10 |
| 6/11/2025 12:18:51 | 53.40  | 63.00 | 49.60  | 63.10 |
| 6/11/2025 12:18:52 | 51.30  | 61.40 | 48.20  | 60.60 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:18:53 | 49.60  | 60.70 | 47.40  | 60.70 |
| 6/11/2025 12:18:54 | 48.30  | 59.80 | 47.10  | 59.90 |
| 6/11/2025 12:18:55 | 47.60  | 60.70 | 47.00  | 60.80 |
| 6/11/2025 12:18:56 | 47.40  | 60.60 | 47.20  | 59.40 |
| 6/11/2025 12:18:57 | 47.80  | 61.80 | 47.90  | 61.70 |
| 6/11/2025 12:18:58 | 47.70  | 60.00 | 47.50  | 60.50 |
| 6/11/2025 12:18:59 | 48.60  | 61.60 | 48.80  | 62.20 |
| 6/11/2025 12:19:00 | 49.50  | 62.30 | 49.60  | 63.00 |
| 6/11/2025 12:19:01 | 50.90  | 64.20 | 51.10  | 64.90 |
| 6/11/2025 12:19:02 | 54.60  | 68.40 | 54.80  | 68.30 |
| 6/11/2025 12:19:03 | 59.80  | 75.50 | 60.00  | 75.40 |
| 6/11/2025 12:19:04 | 66.20  | 82.60 | 66.30  | 82.50 |
| 6/11/2025 12:19:05 | 71.70  | 87.90 | 72.70  | 87.80 |
| 6/11/2025 12:19:06 | 71.70  | 82.40 | 69.70  | 82.30 |
| 6/11/2025 12:19:07 | 70.00  | 77.50 | 63.90  | 77.50 |
| 6/11/2025 12:19:08 | 66.90  | 72.60 | 57.80  | 72.40 |
| 6/11/2025 12:19:09 | 63.30  | 68.40 | 53.80  | 68.40 |
| 6/11/2025 12:19:10 | 59.70  | 61.30 | 48.80  | 61.10 |
| 6/11/2025 12:19:11 | 55.90  | 65.50 | 48.80  | 65.70 |
| 6/11/2025 12:19:12 | 52.90  | 60.70 | 47.40  | 60.30 |
| 6/11/2025 12:19:13 | 50.30  | 69.10 | 49.00  | 68.40 |
| 6/11/2025 12:19:14 | 50.20  | 62.70 | 49.50  | 63.20 |
| 6/11/2025 12:19:15 | 49.40  | 61.40 | 48.30  | 61.20 |
| 6/11/2025 12:19:16 | 49.10  | 61.70 | 49.20  | 62.60 |
| 6/11/2025 12:19:17 | 50.20  | 64.60 | 50.20  | 66.20 |
| 6/11/2025 12:19:18 | 49.90  | 62.20 | 48.10  | 61.80 |
| 6/11/2025 12:19:19 | 48.70  | 63.30 | 47.50  | 62.50 |
| 6/11/2025 12:19:20 | 48.70  | 67.30 | 48.50  | 67.30 |
| 6/11/2025 12:19:21 | 48.40  | 61.70 | 47.80  | 61.50 |
| 6/11/2025 12:19:22 | 48.20  | 62.30 | 47.90  | 63.00 |
| 6/11/2025 12:19:23 | 48.60  | 61.80 | 48.50  | 63.10 |
| 6/11/2025 12:19:24 | 48.50  | 60.00 | 47.80  | 60.60 |
| 6/11/2025 12:19:25 | 48.00  | 60.80 | 47.10  | 60.40 |
| 6/11/2025 12:19:26 | 48.00  | 62.50 | 47.90  | 62.40 |
| 6/11/2025 12:19:27 | 48.10  | 61.80 | 48.00  | 61.40 |
| 6/11/2025 12:19:28 | 48.10  | 62.00 | 47.90  | 61.70 |
| 6/11/2025 12:19:29 | 48.60  | 64.10 | 48.60  | 63.80 |
| 6/11/2025 12:19:30 | 48.60  | 62.40 | 48.40  | 62.30 |
| 6/11/2025 12:19:31 | 48.70  | 63.50 | 48.60  | 63.50 |
| 6/11/2025 12:19:32 | 48.50  | 61.30 | 48.20  | 61.10 |
| 6/11/2025 12:19:33 | 48.60  | 66.50 | 48.20  | 65.90 |
| 6/11/2025 12:19:34 | 48.60  | 61.70 | 48.40  | 60.60 |
| 6/11/2025 12:19:35 | 48.50  | 62.50 | 48.30  | 63.30 |
| 6/11/2025 12:19:36 | 48.40  | 61.00 | 48.10  | 61.80 |
| 6/11/2025 12:19:37 | 48.20  | 61.80 | 47.90  | 62.30 |
| 6/11/2025 12:19:38 | 48.20  | 60.40 | 48.00  | 60.70 |
| 6/11/2025 12:19:39 | 48.20  | 61.50 | 48.10  | 61.50 |
| 6/11/2025 12:19:40 | 48.60  | 65.10 | 48.50  | 65.10 |
| 6/11/2025 12:19:41 | 48.50  | 60.60 | 47.80  | 60.90 |
| 6/11/2025 12:19:42 | 49.30  | 63.80 | 49.40  | 63.70 |
| 6/11/2025 12:19:43 | 49.80  | 68.90 | 49.90  | 68.60 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:19:44 | 49.70  | 62.00 | 48.60  | 61.30 |
| 6/11/2025 12:19:45 | 49.40  | 66.80 | 49.20  | 66.90 |
| 6/11/2025 12:19:46 | 49.40  | 61.20 | 48.80  | 62.30 |
| 6/11/2025 12:19:47 | 49.00  | 66.00 | 48.80  | 65.90 |
| 6/11/2025 12:19:48 | 49.50  | 62.90 | 49.60  | 63.70 |
| 6/11/2025 12:19:49 | 50.00  | 63.70 | 50.00  | 63.20 |
| 6/11/2025 12:19:50 | 50.00  | 66.20 | 49.80  | 66.00 |
| 6/11/2025 12:19:51 | 50.20  | 62.80 | 50.00  | 62.50 |
| 6/11/2025 12:19:52 | 49.90  | 62.60 | 49.40  | 62.40 |
| 6/11/2025 12:19:53 | 49.90  | 63.00 | 49.80  | 62.70 |
| 6/11/2025 12:19:54 | 49.80  | 62.40 | 49.40  | 62.10 |
| 6/11/2025 12:19:55 | 49.70  | 62.40 | 49.20  | 62.20 |
| 6/11/2025 12:19:56 | 52.10  | 68.90 | 51.50  | 69.50 |
| 6/11/2025 12:19:57 | 52.60  | 66.70 | 53.00  | 66.70 |
| 6/11/2025 12:19:58 | 52.90  | 66.10 | 52.90  | 65.40 |
| 6/11/2025 12:19:59 | 54.30  | 67.70 | 54.70  | 67.60 |
| 6/11/2025 12:20:00 | 56.60  | 71.50 | 56.60  | 71.30 |
| 6/11/2025 12:20:01 | 60.70  | 76.70 | 60.80  | 76.90 |
| 6/11/2025 12:20:02 | 64.00  | 78.80 | 64.80  | 78.60 |
| 6/11/2025 12:20:03 | 64.80  | 79.70 | 65.10  | 79.70 |
| 6/11/2025 12:20:04 | 64.50  | 74.60 | 61.50  | 74.70 |
| 6/11/2025 12:20:05 | 62.50  | 72.20 | 59.00  | 71.50 |
| 6/11/2025 12:20:06 | 60.50  | 67.90 | 56.00  | 68.90 |
| 6/11/2025 12:20:07 | 58.10  | 66.80 | 53.80  | 67.00 |
| 6/11/2025 12:20:08 | 55.90  | 68.50 | 52.90  | 67.10 |
| 6/11/2025 12:20:09 | 54.20  | 66.40 | 51.50  | 66.40 |
| 6/11/2025 12:20:10 | 52.90  | 64.60 | 51.60  | 64.70 |
| 6/11/2025 12:20:11 | 52.30  | 65.00 | 52.20  | 65.60 |
| 6/11/2025 12:20:12 | 53.90  | 66.00 | 54.20  | 66.30 |
| 6/11/2025 12:20:13 | 54.60  | 66.20 | 54.70  | 66.00 |
| 6/11/2025 12:20:14 | 54.60  | 68.00 | 53.90  | 68.00 |
| 6/11/2025 12:20:15 | 54.10  | 64.70 | 52.50  | 65.10 |
| 6/11/2025 12:20:16 | 53.10  | 65.50 | 52.40  | 65.10 |
| 6/11/2025 12:20:17 | 53.80  | 69.20 | 53.50  | 69.40 |
| 6/11/2025 12:20:18 | 56.00  | 78.80 | 56.60  | 79.00 |
| 6/11/2025 12:20:19 | 55.90  | 65.10 | 54.10  | 64.90 |
| 6/11/2025 12:20:20 | 54.70  | 65.50 | 52.60  | 65.00 |
| 6/11/2025 12:20:21 | 53.80  | 67.00 | 53.60  | 67.10 |
| 6/11/2025 12:20:22 | 55.80  | 69.60 | 56.00  | 69.50 |
| 6/11/2025 12:20:23 | 58.80  | 74.90 | 59.10  | 75.00 |
| 6/11/2025 12:20:24 | 61.80  | 75.60 | 62.50  | 75.60 |
| 6/11/2025 12:20:25 | 65.30  | 89.70 | 65.40  | 89.50 |
| 6/11/2025 12:20:26 | 65.30  | 78.70 | 64.80  | 78.70 |
| 6/11/2025 12:20:27 | 64.60  | 75.20 | 62.40  | 74.80 |
| 6/11/2025 12:20:28 | 63.00  | 74.10 | 59.00  | 73.70 |
| 6/11/2025 12:20:29 | 60.80  | 70.10 | 56.90  | 70.00 |
| 6/11/2025 12:20:30 | 58.70  | 69.20 | 55.20  | 69.30 |
| 6/11/2025 12:20:31 | 56.70  | 69.70 | 55.60  | 69.50 |
| 6/11/2025 12:20:32 | 56.40  | 66.70 | 53.50  | 66.70 |
| 6/11/2025 12:20:33 | 54.60  | 65.20 | 51.00  | 64.80 |
| 6/11/2025 12:20:34 | 52.50  | 65.80 | 50.70  | 65.00 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:20:35 | 51.70  | 66.40 | 51.30  | 66.30 |
| 6/11/2025 12:20:36 | 53.30  | 66.00 | 53.20  | 66.50 |
| 6/11/2025 12:20:37 | 53.40  | 64.00 | 52.20  | 64.40 |
| 6/11/2025 12:20:38 | 52.40  | 73.10 | 51.70  | 73.40 |
| 6/11/2025 12:20:39 | 52.00  | 69.00 | 50.30  | 68.80 |
| 6/11/2025 12:20:40 | 51.00  | 66.00 | 50.30  | 66.90 |
| 6/11/2025 12:20:41 | 50.90  | 63.60 | 50.80  | 64.20 |
| 6/11/2025 12:20:42 | 54.00  | 68.30 | 54.10  | 68.30 |
| 6/11/2025 12:20:43 | 56.00  | 69.60 | 56.80  | 69.10 |
| 6/11/2025 12:20:44 | 56.60  | 69.20 | 56.80  | 68.60 |
| 6/11/2025 12:20:45 | 56.80  | 69.40 | 56.90  | 69.00 |
| 6/11/2025 12:20:46 | 56.80  | 69.30 | 56.30  | 69.30 |
| 6/11/2025 12:20:47 | 57.10  | 72.80 | 56.70  | 72.90 |
| 6/11/2025 12:20:48 | 58.10  | 70.50 | 58.60  | 70.40 |
| 6/11/2025 12:20:49 | 59.40  | 72.50 | 59.70  | 71.80 |
| 6/11/2025 12:20:50 | 59.80  | 71.90 | 60.10  | 72.60 |
| 6/11/2025 12:20:51 | 59.80  | 71.90 | 59.10  | 71.70 |
| 6/11/2025 12:20:52 | 59.20  | 71.80 | 58.40  | 71.90 |
| 6/11/2025 12:20:53 | 58.60  | 69.80 | 58.00  | 70.10 |
| 6/11/2025 12:20:54 | 58.30  | 72.10 | 57.20  | 72.40 |
| 6/11/2025 12:20:55 | 57.50  | 70.40 | 56.70  | 70.70 |
| 6/11/2025 12:20:56 | 56.90  | 68.30 | 55.80  | 67.50 |
| 6/11/2025 12:20:57 | 56.30  | 69.40 | 56.10  | 69.60 |
| 6/11/2025 12:20:58 | 56.30  | 70.20 | 56.00  | 70.10 |
| 6/11/2025 12:20:59 | 59.60  | 77.20 | 60.00  | 77.40 |
| 6/11/2025 12:21:00 | 62.50  | 76.60 | 63.10  | 76.30 |
| 6/11/2025 12:21:01 | 64.30  | 77.60 | 65.10  | 77.70 |
| 6/11/2025 12:21:02 | 64.80  | 78.30 | 64.80  | 78.40 |
| 6/11/2025 12:21:03 | 64.40  | 74.70 | 60.90  | 74.30 |
| 6/11/2025 12:21:04 | 62.10  | 70.70 | 56.50  | 70.90 |
| 6/11/2025 12:21:05 | 59.40  | 68.60 | 55.30  | 68.50 |
| 6/11/2025 12:21:06 | 57.20  | 71.30 | 53.80  | 70.90 |
| 6/11/2025 12:21:07 | 55.30  | 67.40 | 51.70  | 68.20 |
| 6/11/2025 12:21:08 | 53.40  | 65.80 | 52.10  | 65.70 |
| 6/11/2025 12:21:09 | 52.60  | 69.50 | 51.70  | 68.90 |
| 6/11/2025 12:21:10 | 52.90  | 75.00 | 52.70  | 75.10 |
| 6/11/2025 12:21:11 | 53.20  | 67.80 | 53.30  | 67.50 |
| 6/11/2025 12:21:12 | 53.10  | 68.20 | 52.10  | 68.70 |
| 6/11/2025 12:21:13 | 52.30  | 64.50 | 50.20  | 64.00 |
| 6/11/2025 12:21:14 | 51.30  | 64.40 | 50.60  | 64.90 |
| 6/11/2025 12:21:15 | 50.90  | 67.50 | 50.40  | 67.60 |
| 6/11/2025 12:21:16 | 50.40  | 66.80 | 49.30  | 66.60 |
| 6/11/2025 12:21:17 | 49.90  | 63.80 | 49.40  | 64.20 |
| 6/11/2025 12:21:18 | 50.10  | 64.60 | 49.50  | 64.90 |
| 6/11/2025 12:21:19 | 49.40  | 61.00 | 47.80  | 59.90 |
| 6/11/2025 12:21:20 | 48.50  | 60.00 | 47.80  | 60.80 |
| 6/11/2025 12:21:21 | 49.20  | 63.40 | 49.20  | 64.10 |
| 6/11/2025 12:21:22 | 49.20  | 63.40 | 48.80  | 63.00 |
| 6/11/2025 12:21:23 | 49.30  | 67.50 | 49.10  | 67.00 |
| 6/11/2025 12:21:24 | 49.10  | 61.40 | 48.30  | 61.10 |
| 6/11/2025 12:21:25 | 49.80  | 66.90 | 50.00  | 66.90 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:21:26 | 49.70  | 62.90 | 49.10  | 62.90 |
| 6/11/2025 12:21:27 | 49.40  | 63.90 | 48.90  | 64.80 |
| 6/11/2025 12:21:28 | 49.50  | 63.30 | 48.80  | 61.60 |
| 6/11/2025 12:21:29 | 49.10  | 62.40 | 48.70  | 61.30 |
| 6/11/2025 12:21:30 | 48.80  | 60.50 | 47.50  | 61.10 |
| 6/11/2025 12:21:31 | 48.30  | 61.40 | 47.90  | 61.70 |
| 6/11/2025 12:21:32 | 48.30  | 60.40 | 48.20  | 60.90 |
| 6/11/2025 12:21:33 | 48.50  | 60.60 | 48.50  | 61.60 |
| 6/11/2025 12:21:34 | 49.10  | 61.10 | 49.10  | 61.60 |
| 6/11/2025 12:21:35 | 49.70  | 64.10 | 49.90  | 64.00 |
| 6/11/2025 12:21:36 | 51.10  | 72.80 | 50.40  | 73.00 |
| 6/11/2025 12:21:37 | 51.00  | 62.50 | 50.50  | 62.70 |
| 6/11/2025 12:21:38 | 50.80  | 65.20 | 50.40  | 64.40 |
| 6/11/2025 12:21:39 | 50.80  | 63.70 | 50.40  | 63.60 |
| 6/11/2025 12:21:40 | 50.50  | 69.50 | 49.80  | 69.70 |
| 6/11/2025 12:21:41 | 50.00  | 62.70 | 49.50  | 62.70 |
| 6/11/2025 12:21:42 | 49.70  | 63.10 | 48.60  | 62.80 |
| 6/11/2025 12:21:43 | 49.30  | 65.80 | 49.30  | 65.70 |
| 6/11/2025 12:21:44 | 49.10  | 61.90 | 48.40  | 61.80 |
| 6/11/2025 12:21:45 | 49.00  | 61.90 | 48.90  | 60.90 |
| 6/11/2025 12:21:46 | 49.50  | 63.10 | 49.30  | 62.70 |
| 6/11/2025 12:21:47 | 49.40  | 65.10 | 49.10  | 65.00 |
| 6/11/2025 12:21:48 | 49.20  | 62.20 | 48.70  | 62.00 |
| 6/11/2025 12:21:49 | 49.80  | 63.40 | 49.60  | 63.90 |
| 6/11/2025 12:21:50 | 50.50  | 63.70 | 50.60  | 63.60 |
| 6/11/2025 12:21:51 | 51.30  | 64.40 | 51.30  | 64.60 |
| 6/11/2025 12:21:52 | 51.90  | 68.00 | 51.70  | 68.80 |
| 6/11/2025 12:21:53 | 52.10  | 64.60 | 52.10  | 64.60 |
| 6/11/2025 12:21:54 | 54.10  | 70.20 | 54.20  | 69.60 |
| 6/11/2025 12:21:55 | 56.20  | 69.40 | 56.50  | 69.30 |
| 6/11/2025 12:21:56 | 60.70  | 75.00 | 60.90  | 75.00 |
| 6/11/2025 12:21:57 | 66.60  | 81.50 | 66.90  | 81.40 |
| 6/11/2025 12:21:58 | 68.10  | 83.10 | 68.80  | 83.10 |
| 6/11/2025 12:21:59 | 67.60  | 77.40 | 64.10  | 77.40 |
| 6/11/2025 12:22:00 | 65.40  | 73.60 | 59.90  | 73.20 |
| 6/11/2025 12:22:01 | 62.50  | 66.40 | 54.70  | 66.40 |
| 6/11/2025 12:22:02 | 59.20  | 69.70 | 53.00  | 69.70 |
| 6/11/2025 12:22:03 | 56.40  | 62.30 | 50.50  | 62.10 |
| 6/11/2025 12:22:04 | 53.60  | 62.50 | 49.80  | 62.10 |
| 6/11/2025 12:22:05 | 51.60  | 64.10 | 50.20  | 65.00 |
| 6/11/2025 12:22:06 | 52.70  | 66.40 | 52.40  | 66.00 |
| 6/11/2025 12:22:07 | 56.40  | 68.00 | 57.50  | 68.00 |
| 6/11/2025 12:22:08 | 57.60  | 68.40 | 57.70  | 68.70 |
| 6/11/2025 12:22:09 | 59.00  | 71.00 | 59.40  | 70.80 |
| 6/11/2025 12:22:10 | 59.80  | 72.10 | 59.90  | 72.10 |
| 6/11/2025 12:22:11 | 64.60  | 84.20 | 64.60  | 84.10 |
| 6/11/2025 12:22:12 | 66.20  | 85.60 | 66.90  | 85.50 |
| 6/11/2025 12:22:13 | 65.60  | 74.70 | 62.40  | 74.80 |
| 6/11/2025 12:22:14 | 63.60  | 72.70 | 58.50  | 72.90 |
| 6/11/2025 12:22:15 | 60.90  | 67.90 | 54.30  | 67.10 |
| 6/11/2025 12:22:16 | 57.90  | 62.80 | 51.40  | 63.70 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:22:17 | 54.90  | 63.70 | 49.50  | 63.50 |
| 6/11/2025 12:22:18 | 52.20  | 61.40 | 48.10  | 60.60 |
| 6/11/2025 12:22:19 | 50.10  | 61.50 | 48.10  | 61.30 |
| 6/11/2025 12:22:20 | 49.10  | 61.70 | 48.40  | 61.70 |
| 6/11/2025 12:22:21 | 49.20  | 61.70 | 49.10  | 62.00 |
| 6/11/2025 12:22:22 | 49.00  | 61.10 | 48.60  | 61.30 |
| 6/11/2025 12:22:23 | 49.00  | 61.60 | 48.80  | 61.30 |
| 6/11/2025 12:22:24 | 50.00  | 69.10 | 50.00  | 69.50 |
| 6/11/2025 12:22:25 | 49.90  | 62.80 | 49.50  | 62.00 |
| 6/11/2025 12:22:26 | 49.90  | 63.40 | 49.90  | 62.90 |
| 6/11/2025 12:22:27 | 50.00  | 61.90 | 49.20  | 63.10 |
| 6/11/2025 12:22:28 | 49.80  | 64.30 | 49.40  | 64.30 |
| 6/11/2025 12:22:29 | 49.90  | 62.70 | 49.50  | 63.00 |
| 6/11/2025 12:22:30 | 49.50  | 60.70 | 48.80  | 61.30 |
| 6/11/2025 12:22:31 | 50.10  | 64.10 | 50.40  | 63.90 |
| 6/11/2025 12:22:32 | 51.40  | 65.90 | 51.30  | 65.20 |
| 6/11/2025 12:22:33 | 54.50  | 69.20 | 54.80  | 69.00 |
| 6/11/2025 12:22:34 | 57.20  | 71.60 | 57.80  | 71.70 |
| 6/11/2025 12:22:35 | 59.50  | 76.10 | 60.10  | 76.00 |
| 6/11/2025 12:22:36 | 60.90  | 73.70 | 61.30  | 73.30 |
| 6/11/2025 12:22:37 | 61.80  | 74.90 | 62.40  | 74.60 |
| 6/11/2025 12:22:38 | 61.80  | 73.10 | 61.10  | 73.30 |
| 6/11/2025 12:22:39 | 61.40  | 73.40 | 60.00  | 73.10 |
| 6/11/2025 12:22:40 | 60.20  | 70.80 | 56.80  | 70.70 |
| 6/11/2025 12:22:41 | 58.20  | 67.00 | 53.80  | 66.90 |
| 6/11/2025 12:22:42 | 55.80  | 66.00 | 52.90  | 66.40 |
| 6/11/2025 12:22:43 | 54.40  | 66.90 | 53.10  | 66.30 |
| 6/11/2025 12:22:44 | 53.70  | 66.70 | 53.50  | 66.80 |
| 6/11/2025 12:22:45 | 55.40  | 69.30 | 55.40  | 69.00 |
| 6/11/2025 12:22:46 | 59.70  | 74.20 | 60.00  | 74.20 |
| 6/11/2025 12:22:47 | 65.90  | 80.90 | 66.00  | 80.80 |
| 6/11/2025 12:22:48 | 70.90  | 92.30 | 72.10  | 92.30 |
| 6/11/2025 12:22:49 | 70.70  | 79.10 | 66.70  | 79.20 |
| 6/11/2025 12:22:50 | 68.10  | 73.70 | 60.50  | 74.10 |
| 6/11/2025 12:22:51 | 64.80  | 66.80 | 54.90  | 66.70 |
| 6/11/2025 12:22:52 | 61.10  | 64.80 | 52.00  | 64.40 |
| 6/11/2025 12:22:53 | 57.60  | 62.20 | 49.50  | 62.40 |
| 6/11/2025 12:22:54 | 54.30  | 66.80 | 49.20  | 66.40 |
| 6/11/2025 12:22:55 | 51.80  | 65.70 | 48.30  | 66.00 |
| 6/11/2025 12:22:56 | 50.00  | 61.00 | 48.20  | 60.40 |
| 6/11/2025 12:22:57 | 50.40  | 70.60 | 50.60  | 70.20 |
| 6/11/2025 12:22:58 | 51.40  | 70.50 | 51.00  | 70.50 |
| 6/11/2025 12:22:59 | 51.40  | 62.80 | 50.10  | 63.40 |
| 6/11/2025 12:23:00 | 50.70  | 63.00 | 50.50  | 62.80 |
| 6/11/2025 12:23:01 | 50.60  | 62.90 | 49.90  | 63.30 |
| 6/11/2025 12:23:02 | 50.10  | 62.80 | 49.70  | 63.20 |
| 6/11/2025 12:23:03 | 50.30  | 70.10 | 50.30  | 70.00 |
| 6/11/2025 12:23:04 | 51.10  | 63.70 | 51.30  | 64.00 |
| 6/11/2025 12:23:05 | 51.40  | 66.10 | 51.40  | 66.80 |
| 6/11/2025 12:23:06 | 51.20  | 64.10 | 50.70  | 63.90 |
| 6/11/2025 12:23:07 | 50.90  | 64.60 | 50.60  | 64.90 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:23:08 | 51.20  | 66.80 | 51.10  | 65.90 |
| 6/11/2025 12:23:09 | 52.50  | 67.30 | 52.80  | 67.80 |
| 6/11/2025 12:23:10 | 55.20  | 70.70 | 55.50  | 70.80 |
| 6/11/2025 12:23:11 | 61.70  | 78.00 | 62.10  | 78.10 |
| 6/11/2025 12:23:12 | 68.50  | 83.60 | 68.80  | 83.60 |
| 6/11/2025 12:23:13 | 70.60  | 88.60 | 71.60  | 88.50 |
| 6/11/2025 12:23:14 | 70.30  | 81.70 | 69.30  | 81.40 |
| 6/11/2025 12:23:15 | 70.50  | 85.10 | 70.40  | 85.00 |
| 6/11/2025 12:23:16 | 70.00  | 79.00 | 66.50  | 78.90 |
| 6/11/2025 12:23:17 | 67.90  | 75.50 | 61.50  | 75.60 |
| 6/11/2025 12:23:18 | 64.70  | 70.00 | 57.80  | 69.80 |
| 6/11/2025 12:23:19 | 61.70  | 69.20 | 57.00  | 69.10 |
| 6/11/2025 12:23:20 | 59.30  | 68.70 | 55.90  | 68.70 |
| 6/11/2025 12:23:21 | 57.50  | 68.90 | 55.50  | 68.50 |
| 6/11/2025 12:23:22 | 57.50  | 76.80 | 57.20  | 76.80 |
| 6/11/2025 12:23:23 | 57.70  | 71.40 | 57.30  | 71.60 |
| 6/11/2025 12:23:24 | 57.20  | 72.60 | 56.00  | 72.50 |
| 6/11/2025 12:23:25 | 56.40  | 68.00 | 55.00  | 68.00 |
| 6/11/2025 12:23:26 | 55.50  | 65.80 | 53.50  | 65.50 |
| 6/11/2025 12:23:27 | 54.30  | 65.60 | 52.80  | 64.50 |
| 6/11/2025 12:23:28 | 53.50  | 66.50 | 52.90  | 66.50 |
| 6/11/2025 12:23:29 | 53.10  | 66.90 | 52.70  | 67.10 |
| 6/11/2025 12:23:30 | 52.90  | 64.60 | 52.20  | 64.40 |
| 6/11/2025 12:23:31 | 52.50  | 65.90 | 52.10  | 65.30 |
| 6/11/2025 12:23:32 | 53.00  | 66.90 | 53.40  | 67.10 |
| 6/11/2025 12:23:33 | 53.20  | 66.10 | 53.20  | 65.90 |
| 6/11/2025 12:23:34 | 53.60  | 66.20 | 53.50  | 66.20 |
| 6/11/2025 12:23:35 | 54.70  | 69.30 | 54.70  | 70.00 |
| 6/11/2025 12:23:36 | 57.10  | 71.90 | 57.70  | 71.60 |
| 6/11/2025 12:23:37 | 63.20  | 78.40 | 63.30  | 78.20 |
| 6/11/2025 12:23:38 | 67.20  | 81.50 | 68.20  | 81.40 |
| 6/11/2025 12:23:39 | 67.30  | 80.60 | 66.50  | 80.40 |
| 6/11/2025 12:23:40 | 66.20  | 75.40 | 62.20  | 75.00 |
| 6/11/2025 12:23:41 | 63.90  | 72.40 | 58.40  | 72.60 |
| 6/11/2025 12:23:42 | 61.20  | 71.70 | 57.00  | 71.10 |
| 6/11/2025 12:23:43 | 58.90  | 72.00 | 54.50  | 71.50 |
| 6/11/2025 12:23:44 | 56.50  | 67.80 | 52.90  | 67.90 |
| 6/11/2025 12:23:45 | 54.70  | 65.00 | 52.20  | 66.00 |
| 6/11/2025 12:23:46 | 53.30  | 69.00 | 52.50  | 68.50 |
| 6/11/2025 12:23:47 | 53.40  | 65.70 | 53.00  | 66.10 |
| 6/11/2025 12:23:48 | 54.70  | 72.80 | 54.50  | 73.00 |
| 6/11/2025 12:23:49 | 54.00  | 65.30 | 52.30  | 65.40 |
| 6/11/2025 12:23:50 | 52.90  | 65.60 | 52.20  | 66.70 |
| 6/11/2025 12:23:51 | 52.60  | 65.00 | 52.10  | 65.70 |
| 6/11/2025 12:23:52 | 52.30  | 65.40 | 51.90  | 64.50 |
| 6/11/2025 12:23:53 | 52.20  | 65.60 | 51.90  | 65.00 |
| 6/11/2025 12:23:54 | 52.40  | 66.20 | 52.50  | 65.50 |
| 6/11/2025 12:23:55 | 53.30  | 71.80 | 53.30  | 71.90 |
| 6/11/2025 12:23:56 | 53.20  | 65.00 | 52.60  | 65.20 |
| 6/11/2025 12:23:57 | 53.10  | 65.40 | 52.90  | 65.70 |
| 6/11/2025 12:23:58 | 52.80  | 68.40 | 52.50  | 67.80 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:23:59 | 52.80  | 64.60 | 52.20  | 64.40 |
| 6/11/2025 12:24:00 | 52.60  | 70.40 | 52.60  | 70.40 |
| 6/11/2025 12:24:01 | 52.60  | 64.90 | 52.10  | 65.10 |
| 6/11/2025 12:24:02 | 52.20  | 64.00 | 51.80  | 64.50 |
| 6/11/2025 12:24:03 | 52.10  | 64.50 | 51.90  | 64.80 |
| 6/11/2025 12:24:04 | 52.10  | 64.70 | 52.00  | 64.70 |
| 6/11/2025 12:24:05 | 52.20  | 65.40 | 51.90  | 64.40 |
| 6/11/2025 12:24:06 | 52.30  | 68.90 | 52.20  | 69.20 |
| 6/11/2025 12:24:07 | 52.20  | 64.50 | 51.70  | 64.50 |
| 6/11/2025 12:24:08 | 51.80  | 63.70 | 51.50  | 64.10 |
| 6/11/2025 12:24:09 | 51.90  | 64.70 | 51.70  | 65.10 |
| 6/11/2025 12:24:10 | 51.80  | 65.40 | 51.80  | 66.20 |
| 6/11/2025 12:24:11 | 51.80  | 64.60 | 51.50  | 64.40 |
| 6/11/2025 12:24:12 | 51.90  | 67.50 | 51.80  | 67.50 |
| 6/11/2025 12:24:13 | 52.00  | 64.90 | 51.80  | 64.20 |
| 6/11/2025 12:24:14 | 51.90  | 64.30 | 52.00  | 64.50 |
| 6/11/2025 12:24:15 | 52.20  | 64.70 | 52.10  | 64.50 |
| 6/11/2025 12:24:16 | 52.40  | 69.00 | 52.30  | 68.50 |
| 6/11/2025 12:24:17 | 52.40  | 65.00 | 52.30  | 64.90 |
| 6/11/2025 12:24:18 | 52.90  | 65.90 | 53.00  | 65.30 |
| 6/11/2025 12:24:19 | 52.90  | 65.60 | 52.50  | 65.80 |
| 6/11/2025 12:24:20 | 53.50  | 68.20 | 53.50  | 67.90 |
| 6/11/2025 12:24:21 | 56.50  | 76.70 | 57.00  | 76.80 |
| 6/11/2025 12:24:22 | 64.90  | 81.00 | 64.40  | 81.00 |
| 6/11/2025 12:24:23 | 69.00  | 82.50 | 70.40  | 82.40 |
| 6/11/2025 12:24:24 | 68.90  | 80.40 | 67.20  | 80.40 |
| 6/11/2025 12:24:25 | 67.60  | 75.00 | 61.80  | 75.10 |
| 6/11/2025 12:24:26 | 64.60  | 73.40 | 58.40  | 73.20 |
| 6/11/2025 12:24:27 | 61.70  | 66.50 | 54.90  | 66.80 |
| 6/11/2025 12:24:28 | 58.60  | 66.20 | 53.40  | 66.30 |
| 6/11/2025 12:24:29 | 56.10  | 65.30 | 52.60  | 65.60 |
| 6/11/2025 12:24:30 | 54.20  | 65.40 | 52.10  | 64.50 |
| 6/11/2025 12:24:31 | 53.00  | 64.90 | 52.40  | 64.50 |
| 6/11/2025 12:24:32 | 53.00  | 68.10 | 52.80  | 67.00 |
| 6/11/2025 12:24:33 | 53.20  | 67.50 | 52.70  | 68.40 |
| 6/11/2025 12:24:34 | 52.60  | 63.80 | 51.60  | 64.50 |
| 6/11/2025 12:24:35 | 52.30  | 64.60 | 52.10  | 64.90 |
| 6/11/2025 12:24:36 | 52.40  | 65.50 | 52.30  | 64.10 |
| 6/11/2025 12:24:37 | 52.30  | 64.20 | 52.10  | 64.40 |
| 6/11/2025 12:24:38 | 53.10  | 69.00 | 53.20  | 69.50 |
| 6/11/2025 12:24:39 | 52.90  | 66.70 | 52.10  | 67.00 |
| 6/11/2025 12:24:40 | 52.40  | 65.40 | 52.30  | 65.80 |
| 6/11/2025 12:24:41 | 52.80  | 65.30 | 52.80  | 65.20 |
| 6/11/2025 12:24:42 | 54.50  | 66.90 | 54.80  | 66.50 |
| 6/11/2025 12:24:43 | 57.30  | 73.40 | 57.80  | 72.80 |
| 6/11/2025 12:24:44 | 59.80  | 74.80 | 60.40  | 74.50 |
| 6/11/2025 12:24:45 | 64.70  | 83.50 | 63.40  | 83.50 |
| 6/11/2025 12:24:46 | 64.70  | 76.10 | 65.00  | 76.20 |
| 6/11/2025 12:24:47 | 67.70  | 87.20 | 68.10  | 87.10 |
| 6/11/2025 12:24:48 | 67.80  | 79.30 | 66.10  | 79.10 |
| 6/11/2025 12:24:49 | 66.20  | 74.90 | 61.30  | 74.80 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:24:50 | 63.50  | 70.40 | 57.30  | 70.90 |
| 6/11/2025 12:24:51 | 60.60  | 67.90 | 54.60  | 68.20 |
| 6/11/2025 12:24:52 | 57.70  | 68.60 | 53.00  | 68.80 |
| 6/11/2025 12:24:53 | 55.30  | 65.50 | 51.60  | 65.60 |
| 6/11/2025 12:24:54 | 53.40  | 69.60 | 52.20  | 70.00 |
| 6/11/2025 12:24:55 | 59.00  | 79.60 | 59.30  | 79.70 |
| 6/11/2025 12:24:56 | 57.40  | 65.10 | 52.90  | 65.80 |
| 6/11/2025 12:24:57 | 55.10  | 67.60 | 52.60  | 67.20 |
| 6/11/2025 12:24:58 | 53.90  | 66.50 | 53.60  | 65.70 |
| 6/11/2025 12:24:59 | 53.70  | 65.40 | 52.30  | 65.30 |
| 6/11/2025 12:25:00 | 52.70  | 65.30 | 51.50  | 65.40 |
| 6/11/2025 12:25:01 | 52.00  | 65.10 | 51.40  | 65.70 |
| 6/11/2025 12:25:02 | 51.70  | 63.90 | 51.20  | 64.50 |
| 6/11/2025 12:25:03 | 51.40  | 63.50 | 51.00  | 63.70 |
| 6/11/2025 12:25:04 | 51.40  | 64.60 | 51.10  | 65.40 |
| 6/11/2025 12:25:05 | 51.10  | 64.50 | 50.90  | 64.50 |
| 6/11/2025 12:25:06 | 51.30  | 64.80 | 51.20  | 64.40 |
| 6/11/2025 12:25:07 | 51.30  | 64.50 | 51.10  | 63.40 |
| 6/11/2025 12:25:08 | 51.30  | 64.70 | 51.30  | 64.00 |
| 6/11/2025 12:25:09 | 51.30  | 63.80 | 50.60  | 63.40 |
| 6/11/2025 12:25:10 | 51.10  | 64.60 | 51.00  | 64.30 |
| 6/11/2025 12:25:11 | 51.20  | 64.50 | 51.20  | 64.60 |
| 6/11/2025 12:25:12 | 51.30  | 64.70 | 51.10  | 64.30 |
| 6/11/2025 12:25:13 | 51.40  | 66.70 | 51.30  | 66.70 |
| 6/11/2025 12:25:14 | 51.90  | 64.80 | 51.80  | 65.90 |
| 6/11/2025 12:25:15 | 52.00  | 64.80 | 51.50  | 65.10 |
| 6/11/2025 12:25:16 | 51.50  | 64.00 | 51.30  | 64.20 |
| 6/11/2025 12:25:17 | 51.90  | 64.90 | 52.00  | 65.30 |
| 6/11/2025 12:25:18 | 51.90  | 64.40 | 51.40  | 64.00 |
| 6/11/2025 12:25:19 | 52.30  | 67.00 | 52.40  | 66.70 |
| 6/11/2025 12:25:20 | 52.10  | 63.40 | 51.20  | 63.20 |
| 6/11/2025 12:25:21 | 51.50  | 63.30 | 51.20  | 64.00 |
| 6/11/2025 12:25:22 | 51.40  | 64.20 | 51.20  | 64.00 |
| 6/11/2025 12:25:23 | 51.40  | 63.80 | 51.40  | 63.70 |
| 6/11/2025 12:25:24 | 51.50  | 65.10 | 51.40  | 65.10 |
| 6/11/2025 12:25:25 | 51.90  | 64.40 | 51.90  | 65.00 |
| 6/11/2025 12:25:26 | 51.80  | 64.60 | 51.60  | 63.80 |
| 6/11/2025 12:25:27 | 52.00  | 64.20 | 52.00  | 64.10 |
| 6/11/2025 12:25:28 | 52.50  | 67.70 | 52.60  | 68.30 |
| 6/11/2025 12:25:29 | 52.90  | 74.10 | 52.50  | 74.30 |
| 6/11/2025 12:25:30 | 52.60  | 66.00 | 51.80  | 65.40 |
| 6/11/2025 12:25:31 | 52.40  | 64.70 | 51.60  | 64.90 |
| 6/11/2025 12:25:32 | 51.80  | 64.00 | 51.50  | 64.30 |
| 6/11/2025 12:25:33 | 51.90  | 66.10 | 51.60  | 65.00 |
| 6/11/2025 12:25:34 | 52.00  | 64.70 | 52.00  | 64.70 |
| 6/11/2025 12:25:35 | 52.40  | 66.20 | 52.40  | 66.10 |
| 6/11/2025 12:25:36 | 53.30  | 67.50 | 53.50  | 67.40 |
| 6/11/2025 12:25:37 | 53.50  | 69.30 | 53.60  | 69.30 |
| 6/11/2025 12:25:38 | 53.40  | 65.30 | 52.80  | 65.20 |
| 6/11/2025 12:25:39 | 53.60  | 66.90 | 53.60  | 66.70 |
| 6/11/2025 12:25:40 | 54.40  | 68.30 | 54.50  | 67.80 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:25:41 | 54.40  | 68.20 | 54.40  | 68.00 |
| 6/11/2025 12:25:42 | 55.10  | 68.20 | 55.10  | 68.00 |
| 6/11/2025 12:25:43 | 55.70  | 68.60 | 56.00  | 69.10 |
| 6/11/2025 12:25:44 | 55.50  | 66.60 | 54.20  | 66.50 |
| 6/11/2025 12:25:45 | 54.70  | 67.00 | 53.50  | 66.40 |
| 6/11/2025 12:25:46 | 54.60  | 67.80 | 54.30  | 68.30 |
| 6/11/2025 12:25:47 | 55.80  | 69.40 | 56.30  | 69.30 |
| 6/11/2025 12:25:48 | 55.70  | 67.70 | 55.30  | 68.10 |
| 6/11/2025 12:25:49 | 55.90  | 67.80 | 55.20  | 67.60 |
| 6/11/2025 12:25:50 | 55.20  | 67.60 | 55.00  | 67.70 |
| 6/11/2025 12:25:51 | 55.90  | 69.00 | 56.10  | 68.40 |
| 6/11/2025 12:25:52 | 57.60  | 69.70 | 58.00  | 69.70 |
| 6/11/2025 12:25:53 | 57.60  | 71.50 | 56.80  | 71.60 |
| 6/11/2025 12:25:54 | 57.20  | 68.80 | 57.00  | 68.60 |
| 6/11/2025 12:25:55 | 57.10  | 69.70 | 56.80  | 69.30 |
| 6/11/2025 12:25:56 | 58.70  | 71.90 | 59.20  | 72.50 |
| 6/11/2025 12:25:57 | 58.80  | 70.20 | 58.40  | 70.80 |
| 6/11/2025 12:25:58 | 58.40  | 68.50 | 56.00  | 68.30 |
| 6/11/2025 12:25:59 | 56.70  | 71.60 | 55.40  | 70.70 |
| 6/11/2025 12:26:00 | 56.70  | 68.70 | 56.50  | 68.40 |
| 6/11/2025 12:26:01 | 56.50  | 69.30 | 55.60  | 69.00 |
| 6/11/2025 12:26:02 | 55.80  | 67.70 | 55.00  | 68.50 |
| 6/11/2025 12:26:03 | 55.30  | 67.70 | 54.40  | 68.40 |
| 6/11/2025 12:26:04 | 54.80  | 67.90 | 54.60  | 68.50 |
| 6/11/2025 12:26:05 | 54.70  | 67.10 | 53.80  | 67.00 |
| 6/11/2025 12:26:06 | 54.20  | 66.10 | 53.70  | 66.00 |
| 6/11/2025 12:26:07 | 54.40  | 68.60 | 54.50  | 68.50 |
| 6/11/2025 12:26:08 | 54.20  | 66.50 | 53.50  | 66.10 |
| 6/11/2025 12:26:09 | 54.10  | 66.60 | 54.00  | 66.80 |
| 6/11/2025 12:26:10 | 54.20  | 65.80 | 53.80  | 66.00 |
| 6/11/2025 12:26:11 | 53.70  | 66.30 | 52.60  | 66.50 |
| 6/11/2025 12:26:12 | 53.00  | 65.40 | 52.80  | 65.80 |
| 6/11/2025 12:26:13 | 53.00  | 64.50 | 52.90  | 64.70 |
| 6/11/2025 12:26:14 | 52.90  | 65.00 | 52.50  | 65.30 |
| 6/11/2025 12:26:15 | 52.60  | 65.60 | 52.50  | 65.50 |
| 6/11/2025 12:26:16 | 52.70  | 66.70 | 52.60  | 66.50 |
| 6/11/2025 12:26:17 | 52.70  | 64.60 | 52.30  | 65.60 |
| 6/11/2025 12:26:18 | 52.40  | 65.30 | 51.80  | 64.60 |
| 6/11/2025 12:26:19 | 52.10  | 64.30 | 51.80  | 65.10 |
| 6/11/2025 12:26:20 | 51.90  | 64.30 | 51.70  | 63.80 |
| 6/11/2025 12:26:21 | 51.80  | 64.30 | 51.50  | 65.50 |
| 6/11/2025 12:26:22 | 51.70  | 65.00 | 51.50  | 66.30 |
| 6/11/2025 12:26:23 | 52.10  | 65.00 | 52.10  | 65.40 |
| 6/11/2025 12:26:24 | 52.20  | 65.70 | 52.10  | 65.60 |
| 6/11/2025 12:26:25 | 52.10  | 64.10 | 51.70  | 64.00 |
| 6/11/2025 12:26:26 | 52.50  | 67.00 | 52.60  | 67.30 |
| 6/11/2025 12:26:27 | 52.50  | 64.60 | 52.10  | 64.60 |
| 6/11/2025 12:26:28 | 52.20  | 64.90 | 51.90  | 64.90 |
| 6/11/2025 12:26:29 | 52.00  | 64.70 | 51.30  | 64.90 |
| 6/11/2025 12:26:30 | 51.50  | 63.20 | 51.10  | 64.00 |
| 6/11/2025 12:26:31 | 51.40  | 64.70 | 51.20  | 64.50 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:26:32 | 51.40  | 64.10 | 51.30  | 64.50 |
| 6/11/2025 12:26:33 | 51.70  | 64.20 | 51.70  | 65.60 |
| 6/11/2025 12:26:34 | 52.10  | 65.20 | 52.20  | 64.00 |
| 6/11/2025 12:26:35 | 52.10  | 64.20 | 51.90  | 64.20 |
| 6/11/2025 12:26:36 | 52.00  | 64.80 | 52.00  | 65.60 |
| 6/11/2025 12:26:37 | 52.60  | 65.10 | 52.80  | 64.60 |
| 6/11/2025 12:26:38 | 53.40  | 66.40 | 53.60  | 66.20 |
| 6/11/2025 12:26:39 | 55.60  | 69.60 | 55.80  | 69.00 |
| 6/11/2025 12:26:40 | 60.10  | 75.40 | 59.70  | 75.50 |
| 6/11/2025 12:26:41 | 68.60  | 83.20 | 69.30  | 83.20 |
| 6/11/2025 12:26:42 | 69.00  | 82.60 | 68.70  | 82.40 |
| 6/11/2025 12:26:43 | 68.10  | 79.30 | 64.20  | 79.40 |
| 6/11/2025 12:26:44 | 65.70  | 73.90 | 60.90  | 74.10 |
| 6/11/2025 12:26:45 | 63.40  | 74.90 | 61.70  | 74.60 |
| 6/11/2025 12:26:46 | 63.90  | 77.70 | 64.00  | 77.70 |
| 6/11/2025 12:26:47 | 64.00  | 77.10 | 63.80  | 76.90 |
| 6/11/2025 12:26:48 | 64.10  | 76.00 | 63.40  | 76.10 |
| 6/11/2025 12:26:49 | 63.20  | 72.00 | 58.40  | 71.80 |
| 6/11/2025 12:26:50 | 60.40  | 66.80 | 53.80  | 66.00 |
| 6/11/2025 12:26:51 | 57.50  | 66.60 | 53.30  | 66.30 |
| 6/11/2025 12:26:52 | 55.40  | 65.10 | 52.60  | 65.10 |
| 6/11/2025 12:26:53 | 53.80  | 65.90 | 52.80  | 65.70 |
| 6/11/2025 12:26:54 | 53.40  | 65.80 | 53.40  | 66.20 |
| 6/11/2025 12:26:55 | 53.70  | 66.90 | 53.70  | 66.40 |
| 6/11/2025 12:26:56 | 54.00  | 68.20 | 54.20  | 68.40 |
| 6/11/2025 12:26:57 | 54.50  | 66.90 | 54.50  | 67.10 |
| 6/11/2025 12:26:58 | 55.70  | 70.00 | 56.00  | 70.30 |
| 6/11/2025 12:26:59 | 57.20  | 70.30 | 57.60  | 69.70 |
| 6/11/2025 12:27:00 | 58.30  | 73.80 | 58.70  | 73.90 |
| 6/11/2025 12:27:01 | 60.10  | 73.10 | 60.70  | 73.10 |
| 6/11/2025 12:27:02 | 60.60  | 73.60 | 60.70  | 74.00 |
| 6/11/2025 12:27:03 | 60.50  | 71.20 | 59.20  | 71.30 |
| 6/11/2025 12:27:04 | 59.60  | 71.80 | 57.40  | 71.90 |
| 6/11/2025 12:27:05 | 58.20  | 68.80 | 56.20  | 69.00 |
| 6/11/2025 12:27:06 | 58.90  | 73.80 | 59.00  | 73.90 |
| 6/11/2025 12:27:07 | 62.10  | 78.80 | 62.50  | 78.90 |
| 6/11/2025 12:27:08 | 64.50  | 79.10 | 65.30  | 79.40 |
| 6/11/2025 12:27:09 | 65.00  | 79.10 | 65.20  | 79.30 |
| 6/11/2025 12:27:10 | 64.70  | 74.50 | 62.40  | 73.90 |
| 6/11/2025 12:27:11 | 63.10  | 72.30 | 60.50  | 72.30 |
| 6/11/2025 12:27:12 | 62.50  | 76.40 | 61.90  | 76.00 |
| 6/11/2025 12:27:13 | 70.90  | 85.90 | 70.10  | 86.10 |
| 6/11/2025 12:27:14 | 77.20  | 91.40 | 78.70  | 91.50 |
| 6/11/2025 12:27:15 | 76.60  | 85.70 | 71.30  | 85.60 |
| 6/11/2025 12:27:16 | 73.70  | 79.70 | 66.10  | 79.60 |
| 6/11/2025 12:27:17 | 70.40  | 73.60 | 61.30  | 74.00 |
| 6/11/2025 12:27:18 | 66.80  | 71.00 | 58.60  | 71.00 |
| 6/11/2025 12:27:19 | 63.50  | 70.60 | 57.20  | 70.20 |
| 6/11/2025 12:27:20 | 60.60  | 67.10 | 53.90  | 66.50 |
| 6/11/2025 12:27:21 | 57.60  | 72.30 | 53.30  | 72.30 |
| 6/11/2025 12:27:22 | 56.00  | 74.30 | 55.10  | 74.40 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:27:23 | 56.30  | 78.00 | 55.80  | 77.80 |
| 6/11/2025 12:27:24 | 55.40  | 74.30 | 53.50  | 73.90 |
| 6/11/2025 12:27:25 | 54.40  | 79.20 | 53.50  | 79.30 |
| 6/11/2025 12:27:26 | 53.90  | 71.10 | 52.90  | 71.80 |
| 6/11/2025 12:27:27 | 54.80  | 73.90 | 55.00  | 73.80 |
| 6/11/2025 12:27:28 | 56.40  | 74.40 | 57.10  | 74.20 |
| 6/11/2025 12:27:29 | 56.70  | 78.00 | 56.80  | 77.80 |
| 6/11/2025 12:27:30 | 56.50  | 66.60 | 54.60  | 66.80 |
| 6/11/2025 12:27:31 | 55.40  | 77.90 | 54.70  | 78.10 |
| 6/11/2025 12:27:32 | 55.40  | 66.90 | 55.20  | 67.00 |
| 6/11/2025 12:27:33 | 55.20  | 66.90 | 54.70  | 67.50 |
| 6/11/2025 12:27:34 | 54.70  | 67.30 | 53.40  | 67.30 |
| 6/11/2025 12:27:35 | 53.80  | 65.10 | 52.40  | 64.80 |
| 6/11/2025 12:27:36 | 52.90  | 64.20 | 52.10  | 64.50 |
| 6/11/2025 12:27:37 | 52.60  | 66.80 | 52.40  | 66.40 |
| 6/11/2025 12:27:38 | 53.10  | 69.20 | 53.10  | 69.30 |
| 6/11/2025 12:27:39 | 52.90  | 64.90 | 51.90  | 64.50 |
| 6/11/2025 12:27:40 | 52.30  | 65.40 | 51.60  | 63.90 |
| 6/11/2025 12:27:41 | 52.00  | 65.30 | 51.90  | 65.40 |
| 6/11/2025 12:27:42 | 52.10  | 65.70 | 52.00  | 65.70 |
| 6/11/2025 12:27:43 | 52.50  | 65.00 | 52.70  | 65.70 |
| 6/11/2025 12:27:44 | 53.00  | 69.70 | 52.70  | 69.60 |
| 6/11/2025 12:27:45 | 52.50  | 64.60 | 51.70  | 65.40 |
| 6/11/2025 12:27:46 | 52.20  | 67.20 | 51.80  | 66.90 |
| 6/11/2025 12:27:47 | 52.20  | 65.20 | 52.20  | 65.80 |
| 6/11/2025 12:27:48 | 52.20  | 66.20 | 51.80  | 66.60 |
| 6/11/2025 12:27:49 | 51.90  | 64.60 | 51.40  | 64.00 |
| 6/11/2025 12:27:50 | 52.00  | 64.30 | 52.10  | 64.60 |
| 6/11/2025 12:27:51 | 52.00  | 65.30 | 51.50  | 64.90 |
| 6/11/2025 12:27:52 | 55.40  | 77.50 | 55.40  | 77.60 |
| 6/11/2025 12:27:53 | 53.80  | 63.20 | 51.30  | 63.20 |
| 6/11/2025 12:27:54 | 52.40  | 63.40 | 50.90  | 63.70 |
| 6/11/2025 12:27:55 | 51.60  | 63.50 | 50.90  | 64.60 |
| 6/11/2025 12:27:56 | 51.30  | 67.70 | 51.00  | 67.60 |
| 6/11/2025 12:27:57 | 51.10  | 64.40 | 51.00  | 63.30 |
| 6/11/2025 12:27:58 | 51.60  | 66.20 | 51.70  | 66.60 |
| 6/11/2025 12:27:59 | 52.60  | 73.60 | 52.50  | 73.20 |
| 6/11/2025 12:28:00 | 52.50  | 68.30 | 52.30  | 68.00 |
| 6/11/2025 12:28:01 | 52.40  | 64.70 | 51.60  | 64.60 |
| 6/11/2025 12:28:02 | 51.90  | 63.50 | 51.20  | 63.30 |
| 6/11/2025 12:28:03 | 51.40  | 64.70 | 51.10  | 64.30 |
| 6/11/2025 12:28:04 | 51.40  | 63.50 | 51.30  | 64.00 |
| 6/11/2025 12:28:05 | 51.80  | 71.80 | 51.90  | 71.70 |

|      |       |     |      |
|------|-------|-----|------|
|      |       | Min | 46.7 |
|      |       | Leq | 58.8 |
| Lmax | 77.20 | Max | 78.7 |

**S062\_BIU070007\_18062025\_085121: Information Panel**

| Description         | Value                          |
|---------------------|--------------------------------|
| Name                | S062_BIU070007_18062025_085121 |
| Start Time          | 6/11/2025 14:06:10             |
| Stop Time           | 6/11/2025 14:26:11             |
| Device Name         | BIU070007                      |
| Model Type          | SoundPro DL                    |
| Device Firmware Rev | R.13J                          |
| Comments            |                                |

**S062\_BIU070007\_18062025\_085121: Logged Data Chart**

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:06:11 | 51.00  | 62.50 | 49.60  | 63.00 |
| 6/11/2025 14:06:12 | 50.50  | 63.30 | 50.50  | 63.20 |
| 6/11/2025 14:06:13 | 51.40  | 65.00 | 51.50  | 65.70 |
| 6/11/2025 14:06:14 | 51.40  | 63.50 | 50.70  | 63.50 |
| 6/11/2025 14:06:15 | 51.60  | 65.00 | 51.60  | 65.60 |
| 6/11/2025 14:06:16 | 53.50  | 67.60 | 53.80  | 67.30 |
| 6/11/2025 14:06:17 | 56.70  | 74.80 | 56.90  | 74.90 |
| 6/11/2025 14:06:18 | 59.00  | 76.90 | 59.30  | 77.10 |
| 6/11/2025 14:06:19 | 60.10  | 77.10 | 60.60  | 76.80 |
| 6/11/2025 14:06:20 | 60.10  | 72.30 | 60.00  | 72.40 |
| 6/11/2025 14:06:21 | 60.00  | 70.80 | 58.60  | 70.60 |
| 6/11/2025 14:06:22 | 58.90  | 66.60 | 55.30  | 67.60 |
| 6/11/2025 14:06:23 | 56.80  | 65.20 | 52.90  | 65.00 |
| 6/11/2025 14:06:24 | 54.60  | 65.00 | 51.50  | 65.60 |
| 6/11/2025 14:06:25 | 52.90  | 62.00 | 50.30  | 62.60 |
| 6/11/2025 14:06:26 | 51.40  | 61.90 | 49.40  | 61.80 |
| 6/11/2025 14:06:27 | 50.50  | 62.50 | 48.90  | 61.20 |
| 6/11/2025 14:06:28 | 49.40  | 61.90 | 47.80  | 61.30 |
| 6/11/2025 14:06:29 | 48.50  | 60.20 | 47.40  | 59.70 |
| 6/11/2025 14:06:30 | 48.60  | 63.50 | 48.50  | 64.70 |
| 6/11/2025 14:06:31 | 48.30  | 60.30 | 47.80  | 61.50 |
| 6/11/2025 14:06:32 | 48.00  | 62.20 | 47.70  | 61.60 |
| 6/11/2025 14:06:33 | 47.90  | 60.50 | 47.40  | 59.50 |
| 6/11/2025 14:06:34 | 47.80  | 61.50 | 47.40  | 61.10 |
| 6/11/2025 14:06:35 | 47.90  | 61.40 | 47.90  | 60.90 |
| 6/11/2025 14:06:36 | 47.90  | 60.70 | 47.60  | 60.20 |
| 6/11/2025 14:06:37 | 48.20  | 63.10 | 48.00  | 61.50 |
| 6/11/2025 14:06:38 | 48.20  | 60.20 | 47.90  | 60.10 |
| 6/11/2025 14:06:39 | 48.90  | 69.70 | 48.70  | 69.40 |
| 6/11/2025 14:06:40 | 49.00  | 63.10 | 48.40  | 63.00 |
| 6/11/2025 14:06:41 | 48.60  | 59.70 | 47.30  | 60.30 |
| 6/11/2025 14:06:42 | 47.90  | 60.60 | 47.40  | 60.60 |
| 6/11/2025 14:06:43 | 48.70  | 62.00 | 49.00  | 61.60 |
| 6/11/2025 14:06:44 | 49.20  | 62.10 | 49.30  | 61.50 |
| 6/11/2025 14:06:45 | 49.70  | 62.30 | 49.60  | 62.80 |
| 6/11/2025 14:06:46 | 51.10  | 67.10 | 51.40  | 67.80 |
| 6/11/2025 14:06:47 | 53.60  | 66.70 | 53.80  | 66.90 |
| 6/11/2025 14:06:48 | 57.50  | 71.90 | 58.00  | 72.00 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:06:49 | 62.40  | 76.80 | 62.70  | 76.60 |
| 6/11/2025 14:06:50 | 66.80  | 80.50 | 67.60  | 80.50 |
| 6/11/2025 14:06:51 | 68.10  | 84.80 | 68.70  | 84.60 |
| 6/11/2025 14:06:52 | 67.60  | 77.60 | 64.30  | 77.50 |
| 6/11/2025 14:06:53 | 65.60  | 73.10 | 59.50  | 72.70 |
| 6/11/2025 14:06:54 | 62.50  | 69.10 | 55.30  | 68.30 |
| 6/11/2025 14:06:55 | 59.30  | 62.50 | 50.40  | 62.90 |
| 6/11/2025 14:06:56 | 55.80  | 63.60 | 48.90  | 62.80 |
| 6/11/2025 14:06:57 | 59.40  | 90.30 | 56.60  | 90.20 |
| 6/11/2025 14:06:58 | 58.90  | 75.70 | 53.40  | 75.70 |
| 6/11/2025 14:06:59 | 55.60  | 73.10 | 49.30  | 73.50 |
| 6/11/2025 14:07:00 | 53.00  | 62.60 | 48.80  | 63.40 |
| 6/11/2025 14:07:01 | 50.70  | 63.50 | 48.70  | 62.70 |
| 6/11/2025 14:07:02 | 49.80  | 62.70 | 49.30  | 62.30 |
| 6/11/2025 14:07:03 | 49.40  | 62.20 | 48.60  | 61.70 |
| 6/11/2025 14:07:04 | 49.00  | 62.80 | 48.80  | 61.60 |
| 6/11/2025 14:07:05 | 48.90  | 60.80 | 47.90  | 61.50 |
| 6/11/2025 14:07:06 | 48.20  | 59.30 | 47.30  | 59.60 |
| 6/11/2025 14:07:07 | 47.70  | 61.00 | 47.00  | 59.80 |
| 6/11/2025 14:07:08 | 48.30  | 62.80 | 48.10  | 61.90 |
| 6/11/2025 14:07:09 | 48.30  | 60.00 | 47.70  | 59.70 |
| 6/11/2025 14:07:10 | 47.90  | 63.70 | 47.60  | 62.40 |
| 6/11/2025 14:07:11 | 48.20  | 61.50 | 48.10  | 61.50 |
| 6/11/2025 14:07:12 | 48.80  | 65.80 | 48.60  | 65.40 |
| 6/11/2025 14:07:13 | 48.40  | 60.20 | 47.10  | 60.10 |
| 6/11/2025 14:07:14 | 48.00  | 60.80 | 47.90  | 60.50 |
| 6/11/2025 14:07:15 | 47.90  | 60.60 | 47.40  | 59.70 |
| 6/11/2025 14:07:16 | 47.70  | 69.70 | 47.50  | 69.70 |
| 6/11/2025 14:07:17 | 47.90  | 61.00 | 47.90  | 60.80 |
| 6/11/2025 14:07:18 | 48.50  | 63.30 | 48.40  | 66.20 |
| 6/11/2025 14:07:19 | 48.10  | 60.30 | 47.40  | 60.00 |
| 6/11/2025 14:07:20 | 47.80  | 60.10 | 47.30  | 60.00 |
| 6/11/2025 14:07:21 | 47.70  | 60.20 | 47.60  | 59.70 |
| 6/11/2025 14:07:22 | 48.90  | 65.70 | 49.00  | 66.10 |
| 6/11/2025 14:07:23 | 48.80  | 62.80 | 48.30  | 62.20 |
| 6/11/2025 14:07:24 | 48.50  | 61.30 | 47.60  | 61.00 |
| 6/11/2025 14:07:25 | 47.90  | 60.50 | 47.60  | 60.40 |
| 6/11/2025 14:07:26 | 48.30  | 62.80 | 48.10  | 62.60 |
| 6/11/2025 14:07:27 | 48.50  | 62.10 | 48.00  | 61.40 |
| 6/11/2025 14:07:28 | 48.40  | 62.30 | 48.40  | 62.40 |
| 6/11/2025 14:07:29 | 48.60  | 62.50 | 48.30  | 63.00 |
| 6/11/2025 14:07:30 | 49.40  | 65.00 | 49.30  | 65.00 |
| 6/11/2025 14:07:31 | 49.60  | 64.70 | 48.90  | 64.50 |
| 6/11/2025 14:07:32 | 49.60  | 65.10 | 49.00  | 64.90 |
| 6/11/2025 14:07:33 | 49.70  | 64.10 | 49.20  | 63.70 |
| 6/11/2025 14:07:34 | 49.30  | 64.60 | 48.70  | 63.70 |
| 6/11/2025 14:07:35 | 49.80  | 65.50 | 49.30  | 65.50 |
| 6/11/2025 14:07:36 | 50.10  | 66.00 | 50.00  | 66.40 |
| 6/11/2025 14:07:37 | 50.70  | 69.70 | 50.50  | 69.50 |
| 6/11/2025 14:07:38 | 51.10  | 64.40 | 50.60  | 64.30 |
| 6/11/2025 14:07:39 | 50.40  | 62.80 | 49.00  | 63.60 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:07:40 | 49.80  | 63.80 | 49.10  | 62.80 |
| 6/11/2025 14:07:41 | 49.30  | 61.10 | 48.50  | 60.80 |
| 6/11/2025 14:07:42 | 49.00  | 62.50 | 48.90  | 62.50 |
| 6/11/2025 14:07:43 | 49.20  | 62.40 | 49.30  | 62.10 |
| 6/11/2025 14:07:44 | 49.20  | 61.50 | 48.60  | 60.90 |
| 6/11/2025 14:07:45 | 48.80  | 61.10 | 48.60  | 61.10 |
| 6/11/2025 14:07:46 | 48.90  | 62.30 | 48.70  | 61.00 |
| 6/11/2025 14:07:47 | 48.80  | 61.00 | 48.00  | 59.90 |
| 6/11/2025 14:07:48 | 48.60  | 64.40 | 48.50  | 64.50 |
| 6/11/2025 14:07:49 | 49.40  | 70.30 | 49.40  | 69.90 |
| 6/11/2025 14:07:50 | 49.20  | 64.80 | 47.90  | 64.80 |
| 6/11/2025 14:07:51 | 48.50  | 63.60 | 48.00  | 63.00 |
| 6/11/2025 14:07:52 | 48.30  | 63.60 | 47.60  | 62.60 |
| 6/11/2025 14:07:53 | 48.10  | 60.50 | 47.60  | 60.60 |
| 6/11/2025 14:07:54 | 48.00  | 61.70 | 47.80  | 61.60 |
| 6/11/2025 14:07:55 | 48.30  | 63.00 | 48.10  | 63.00 |
| 6/11/2025 14:07:56 | 48.10  | 60.20 | 47.50  | 60.30 |
| 6/11/2025 14:07:57 | 47.80  | 61.60 | 47.40  | 60.00 |
| 6/11/2025 14:07:58 | 47.70  | 61.30 | 47.50  | 60.00 |
| 6/11/2025 14:07:59 | 48.00  | 62.30 | 47.90  | 61.40 |
| 6/11/2025 14:08:00 | 47.70  | 60.90 | 47.30  | 60.70 |
| 6/11/2025 14:08:01 | 47.80  | 60.70 | 47.60  | 60.90 |
| 6/11/2025 14:08:02 | 47.70  | 59.60 | 47.20  | 59.50 |
| 6/11/2025 14:08:03 | 47.90  | 62.00 | 47.90  | 61.70 |
| 6/11/2025 14:08:04 | 48.40  | 64.70 | 48.00  | 64.70 |
| 6/11/2025 14:08:05 | 48.30  | 59.70 | 47.60  | 60.40 |
| 6/11/2025 14:08:06 | 48.00  | 61.00 | 47.80  | 61.60 |
| 6/11/2025 14:08:07 | 49.00  | 65.60 | 49.00  | 65.40 |
| 6/11/2025 14:08:08 | 48.50  | 63.00 | 47.90  | 62.10 |
| 6/11/2025 14:08:09 | 48.30  | 60.70 | 47.80  | 60.20 |
| 6/11/2025 14:08:10 | 49.00  | 65.20 | 48.80  | 66.00 |
| 6/11/2025 14:08:11 | 49.30  | 63.00 | 48.70  | 63.10 |
| 6/11/2025 14:08:12 | 48.60  | 60.70 | 48.00  | 63.50 |
| 6/11/2025 14:08:13 | 48.40  | 61.10 | 47.90  | 60.30 |
| 6/11/2025 14:08:14 | 48.50  | 60.80 | 48.30  | 60.90 |
| 6/11/2025 14:08:15 | 48.30  | 60.10 | 47.80  | 60.40 |
| 6/11/2025 14:08:16 | 48.00  | 61.10 | 47.80  | 60.80 |
| 6/11/2025 14:08:17 | 48.00  | 60.00 | 47.40  | 60.00 |
| 6/11/2025 14:08:18 | 47.90  | 60.40 | 47.70  | 62.10 |
| 6/11/2025 14:08:19 | 48.10  | 65.10 | 47.80  | 65.60 |
| 6/11/2025 14:08:20 | 49.40  | 62.80 | 49.50  | 62.10 |
| 6/11/2025 14:08:21 | 50.20  | 64.10 | 50.40  | 62.80 |
| 6/11/2025 14:08:22 | 51.20  | 65.80 | 51.30  | 66.20 |
| 6/11/2025 14:08:23 | 53.50  | 66.60 | 53.80  | 67.00 |
| 6/11/2025 14:08:24 | 57.40  | 71.70 | 57.90  | 71.60 |
| 6/11/2025 14:08:25 | 60.90  | 77.80 | 61.60  | 77.70 |
| 6/11/2025 14:08:26 | 64.90  | 79.70 | 65.20  | 79.70 |
| 6/11/2025 14:08:27 | 69.50  | 85.90 | 70.50  | 85.90 |
| 6/11/2025 14:08:28 | 69.50  | 81.30 | 68.10  | 81.40 |
| 6/11/2025 14:08:29 | 68.20  | 79.70 | 64.20  | 79.40 |
| 6/11/2025 14:08:30 | 65.80  | 72.10 | 58.50  | 71.60 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:08:31 | 62.50  | 65.50 | 52.90  | 65.60 |
| 6/11/2025 14:08:32 | 58.90  | 61.90 | 49.60  | 62.70 |
| 6/11/2025 14:08:33 | 55.40  | 61.60 | 49.20  | 62.00 |
| 6/11/2025 14:08:34 | 52.60  | 62.90 | 48.90  | 62.30 |
| 6/11/2025 14:08:35 | 50.70  | 63.00 | 48.80  | 62.60 |
| 6/11/2025 14:08:36 | 49.80  | 62.20 | 49.00  | 61.90 |
| 6/11/2025 14:08:37 | 49.70  | 64.50 | 49.40  | 64.70 |
| 6/11/2025 14:08:38 | 50.20  | 63.40 | 50.10  | 64.00 |
| 6/11/2025 14:08:39 | 50.40  | 63.10 | 50.20  | 62.80 |
| 6/11/2025 14:08:40 | 50.70  | 67.30 | 50.60  | 67.10 |
| 6/11/2025 14:08:41 | 50.30  | 61.40 | 49.40  | 61.40 |
| 6/11/2025 14:08:42 | 49.60  | 61.30 | 48.70  | 61.70 |
| 6/11/2025 14:08:43 | 49.10  | 62.30 | 48.80  | 61.10 |
| 6/11/2025 14:08:44 | 49.30  | 62.80 | 49.20  | 62.00 |
| 6/11/2025 14:08:45 | 50.30  | 63.90 | 50.60  | 63.80 |
| 6/11/2025 14:08:46 | 50.30  | 62.20 | 49.30  | 61.40 |
| 6/11/2025 14:08:47 | 50.10  | 63.50 | 50.00  | 62.60 |
| 6/11/2025 14:08:48 | 50.20  | 62.20 | 49.70  | 61.90 |
| 6/11/2025 14:08:49 | 50.20  | 63.50 | 49.80  | 63.20 |
| 6/11/2025 14:08:50 | 51.30  | 64.90 | 51.60  | 65.40 |
| 6/11/2025 14:08:51 | 51.60  | 64.00 | 51.10  | 63.20 |
| 6/11/2025 14:08:52 | 50.90  | 62.10 | 48.70  | 62.70 |
| 6/11/2025 14:08:53 | 50.20  | 64.50 | 49.50  | 64.40 |
| 6/11/2025 14:08:54 | 50.80  | 66.20 | 50.70  | 65.30 |
| 6/11/2025 14:08:55 | 50.70  | 63.00 | 49.80  | 63.20 |
| 6/11/2025 14:08:56 | 50.60  | 64.10 | 50.20  | 64.30 |
| 6/11/2025 14:08:57 | 50.30  | 64.50 | 49.70  | 63.50 |
| 6/11/2025 14:08:58 | 49.70  | 61.40 | 48.70  | 61.40 |
| 6/11/2025 14:08:59 | 49.50  | 63.70 | 49.20  | 63.20 |
| 6/11/2025 14:09:00 | 49.80  | 69.70 | 49.70  | 69.80 |
| 6/11/2025 14:09:01 | 50.80  | 65.90 | 50.70  | 65.90 |
| 6/11/2025 14:09:02 | 51.10  | 64.30 | 50.70  | 63.90 |
| 6/11/2025 14:09:03 | 50.50  | 64.10 | 50.10  | 63.90 |
| 6/11/2025 14:09:04 | 50.20  | 61.70 | 48.60  | 61.30 |
| 6/11/2025 14:09:05 | 50.00  | 64.10 | 50.30  | 65.00 |
| 6/11/2025 14:09:06 | 50.90  | 65.70 | 50.20  | 66.20 |
| 6/11/2025 14:09:07 | 53.30  | 68.70 | 54.30  | 68.10 |
| 6/11/2025 14:09:08 | 52.90  | 66.60 | 51.90  | 66.50 |
| 6/11/2025 14:09:09 | 53.00  | 66.60 | 53.10  | 66.60 |
| 6/11/2025 14:09:10 | 52.80  | 67.80 | 51.80  | 67.10 |
| 6/11/2025 14:09:11 | 52.10  | 70.30 | 51.60  | 70.20 |
| 6/11/2025 14:09:12 | 52.00  | 66.70 | 51.80  | 66.90 |
| 6/11/2025 14:09:13 | 53.00  | 67.30 | 53.50  | 67.30 |
| 6/11/2025 14:09:14 | 54.70  | 68.40 | 54.90  | 68.80 |
| 6/11/2025 14:09:15 | 58.40  | 74.00 | 58.70  | 73.90 |
| 6/11/2025 14:09:16 | 63.00  | 77.80 | 63.70  | 77.80 |
| 6/11/2025 14:09:17 | 65.30  | 78.60 | 66.10  | 78.60 |
| 6/11/2025 14:09:18 | 65.70  | 80.20 | 65.70  | 80.10 |
| 6/11/2025 14:09:19 | 65.30  | 74.00 | 60.90  | 74.00 |
| 6/11/2025 14:09:20 | 62.70  | 70.50 | 56.50  | 70.50 |
| 6/11/2025 14:09:21 | 59.70  | 65.80 | 54.00  | 66.10 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:09:22 | 57.00  | 65.30 | 53.00  | 65.10 |
| 6/11/2025 14:09:23 | 54.90  | 64.30 | 51.10  | 64.50 |
| 6/11/2025 14:09:24 | 52.90  | 66.40 | 50.50  | 67.00 |
| 6/11/2025 14:09:25 | 51.40  | 62.40 | 49.90  | 62.70 |
| 6/11/2025 14:09:26 | 50.50  | 62.70 | 49.80  | 63.10 |
| 6/11/2025 14:09:27 | 50.70  | 64.30 | 50.80  | 63.80 |
| 6/11/2025 14:09:28 | 50.50  | 61.70 | 49.50  | 61.60 |
| 6/11/2025 14:09:29 | 50.00  | 63.40 | 49.90  | 62.80 |
| 6/11/2025 14:09:30 | 50.20  | 63.20 | 50.20  | 63.00 |
| 6/11/2025 14:09:31 | 50.20  | 62.70 | 50.20  | 63.60 |
| 6/11/2025 14:09:32 | 50.20  | 61.80 | 49.80  | 61.70 |
| 6/11/2025 14:09:33 | 50.20  | 64.60 | 50.00  | 63.80 |
| 6/11/2025 14:09:34 | 50.20  | 63.30 | 49.90  | 62.40 |
| 6/11/2025 14:09:35 | 50.00  | 62.10 | 49.50  | 62.70 |
| 6/11/2025 14:09:36 | 49.80  | 63.20 | 49.50  | 63.90 |
| 6/11/2025 14:09:37 | 50.30  | 63.30 | 50.30  | 62.60 |
| 6/11/2025 14:09:38 | 51.40  | 67.40 | 51.60  | 65.90 |
| 6/11/2025 14:09:39 | 54.00  | 69.10 | 54.30  | 69.10 |
| 6/11/2025 14:09:40 | 57.90  | 73.20 | 58.10  | 73.30 |
| 6/11/2025 14:09:41 | 61.50  | 76.00 | 62.10  | 75.80 |
| 6/11/2025 14:09:42 | 63.50  | 76.90 | 64.30  | 76.80 |
| 6/11/2025 14:09:43 | 63.60  | 76.70 | 63.50  | 76.70 |
| 6/11/2025 14:09:44 | 63.40  | 74.20 | 60.20  | 74.10 |
| 6/11/2025 14:09:45 | 61.20  | 72.90 | 56.40  | 73.10 |
| 6/11/2025 14:09:46 | 58.80  | 67.40 | 55.00  | 66.80 |
| 6/11/2025 14:09:47 | 56.80  | 66.90 | 54.30  | 66.40 |
| 6/11/2025 14:09:48 | 57.30  | 71.40 | 56.90  | 71.30 |
| 6/11/2025 14:09:49 | 61.50  | 77.30 | 61.90  | 77.30 |
| 6/11/2025 14:09:50 | 67.30  | 87.70 | 67.40  | 87.60 |
| 6/11/2025 14:09:51 | 67.40  | 79.00 | 66.80  | 78.90 |
| 6/11/2025 14:09:52 | 66.10  | 73.10 | 60.70  | 73.20 |
| 6/11/2025 14:09:53 | 63.30  | 69.90 | 56.80  | 69.80 |
| 6/11/2025 14:09:54 | 60.20  | 65.50 | 53.20  | 65.40 |
| 6/11/2025 14:09:55 | 57.10  | 62.90 | 50.30  | 63.90 |
| 6/11/2025 14:09:56 | 54.00  | 63.20 | 49.40  | 64.00 |
| 6/11/2025 14:09:57 | 51.80  | 62.10 | 49.60  | 61.50 |
| 6/11/2025 14:09:58 | 50.60  | 61.30 | 49.30  | 61.30 |
| 6/11/2025 14:09:59 | 49.80  | 61.10 | 49.10  | 62.10 |
| 6/11/2025 14:10:00 | 49.50  | 62.10 | 48.90  | 62.10 |
| 6/11/2025 14:10:01 | 49.10  | 62.00 | 48.50  | 61.90 |
| 6/11/2025 14:10:02 | 48.80  | 62.20 | 48.40  | 61.30 |
| 6/11/2025 14:10:03 | 49.30  | 67.50 | 49.00  | 68.30 |
| 6/11/2025 14:10:04 | 49.30  | 67.50 | 48.60  | 68.20 |
| 6/11/2025 14:10:05 | 49.20  | 61.60 | 48.50  | 61.80 |
| 6/11/2025 14:10:06 | 48.70  | 61.00 | 48.10  | 61.50 |
| 6/11/2025 14:10:07 | 48.50  | 63.10 | 48.30  | 61.80 |
| 6/11/2025 14:10:08 | 48.60  | 61.20 | 48.30  | 61.40 |
| 6/11/2025 14:10:09 | 48.40  | 60.40 | 48.10  | 60.60 |
| 6/11/2025 14:10:10 | 48.60  | 62.40 | 48.50  | 64.00 |
| 6/11/2025 14:10:11 | 48.60  | 67.30 | 48.20  | 66.90 |
| 6/11/2025 14:10:12 | 48.70  | 61.10 | 48.50  | 61.60 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:10:13 | 48.80  | 62.10 | 48.80  | 61.70 |
| 6/11/2025 14:10:14 | 48.80  | 62.30 | 48.50  | 62.10 |
| 6/11/2025 14:10:15 | 48.50  | 60.60 | 48.10  | 61.50 |
| 6/11/2025 14:10:16 | 48.40  | 61.10 | 48.20  | 61.10 |
| 6/11/2025 14:10:17 | 48.40  | 60.60 | 48.30  | 62.00 |
| 6/11/2025 14:10:18 | 48.40  | 61.40 | 48.10  | 61.90 |
| 6/11/2025 14:10:19 | 48.30  | 62.50 | 48.10  | 62.00 |
| 6/11/2025 14:10:20 | 48.50  | 62.00 | 48.10  | 61.10 |
| 6/11/2025 14:10:21 | 48.00  | 63.40 | 47.90  | 63.40 |
| 6/11/2025 14:10:22 | 48.10  | 60.30 | 47.90  | 60.70 |
| 6/11/2025 14:10:23 | 49.60  | 65.60 | 49.90  | 65.80 |
| 6/11/2025 14:10:24 | 50.20  | 63.00 | 50.40  | 64.20 |
| 6/11/2025 14:10:25 | 51.70  | 65.20 | 52.10  | 65.10 |
| 6/11/2025 14:10:26 | 54.00  | 68.90 | 54.20  | 68.70 |
| 6/11/2025 14:10:27 | 56.30  | 69.90 | 56.80  | 70.00 |
| 6/11/2025 14:10:28 | 59.50  | 73.80 | 59.90  | 73.60 |
| 6/11/2025 14:10:29 | 63.10  | 77.50 | 63.60  | 77.40 |
| 6/11/2025 14:10:30 | 66.10  | 79.30 | 66.70  | 79.40 |
| 6/11/2025 14:10:31 | 67.10  | 83.10 | 67.60  | 83.10 |
| 6/11/2025 14:10:32 | 67.00  | 79.90 | 64.60  | 79.70 |
| 6/11/2025 14:10:33 | 65.20  | 74.30 | 60.80  | 73.80 |
| 6/11/2025 14:10:34 | 62.80  | 72.30 | 58.20  | 72.10 |
| 6/11/2025 14:10:35 | 60.30  | 68.60 | 54.20  | 68.10 |
| 6/11/2025 14:10:36 | 57.40  | 66.80 | 52.30  | 65.80 |
| 6/11/2025 14:10:37 | 54.90  | 64.90 | 51.40  | 65.00 |
| 6/11/2025 14:10:38 | 53.00  | 65.90 | 51.40  | 63.70 |
| 6/11/2025 14:10:39 | 53.70  | 67.50 | 53.60  | 67.80 |
| 6/11/2025 14:10:40 | 58.00  | 75.20 | 58.50  | 74.90 |
| 6/11/2025 14:10:41 | 63.00  | 77.90 | 63.10  | 77.90 |
| 6/11/2025 14:10:42 | 69.80  | 83.60 | 70.40  | 83.60 |
| 6/11/2025 14:10:43 | 70.00  | 82.20 | 68.90  | 82.20 |
| 6/11/2025 14:10:44 | 68.50  | 76.60 | 63.90  | 76.40 |
| 6/11/2025 14:10:45 | 66.00  | 72.30 | 58.70  | 72.20 |
| 6/11/2025 14:10:46 | 62.70  | 69.60 | 56.00  | 69.60 |
| 6/11/2025 14:10:47 | 59.60  | 63.90 | 51.60  | 63.70 |
| 6/11/2025 14:10:48 | 56.30  | 61.60 | 49.20  | 61.40 |
| 6/11/2025 14:10:49 | 53.20  | 62.50 | 48.80  | 61.70 |
| 6/11/2025 14:10:50 | 51.10  | 62.60 | 49.40  | 62.00 |
| 6/11/2025 14:10:51 | 50.10  | 61.60 | 48.70  | 61.00 |
| 6/11/2025 14:10:52 | 49.30  | 66.40 | 49.00  | 67.00 |
| 6/11/2025 14:10:53 | 49.30  | 62.80 | 48.80  | 61.80 |
| 6/11/2025 14:10:54 | 49.00  | 60.90 | 48.30  | 61.00 |
| 6/11/2025 14:10:55 | 48.70  | 60.90 | 48.30  | 60.60 |
| 6/11/2025 14:10:56 | 48.50  | 60.90 | 48.20  | 61.20 |
| 6/11/2025 14:10:57 | 48.40  | 61.70 | 48.20  | 61.70 |
| 6/11/2025 14:10:58 | 48.50  | 60.70 | 48.30  | 61.20 |
| 6/11/2025 14:10:59 | 48.80  | 64.90 | 48.50  | 63.70 |
| 6/11/2025 14:11:00 | 49.60  | 63.40 | 49.90  | 64.20 |
| 6/11/2025 14:11:01 | 49.60  | 60.90 | 48.70  | 62.00 |
| 6/11/2025 14:11:02 | 49.00  | 61.20 | 48.40  | 60.70 |
| 6/11/2025 14:11:03 | 48.70  | 60.40 | 48.20  | 62.50 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:11:04 | 48.50  | 61.80 | 48.30  | 61.20 |
| 6/11/2025 14:11:05 | 48.50  | 60.60 | 47.80  | 61.00 |
| 6/11/2025 14:11:06 | 48.10  | 60.40 | 47.50  | 61.30 |
| 6/11/2025 14:11:07 | 47.90  | 60.30 | 47.80  | 61.00 |
| 6/11/2025 14:11:08 | 48.30  | 61.30 | 48.20  | 61.70 |
| 6/11/2025 14:11:09 | 48.60  | 62.00 | 48.30  | 61.30 |
| 6/11/2025 14:11:10 | 50.10  | 74.60 | 49.80  | 74.20 |
| 6/11/2025 14:11:11 | 50.40  | 75.80 | 48.00  | 76.20 |
| 6/11/2025 14:11:12 | 50.40  | 61.50 | 49.80  | 61.40 |
| 6/11/2025 14:11:13 | 49.30  | 60.90 | 47.60  | 60.90 |
| 6/11/2025 14:11:14 | 48.30  | 60.50 | 47.80  | 61.10 |
| 6/11/2025 14:11:15 | 48.80  | 62.20 | 48.80  | 62.10 |
| 6/11/2025 14:11:16 | 48.70  | 60.30 | 47.90  | 60.50 |
| 6/11/2025 14:11:17 | 48.30  | 61.20 | 47.70  | 60.30 |
| 6/11/2025 14:11:18 | 48.60  | 65.90 | 48.40  | 65.50 |
| 6/11/2025 14:11:19 | 48.90  | 62.20 | 48.30  | 61.40 |
| 6/11/2025 14:11:20 | 51.20  | 63.90 | 51.50  | 64.50 |
| 6/11/2025 14:11:21 | 50.30  | 62.50 | 48.90  | 61.80 |
| 6/11/2025 14:11:22 | 49.80  | 61.30 | 49.20  | 61.10 |
| 6/11/2025 14:11:23 | 49.80  | 62.80 | 49.70  | 63.10 |
| 6/11/2025 14:11:24 | 49.80  | 62.90 | 49.80  | 62.20 |
| 6/11/2025 14:11:25 | 49.80  | 62.80 | 49.30  | 62.00 |
| 6/11/2025 14:11:26 | 49.70  | 62.50 | 49.60  | 62.30 |
| 6/11/2025 14:11:27 | 49.60  | 62.50 | 49.50  | 62.10 |
| 6/11/2025 14:11:28 | 49.90  | 66.70 | 49.80  | 67.40 |
| 6/11/2025 14:11:29 | 50.30  | 64.30 | 50.20  | 63.90 |
| 6/11/2025 14:11:30 | 52.40  | 71.80 | 52.50  | 71.60 |
| 6/11/2025 14:11:31 | 54.10  | 69.60 | 54.50  | 70.00 |
| 6/11/2025 14:11:32 | 59.30  | 79.10 | 58.80  | 79.20 |
| 6/11/2025 14:11:33 | 64.10  | 78.30 | 64.90  | 78.30 |
| 6/11/2025 14:11:34 | 70.90  | 86.70 | 71.10  | 86.60 |
| 6/11/2025 14:11:35 | 71.30  | 84.40 | 70.90  | 84.40 |
| 6/11/2025 14:11:36 | 70.10  | 77.20 | 65.70  | 77.30 |
| 6/11/2025 14:11:37 | 67.80  | 76.80 | 64.90  | 76.90 |
| 6/11/2025 14:11:38 | 66.40  | 84.30 | 66.20  | 84.20 |
| 6/11/2025 14:11:39 | 66.30  | 78.10 | 65.40  | 78.00 |
| 6/11/2025 14:11:40 | 66.00  | 79.30 | 65.90  | 79.40 |
| 6/11/2025 14:11:41 | 66.30  | 78.20 | 66.20  | 78.30 |
| 6/11/2025 14:11:42 | 66.10  | 83.60 | 65.20  | 83.50 |
| 6/11/2025 14:11:43 | 65.20  | 78.40 | 62.20  | 78.60 |
| 6/11/2025 14:11:44 | 63.20  | 74.00 | 58.30  | 74.00 |
| 6/11/2025 14:11:45 | 60.70  | 68.20 | 55.70  | 67.80 |
| 6/11/2025 14:11:46 | 58.10  | 65.20 | 53.30  | 65.60 |
| 6/11/2025 14:11:47 | 55.70  | 64.90 | 51.40  | 64.20 |
| 6/11/2025 14:11:48 | 53.40  | 65.10 | 50.50  | 64.60 |
| 6/11/2025 14:11:49 | 52.00  | 63.10 | 49.50  | 63.30 |
| 6/11/2025 14:11:50 | 50.50  | 62.20 | 48.90  | 61.70 |
| 6/11/2025 14:11:51 | 49.50  | 67.10 | 48.70  | 66.80 |
| 6/11/2025 14:11:52 | 49.60  | 71.50 | 49.30  | 71.60 |
| 6/11/2025 14:11:53 | 49.60  | 62.00 | 49.20  | 63.30 |
| 6/11/2025 14:11:54 | 50.50  | 64.70 | 50.50  | 65.30 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:11:55 | 53.20  | 70.70 | 53.80  | 70.60 |
| 6/11/2025 14:11:56 | 56.80  | 71.60 | 57.10  | 71.60 |
| 6/11/2025 14:11:57 | 61.50  | 75.70 | 61.90  | 75.50 |
| 6/11/2025 14:11:58 | 65.80  | 81.00 | 66.60  | 81.00 |
| 6/11/2025 14:11:59 | 65.80  | 77.20 | 64.70  | 77.30 |
| 6/11/2025 14:12:00 | 64.50  | 71.60 | 59.60  | 71.40 |
| 6/11/2025 14:12:01 | 61.90  | 67.70 | 55.40  | 68.00 |
| 6/11/2025 14:12:02 | 58.90  | 64.90 | 52.80  | 64.90 |
| 6/11/2025 14:12:03 | 56.00  | 64.00 | 50.70  | 63.10 |
| 6/11/2025 14:12:04 | 53.40  | 61.90 | 49.20  | 62.60 |
| 6/11/2025 14:12:05 | 51.40  | 64.00 | 49.20  | 63.30 |
| 6/11/2025 14:12:06 | 50.10  | 63.90 | 49.60  | 64.30 |
| 6/11/2025 14:12:07 | 50.10  | 64.40 | 49.90  | 64.40 |
| 6/11/2025 14:12:08 | 51.20  | 64.60 | 51.40  | 64.40 |
| 6/11/2025 14:12:09 | 53.60  | 68.10 | 53.90  | 68.70 |
| 6/11/2025 14:12:10 | 55.90  | 69.00 | 56.40  | 69.10 |
| 6/11/2025 14:12:11 | 59.40  | 76.80 | 59.70  | 76.80 |
| 6/11/2025 14:12:12 | 62.90  | 76.30 | 63.50  | 76.00 |
| 6/11/2025 14:12:13 | 65.30  | 79.50 | 66.00  | 79.60 |
| 6/11/2025 14:12:14 | 65.50  | 77.50 | 65.20  | 77.40 |
| 6/11/2025 14:12:15 | 65.80  | 78.80 | 66.00  | 78.80 |
| 6/11/2025 14:12:16 | 65.60  | 75.20 | 63.50  | 75.00 |
| 6/11/2025 14:12:17 | 64.00  | 72.50 | 59.40  | 71.70 |
| 6/11/2025 14:12:18 | 61.60  | 70.90 | 58.30  | 70.70 |
| 6/11/2025 14:12:19 | 59.70  | 67.90 | 55.20  | 67.50 |
| 6/11/2025 14:12:20 | 57.30  | 68.10 | 54.20  | 68.30 |
| 6/11/2025 14:12:21 | 55.50  | 65.50 | 52.10  | 66.20 |
| 6/11/2025 14:12:22 | 53.70  | 64.00 | 50.70  | 64.40 |
| 6/11/2025 14:12:23 | 52.00  | 62.50 | 49.80  | 63.00 |
| 6/11/2025 14:12:24 | 50.80  | 62.30 | 49.40  | 62.40 |
| 6/11/2025 14:12:25 | 49.90  | 62.00 | 48.70  | 61.20 |
| 6/11/2025 14:12:26 | 49.20  | 60.60 | 48.30  | 60.60 |
| 6/11/2025 14:12:27 | 48.60  | 60.50 | 47.90  | 61.90 |
| 6/11/2025 14:12:28 | 48.80  | 62.40 | 48.80  | 62.00 |
| 6/11/2025 14:12:29 | 49.10  | 62.40 | 49.00  | 62.00 |
| 6/11/2025 14:12:30 | 49.20  | 61.80 | 49.10  | 62.50 |
| 6/11/2025 14:12:31 | 50.00  | 70.50 | 49.80  | 70.10 |
| 6/11/2025 14:12:32 | 49.90  | 61.70 | 48.60  | 61.10 |
| 6/11/2025 14:12:33 | 49.00  | 62.00 | 48.30  | 61.20 |
| 6/11/2025 14:12:34 | 49.00  | 62.30 | 48.80  | 62.40 |
| 6/11/2025 14:12:35 | 49.50  | 68.90 | 49.10  | 69.10 |
| 6/11/2025 14:12:36 | 49.60  | 61.20 | 49.70  | 61.10 |
| 6/11/2025 14:12:37 | 49.70  | 62.30 | 49.60  | 64.00 |
| 6/11/2025 14:12:38 | 49.50  | 61.70 | 48.70  | 61.00 |
| 6/11/2025 14:12:39 | 48.90  | 60.40 | 47.80  | 60.60 |
| 6/11/2025 14:12:40 | 48.80  | 62.90 | 48.70  | 62.60 |
| 6/11/2025 14:12:41 | 48.70  | 62.60 | 48.20  | 62.60 |
| 6/11/2025 14:12:42 | 48.50  | 61.60 | 48.20  | 60.80 |
| 6/11/2025 14:12:43 | 49.20  | 62.40 | 49.40  | 62.20 |
| 6/11/2025 14:12:44 | 49.00  | 60.70 | 47.50  | 61.30 |
| 6/11/2025 14:12:45 | 48.10  | 60.50 | 47.50  | 60.00 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:12:46 | 48.40  | 61.60 | 48.10  | 61.50 |
| 6/11/2025 14:12:47 | 48.90  | 64.60 | 48.70  | 64.90 |
| 6/11/2025 14:12:48 | 48.70  | 60.90 | 48.30  | 60.60 |
| 6/11/2025 14:12:49 | 49.00  | 62.40 | 49.00  | 62.00 |
| 6/11/2025 14:12:50 | 49.00  | 60.40 | 48.90  | 61.10 |
| 6/11/2025 14:12:51 | 49.00  | 63.20 | 48.30  | 64.10 |
| 6/11/2025 14:12:52 | 48.60  | 61.40 | 48.50  | 62.10 |
| 6/11/2025 14:12:53 | 49.60  | 62.60 | 49.70  | 62.90 |
| 6/11/2025 14:12:54 | 49.60  | 63.40 | 49.20  | 64.80 |
| 6/11/2025 14:12:55 | 50.00  | 64.10 | 50.00  | 63.50 |
| 6/11/2025 14:12:56 | 49.60  | 62.20 | 49.30  | 62.90 |
| 6/11/2025 14:12:57 | 50.20  | 64.70 | 50.30  | 64.70 |
| 6/11/2025 14:12:58 | 50.50  | 66.40 | 50.40  | 65.70 |
| 6/11/2025 14:12:59 | 50.20  | 64.70 | 49.90  | 63.80 |
| 6/11/2025 14:13:00 | 50.00  | 62.30 | 49.30  | 62.90 |
| 6/11/2025 14:13:01 | 49.80  | 63.50 | 49.60  | 63.00 |
| 6/11/2025 14:13:02 | 49.70  | 62.80 | 49.50  | 62.60 |
| 6/11/2025 14:13:03 | 50.20  | 68.50 | 49.80  | 68.70 |
| 6/11/2025 14:13:04 | 50.60  | 65.20 | 50.40  | 65.80 |
| 6/11/2025 14:13:05 | 50.30  | 62.50 | 50.10  | 62.90 |
| 6/11/2025 14:13:06 | 50.30  | 66.20 | 49.90  | 66.90 |
| 6/11/2025 14:13:07 | 51.20  | 64.30 | 51.60  | 64.80 |
| 6/11/2025 14:13:08 | 53.20  | 66.70 | 53.90  | 66.90 |
| 6/11/2025 14:13:09 | 53.20  | 65.00 | 52.70  | 65.20 |
| 6/11/2025 14:13:10 | 53.90  | 66.90 | 54.10  | 66.40 |
| 6/11/2025 14:13:11 | 55.50  | 69.50 | 55.60  | 68.90 |
| 6/11/2025 14:13:12 | 57.80  | 71.60 | 58.30  | 71.80 |
| 6/11/2025 14:13:13 | 61.20  | 76.00 | 61.40  | 76.00 |
| 6/11/2025 14:13:14 | 64.40  | 85.70 | 65.00  | 85.70 |
| 6/11/2025 14:13:15 | 64.70  | 82.90 | 64.10  | 82.90 |
| 6/11/2025 14:13:16 | 63.60  | 72.10 | 58.30  | 72.10 |
| 6/11/2025 14:13:17 | 60.80  | 66.90 | 55.30  | 67.10 |
| 6/11/2025 14:13:18 | 58.20  | 72.70 | 53.70  | 72.80 |
| 6/11/2025 14:13:19 | 55.80  | 64.60 | 51.70  | 65.40 |
| 6/11/2025 14:13:20 | 53.50  | 65.80 | 51.10  | 66.50 |
| 6/11/2025 14:13:21 | 52.40  | 63.80 | 50.60  | 64.80 |
| 6/11/2025 14:13:22 | 51.20  | 65.50 | 49.50  | 64.70 |
| 6/11/2025 14:13:23 | 50.40  | 65.30 | 49.90  | 65.40 |
| 6/11/2025 14:13:24 | 50.20  | 69.00 | 49.90  | 68.90 |
| 6/11/2025 14:13:25 | 50.00  | 62.80 | 49.50  | 62.20 |
| 6/11/2025 14:13:26 | 49.80  | 62.70 | 49.60  | 61.90 |
| 6/11/2025 14:13:27 | 49.70  | 61.50 | 49.30  | 61.60 |
| 6/11/2025 14:13:28 | 49.70  | 62.90 | 49.60  | 63.50 |
| 6/11/2025 14:13:29 | 49.80  | 65.10 | 49.50  | 65.10 |
| 6/11/2025 14:13:30 | 49.50  | 63.10 | 49.00  | 61.50 |
| 6/11/2025 14:13:31 | 49.60  | 62.30 | 49.50  | 62.60 |
| 6/11/2025 14:13:32 | 49.80  | 63.00 | 49.80  | 62.50 |
| 6/11/2025 14:13:33 | 49.90  | 63.30 | 49.80  | 62.80 |
| 6/11/2025 14:13:34 | 50.00  | 67.60 | 50.00  | 66.90 |
| 6/11/2025 14:13:35 | 50.00  | 66.60 | 49.70  | 67.00 |
| 6/11/2025 14:13:36 | 50.00  | 65.50 | 49.80  | 66.50 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:13:37 | 50.20  | 63.60 | 50.10  | 64.60 |
| 6/11/2025 14:13:38 | 50.40  | 63.90 | 50.30  | 64.30 |
| 6/11/2025 14:13:39 | 50.40  | 62.30 | 49.40  | 62.40 |
| 6/11/2025 14:13:40 | 49.70  | 61.70 | 49.30  | 61.50 |
| 6/11/2025 14:13:41 | 49.90  | 65.20 | 49.80  | 65.60 |
| 6/11/2025 14:13:42 | 49.80  | 63.40 | 49.40  | 62.00 |
| 6/11/2025 14:13:43 | 50.00  | 63.60 | 49.80  | 63.90 |
| 6/11/2025 14:13:44 | 50.00  | 61.60 | 49.80  | 62.20 |
| 6/11/2025 14:13:45 | 49.90  | 61.80 | 49.20  | 62.30 |
| 6/11/2025 14:13:46 | 49.60  | 62.30 | 49.50  | 62.40 |
| 6/11/2025 14:13:47 | 49.90  | 62.70 | 50.00  | 62.20 |
| 6/11/2025 14:13:48 | 50.30  | 63.00 | 50.20  | 63.10 |
| 6/11/2025 14:13:49 | 50.30  | 63.60 | 49.70  | 62.60 |
| 6/11/2025 14:13:50 | 49.70  | 62.90 | 48.90  | 63.00 |
| 6/11/2025 14:13:51 | 49.30  | 62.50 | 48.70  | 61.50 |
| 6/11/2025 14:13:52 | 49.20  | 64.50 | 48.70  | 63.50 |
| 6/11/2025 14:13:53 | 49.30  | 61.00 | 48.90  | 62.20 |
| 6/11/2025 14:13:54 | 49.70  | 63.70 | 49.50  | 63.10 |
| 6/11/2025 14:13:55 | 52.50  | 69.00 | 53.20  | 69.60 |
| 6/11/2025 14:13:56 | 52.20  | 63.20 | 49.30  | 63.50 |
| 6/11/2025 14:13:57 | 50.50  | 67.10 | 49.40  | 64.90 |
| 6/11/2025 14:13:58 | 50.10  | 63.30 | 49.50  | 64.10 |
| 6/11/2025 14:13:59 | 50.10  | 63.70 | 50.10  | 62.90 |
| 6/11/2025 14:14:00 | 50.00  | 64.20 | 49.90  | 63.90 |
| 6/11/2025 14:14:01 | 50.00  | 61.90 | 49.30  | 62.10 |
| 6/11/2025 14:14:02 | 49.50  | 62.00 | 48.80  | 61.20 |
| 6/11/2025 14:14:03 | 49.10  | 63.50 | 48.70  | 62.00 |
| 6/11/2025 14:14:04 | 49.00  | 60.80 | 48.70  | 62.50 |
| 6/11/2025 14:14:05 | 48.80  | 64.50 | 48.20  | 63.30 |
| 6/11/2025 14:14:06 | 48.60  | 60.60 | 48.30  | 60.80 |
| 6/11/2025 14:14:07 | 48.70  | 61.90 | 48.70  | 62.40 |
| 6/11/2025 14:14:08 | 48.70  | 59.90 | 47.90  | 60.60 |
| 6/11/2025 14:14:09 | 48.30  | 62.80 | 47.80  | 62.30 |
| 6/11/2025 14:14:10 | 48.40  | 62.10 | 48.40  | 61.90 |
| 6/11/2025 14:14:11 | 49.20  | 62.60 | 49.20  | 62.10 |
| 6/11/2025 14:14:12 | 49.90  | 63.00 | 50.10  | 62.80 |
| 6/11/2025 14:14:13 | 52.60  | 69.10 | 52.80  | 68.50 |
| 6/11/2025 14:14:14 | 54.70  | 68.60 | 55.10  | 68.50 |
| 6/11/2025 14:14:15 | 59.10  | 73.60 | 59.30  | 73.30 |
| 6/11/2025 14:14:16 | 64.00  | 80.20 | 64.30  | 80.10 |
| 6/11/2025 14:14:17 | 70.60  | 86.20 | 71.00  | 86.30 |
| 6/11/2025 14:14:18 | 71.10  | 85.10 | 71.20  | 85.00 |
| 6/11/2025 14:14:19 | 70.30  | 80.90 | 65.30  | 80.80 |
| 6/11/2025 14:14:20 | 67.50  | 70.90 | 59.30  | 71.20 |
| 6/11/2025 14:14:21 | 64.20  | 78.50 | 60.10  | 78.30 |
| 6/11/2025 14:14:22 | 64.10  | 77.40 | 63.90  | 77.50 |
| 6/11/2025 14:14:23 | 66.00  | 80.80 | 67.00  | 80.60 |
| 6/11/2025 14:14:24 | 66.00  | 77.00 | 64.00  | 76.90 |
| 6/11/2025 14:14:25 | 64.40  | 73.30 | 59.80  | 73.70 |
| 6/11/2025 14:14:26 | 61.80  | 69.70 | 55.50  | 69.80 |
| 6/11/2025 14:14:27 | 58.90  | 66.00 | 53.00  | 65.70 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:14:28 | 56.00  | 64.50 | 50.10  | 63.50 |
| 6/11/2025 14:14:29 | 53.30  | 61.70 | 48.90  | 61.60 |
| 6/11/2025 14:14:30 | 51.10  | 61.20 | 48.50  | 61.20 |
| 6/11/2025 14:14:31 | 49.70  | 62.30 | 48.30  | 60.40 |
| 6/11/2025 14:14:32 | 48.90  | 63.00 | 48.60  | 63.70 |
| 6/11/2025 14:14:33 | 49.00  | 61.40 | 48.50  | 61.10 |
| 6/11/2025 14:14:34 | 48.70  | 61.00 | 48.40  | 60.50 |
| 6/11/2025 14:14:35 | 49.00  | 63.30 | 49.00  | 63.60 |
| 6/11/2025 14:14:36 | 49.10  | 64.40 | 48.70  | 62.90 |
| 6/11/2025 14:14:37 | 49.00  | 61.50 | 48.50  | 61.60 |
| 6/11/2025 14:14:38 | 49.10  | 62.30 | 48.80  | 63.00 |
| 6/11/2025 14:14:39 | 49.00  | 61.10 | 47.60  | 61.00 |
| 6/11/2025 14:14:40 | 48.90  | 64.70 | 48.70  | 64.80 |
| 6/11/2025 14:14:41 | 48.40  | 60.80 | 47.60  | 60.30 |
| 6/11/2025 14:14:42 | 48.40  | 62.70 | 48.20  | 61.40 |
| 6/11/2025 14:14:43 | 49.10  | 63.10 | 49.30  | 63.90 |
| 6/11/2025 14:14:44 | 49.20  | 64.30 | 49.10  | 63.80 |
| 6/11/2025 14:14:45 | 49.60  | 63.90 | 49.40  | 63.60 |
| 6/11/2025 14:14:46 | 50.40  | 63.20 | 50.50  | 63.00 |
| 6/11/2025 14:14:47 | 51.70  | 65.60 | 52.10  | 65.30 |
| 6/11/2025 14:14:48 | 53.00  | 68.00 | 53.20  | 67.70 |
| 6/11/2025 14:14:49 | 56.10  | 69.40 | 56.70  | 70.10 |
| 6/11/2025 14:14:50 | 58.30  | 72.20 | 59.00  | 72.30 |
| 6/11/2025 14:14:51 | 61.60  | 76.10 | 62.10  | 76.10 |
| 6/11/2025 14:14:52 | 64.20  | 79.50 | 64.70  | 79.40 |
| 6/11/2025 14:14:53 | 65.20  | 79.70 | 65.30  | 79.50 |
| 6/11/2025 14:14:54 | 64.90  | 72.60 | 60.40  | 72.80 |
| 6/11/2025 14:14:55 | 62.30  | 71.00 | 57.90  | 70.90 |
| 6/11/2025 14:14:56 | 59.90  | 68.30 | 55.30  | 68.40 |
| 6/11/2025 14:14:57 | 57.50  | 66.60 | 53.40  | 66.40 |
| 6/11/2025 14:14:58 | 55.20  | 63.90 | 49.40  | 62.60 |
| 6/11/2025 14:14:59 | 52.50  | 62.40 | 49.20  | 63.20 |
| 6/11/2025 14:15:00 | 50.70  | 62.30 | 49.40  | 62.30 |
| 6/11/2025 14:15:01 | 50.00  | 62.10 | 49.10  | 62.30 |
| 6/11/2025 14:15:02 | 49.80  | 65.40 | 49.70  | 64.00 |
| 6/11/2025 14:15:03 | 49.80  | 63.00 | 49.60  | 62.10 |
| 6/11/2025 14:15:04 | 50.20  | 65.50 | 50.30  | 64.60 |
| 6/11/2025 14:15:05 | 50.00  | 62.90 | 49.80  | 61.60 |
| 6/11/2025 14:15:06 | 50.40  | 63.30 | 50.30  | 63.70 |
| 6/11/2025 14:15:07 | 52.70  | 73.50 | 52.90  | 73.40 |
| 6/11/2025 14:15:08 | 55.30  | 69.20 | 55.90  | 69.00 |
| 6/11/2025 14:15:09 | 58.50  | 72.30 | 58.70  | 72.00 |
| 6/11/2025 14:15:10 | 62.20  | 77.20 | 62.90  | 77.40 |
| 6/11/2025 14:15:11 | 64.50  | 78.90 | 65.30  | 78.90 |
| 6/11/2025 14:15:12 | 65.10  | 82.20 | 65.30  | 82.30 |
| 6/11/2025 14:15:13 | 64.80  | 76.20 | 62.40  | 76.20 |
| 6/11/2025 14:15:14 | 63.10  | 72.00 | 58.20  | 72.10 |
| 6/11/2025 14:15:15 | 60.50  | 68.90 | 55.30  | 67.80 |
| 6/11/2025 14:15:16 | 57.90  | 66.20 | 54.00  | 66.70 |
| 6/11/2025 14:15:17 | 55.80  | 66.00 | 52.90  | 66.40 |
| 6/11/2025 14:15:18 | 54.10  | 65.20 | 51.40  | 64.60 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:15:19 | 52.70  | 62.30 | 49.90  | 62.30 |
| 6/11/2025 14:15:20 | 51.00  | 62.20 | 48.90  | 63.80 |
| 6/11/2025 14:15:21 | 49.80  | 61.20 | 48.50  | 61.60 |
| 6/11/2025 14:15:22 | 49.10  | 60.30 | 48.20  | 60.80 |
| 6/11/2025 14:15:23 | 48.70  | 62.30 | 48.30  | 61.10 |
| 6/11/2025 14:15:24 | 49.20  | 67.20 | 49.10  | 67.80 |
| 6/11/2025 14:15:25 | 48.90  | 60.10 | 47.90  | 60.70 |
| 6/11/2025 14:15:26 | 48.40  | 59.90 | 47.90  | 60.10 |
| 6/11/2025 14:15:27 | 49.00  | 66.80 | 49.00  | 67.70 |
| 6/11/2025 14:15:28 | 48.80  | 60.80 | 48.30  | 60.40 |
| 6/11/2025 14:15:29 | 48.40  | 60.40 | 47.60  | 59.90 |
| 6/11/2025 14:15:30 | 48.20  | 60.80 | 48.00  | 60.30 |
| 6/11/2025 14:15:31 | 48.50  | 62.30 | 48.60  | 62.00 |
| 6/11/2025 14:15:32 | 48.70  | 60.80 | 48.60  | 61.70 |
| 6/11/2025 14:15:33 | 49.20  | 64.40 | 49.00  | 63.90 |
| 6/11/2025 14:15:34 | 49.20  | 61.10 | 48.40  | 61.20 |
| 6/11/2025 14:15:35 | 49.30  | 63.20 | 49.50  | 63.70 |
| 6/11/2025 14:15:36 | 49.40  | 65.10 | 49.20  | 64.50 |
| 6/11/2025 14:15:37 | 50.00  | 64.80 | 50.10  | 64.80 |
| 6/11/2025 14:15:38 | 49.90  | 61.30 | 49.10  | 62.30 |
| 6/11/2025 14:15:39 | 49.80  | 64.70 | 49.20  | 63.90 |
| 6/11/2025 14:15:40 | 49.30  | 62.00 | 48.60  | 61.90 |
| 6/11/2025 14:15:41 | 49.00  | 61.70 | 48.40  | 61.70 |
| 6/11/2025 14:15:42 | 49.10  | 61.60 | 48.60  | 62.00 |
| 6/11/2025 14:15:43 | 48.60  | 61.70 | 48.30  | 60.70 |
| 6/11/2025 14:15:44 | 49.90  | 62.50 | 49.90  | 62.60 |
| 6/11/2025 14:15:45 | 50.50  | 63.30 | 50.40  | 64.00 |
| 6/11/2025 14:15:46 | 50.50  | 62.20 | 50.20  | 62.20 |
| 6/11/2025 14:15:47 | 50.80  | 64.00 | 50.70  | 63.20 |
| 6/11/2025 14:15:48 | 52.00  | 65.80 | 52.20  | 65.60 |
| 6/11/2025 14:15:49 | 54.70  | 69.90 | 55.00  | 70.20 |
| 6/11/2025 14:15:50 | 56.80  | 69.80 | 57.50  | 70.00 |
| 6/11/2025 14:15:51 | 58.70  | 72.90 | 59.20  | 73.20 |
| 6/11/2025 14:15:52 | 61.60  | 75.40 | 62.10  | 75.20 |
| 6/11/2025 14:15:53 | 62.30  | 77.50 | 62.80  | 77.20 |
| 6/11/2025 14:15:54 | 62.00  | 74.90 | 60.10  | 75.20 |
| 6/11/2025 14:15:55 | 60.80  | 70.30 | 57.50  | 70.60 |
| 6/11/2025 14:15:56 | 58.80  | 68.70 | 55.30  | 68.60 |
| 6/11/2025 14:15:57 | 56.70  | 66.10 | 52.40  | 66.60 |
| 6/11/2025 14:15:58 | 54.40  | 65.70 | 50.40  | 65.40 |
| 6/11/2025 14:15:59 | 52.30  | 62.30 | 49.60  | 62.80 |
| 6/11/2025 14:16:00 | 50.80  | 61.50 | 48.90  | 62.30 |
| 6/11/2025 14:16:01 | 49.70  | 61.20 | 48.20  | 61.40 |
| 6/11/2025 14:16:02 | 49.90  | 65.70 | 49.60  | 66.30 |
| 6/11/2025 14:16:03 | 49.40  | 61.60 | 48.70  | 62.20 |
| 6/11/2025 14:16:04 | 49.30  | 61.40 | 48.70  | 60.90 |
| 6/11/2025 14:16:05 | 48.90  | 61.10 | 48.00  | 60.60 |
| 6/11/2025 14:16:06 | 48.40  | 59.90 | 47.70  | 59.80 |
| 6/11/2025 14:16:07 | 48.50  | 61.70 | 48.40  | 61.00 |
| 6/11/2025 14:16:08 | 48.70  | 61.90 | 48.70  | 60.90 |
| 6/11/2025 14:16:09 | 49.00  | 64.70 | 48.90  | 64.10 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:16:10 | 49.30  | 63.20 | 48.90  | 62.10 |
| 6/11/2025 14:16:11 | 48.80  | 60.80 | 48.20  | 61.40 |
| 6/11/2025 14:16:12 | 49.50  | 63.50 | 49.30  | 63.10 |
| 6/11/2025 14:16:13 | 49.60  | 64.00 | 49.60  | 63.60 |
| 6/11/2025 14:16:14 | 50.30  | 71.30 | 50.40  | 70.80 |
| 6/11/2025 14:16:15 | 52.00  | 65.40 | 52.10  | 64.90 |
| 6/11/2025 14:16:16 | 55.70  | 70.00 | 56.00  | 69.80 |
| 6/11/2025 14:16:17 | 60.90  | 79.50 | 61.20  | 79.60 |
| 6/11/2025 14:16:18 | 65.90  | 80.70 | 66.50  | 80.80 |
| 6/11/2025 14:16:19 | 69.70  | 84.90 | 70.70  | 84.90 |
| 6/11/2025 14:16:20 | 69.70  | 84.40 | 67.80  | 84.30 |
| 6/11/2025 14:16:21 | 68.00  | 75.30 | 62.10  | 75.50 |
| 6/11/2025 14:16:22 | 65.10  | 72.80 | 59.70  | 72.70 |
| 6/11/2025 14:16:23 | 62.50  | 77.90 | 61.70  | 77.70 |
| 6/11/2025 14:16:24 | 64.90  | 81.60 | 65.30  | 81.30 |
| 6/11/2025 14:16:25 | 66.00  | 79.80 | 66.60  | 80.00 |
| 6/11/2025 14:16:26 | 66.30  | 78.90 | 65.80  | 78.90 |
| 6/11/2025 14:16:27 | 65.50  | 73.90 | 61.30  | 73.60 |
| 6/11/2025 14:16:28 | 63.10  | 71.50 | 58.20  | 71.70 |
| 6/11/2025 14:16:29 | 60.50  | 67.00 | 55.20  | 67.40 |
| 6/11/2025 14:16:30 | 58.00  | 69.90 | 55.00  | 69.60 |
| 6/11/2025 14:16:31 | 57.70  | 72.90 | 57.40  | 73.10 |
| 6/11/2025 14:16:32 | 61.40  | 75.20 | 61.90  | 75.10 |
| 6/11/2025 14:16:33 | 66.80  | 87.00 | 67.10  | 86.90 |
| 6/11/2025 14:16:34 | 67.30  | 83.50 | 67.50  | 83.30 |
| 6/11/2025 14:16:35 | 66.90  | 79.30 | 66.00  | 79.10 |
| 6/11/2025 14:16:36 | 66.30  | 76.50 | 64.10  | 76.20 |
| 6/11/2025 14:16:37 | 64.70  | 72.90 | 59.60  | 72.80 |
| 6/11/2025 14:16:38 | 61.90  | 69.20 | 56.20  | 69.10 |
| 6/11/2025 14:16:39 | 59.20  | 69.60 | 54.00  | 69.20 |
| 6/11/2025 14:16:40 | 56.50  | 65.60 | 52.60  | 66.40 |
| 6/11/2025 14:16:41 | 54.50  | 69.90 | 52.40  | 69.40 |
| 6/11/2025 14:16:42 | 53.30  | 64.90 | 50.00  | 63.40 |
| 6/11/2025 14:16:43 | 51.40  | 62.00 | 49.00  | 62.60 |
| 6/11/2025 14:16:44 | 50.20  | 64.30 | 49.60  | 63.50 |
| 6/11/2025 14:16:45 | 51.10  | 67.70 | 50.40  | 67.10 |
| 6/11/2025 14:16:46 | 51.10  | 63.70 | 49.80  | 64.40 |
| 6/11/2025 14:16:47 | 50.10  | 65.50 | 49.60  | 64.80 |
| 6/11/2025 14:16:48 | 49.80  | 62.90 | 49.00  | 62.60 |
| 6/11/2025 14:16:49 | 49.40  | 62.00 | 49.00  | 63.10 |
| 6/11/2025 14:16:50 | 49.30  | 62.10 | 48.90  | 62.50 |
| 6/11/2025 14:16:51 | 49.30  | 61.90 | 49.00  | 61.40 |
| 6/11/2025 14:16:52 | 49.00  | 61.40 | 48.30  | 61.10 |
| 6/11/2025 14:16:53 | 48.60  | 61.10 | 48.00  | 60.50 |
| 6/11/2025 14:16:54 | 52.00  | 70.80 | 50.30  | 70.80 |
| 6/11/2025 14:16:55 | 52.20  | 64.80 | 51.40  | 64.70 |
| 6/11/2025 14:16:56 | 50.70  | 64.90 | 48.60  | 64.20 |
| 6/11/2025 14:16:57 | 56.00  | 71.10 | 54.90  | 71.20 |
| 6/11/2025 14:16:58 | 55.90  | 64.00 | 51.60  | 63.30 |
| 6/11/2025 14:16:59 | 52.80  | 61.30 | 48.30  | 60.70 |
| 6/11/2025 14:17:00 | 53.50  | 68.90 | 53.20  | 69.60 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:17:01 | 52.20  | 67.90 | 48.80  | 67.70 |
| 6/11/2025 14:17:02 | 52.10  | 67.00 | 51.80  | 67.00 |
| 6/11/2025 14:17:03 | 53.80  | 68.70 | 52.90  | 68.80 |
| 6/11/2025 14:17:04 | 55.50  | 71.90 | 54.50  | 71.90 |
| 6/11/2025 14:17:05 | 55.90  | 70.30 | 54.20  | 70.40 |
| 6/11/2025 14:17:06 | 53.90  | 61.90 | 48.80  | 62.20 |
| 6/11/2025 14:17:07 | 51.60  | 63.80 | 49.80  | 63.10 |
| 6/11/2025 14:17:08 | 50.70  | 63.20 | 50.30  | 63.40 |
| 6/11/2025 14:17:09 | 50.90  | 67.00 | 50.80  | 66.30 |
| 6/11/2025 14:17:10 | 50.70  | 64.20 | 50.20  | 65.10 |
| 6/11/2025 14:17:11 | 50.30  | 62.60 | 49.50  | 62.10 |
| 6/11/2025 14:17:12 | 50.00  | 63.70 | 49.90  | 64.00 |
| 6/11/2025 14:17:13 | 50.20  | 62.40 | 49.60  | 62.60 |
| 6/11/2025 14:17:14 | 49.70  | 65.30 | 49.20  | 64.70 |
| 6/11/2025 14:17:15 | 49.30  | 62.30 | 48.80  | 62.30 |
| 6/11/2025 14:17:16 | 49.80  | 65.10 | 49.60  | 64.70 |
| 6/11/2025 14:17:17 | 49.70  | 62.80 | 49.10  | 63.20 |
| 6/11/2025 14:17:18 | 49.60  | 65.10 | 49.00  | 64.70 |
| 6/11/2025 14:17:19 | 50.20  | 66.90 | 50.10  | 65.60 |
| 6/11/2025 14:17:20 | 50.80  | 67.00 | 50.80  | 67.40 |
| 6/11/2025 14:17:21 | 51.20  | 66.50 | 51.00  | 66.40 |
| 6/11/2025 14:17:22 | 51.00  | 70.40 | 50.50  | 70.30 |
| 6/11/2025 14:17:23 | 50.60  | 72.10 | 50.00  | 72.70 |
| 6/11/2025 14:17:24 | 50.50  | 63.40 | 49.60  | 62.20 |
| 6/11/2025 14:17:25 | 50.00  | 63.60 | 49.80  | 63.90 |
| 6/11/2025 14:17:26 | 50.00  | 62.70 | 49.10  | 62.10 |
| 6/11/2025 14:17:27 | 50.20  | 64.10 | 50.20  | 62.90 |
| 6/11/2025 14:17:28 | 50.70  | 63.40 | 50.40  | 65.30 |
| 6/11/2025 14:17:29 | 50.60  | 64.40 | 50.30  | 63.90 |
| 6/11/2025 14:17:30 | 50.40  | 66.70 | 49.30  | 66.10 |
| 6/11/2025 14:17:31 | 50.30  | 66.90 | 50.30  | 66.40 |
| 6/11/2025 14:17:32 | 50.20  | 63.30 | 49.90  | 62.30 |
| 6/11/2025 14:17:33 | 51.10  | 65.80 | 51.50  | 65.80 |
| 6/11/2025 14:17:34 | 50.70  | 62.20 | 49.20  | 63.30 |
| 6/11/2025 14:17:35 | 50.00  | 65.70 | 49.40  | 65.70 |
| 6/11/2025 14:17:36 | 50.70  | 66.60 | 50.70  | 66.80 |
| 6/11/2025 14:17:37 | 50.20  | 64.50 | 49.60  | 63.50 |
| 6/11/2025 14:17:38 | 49.90  | 65.60 | 49.30  | 66.30 |
| 6/11/2025 14:17:39 | 50.90  | 66.50 | 51.00  | 65.80 |
| 6/11/2025 14:17:40 | 51.80  | 65.70 | 52.00  | 65.60 |
| 6/11/2025 14:17:41 | 54.60  | 67.00 | 54.80  | 66.80 |
| 6/11/2025 14:17:42 | 55.20  | 67.30 | 55.40  | 67.50 |
| 6/11/2025 14:17:43 | 55.20  | 69.90 | 54.80  | 70.00 |
| 6/11/2025 14:17:44 | 56.00  | 68.40 | 56.30  | 68.20 |
| 6/11/2025 14:17:45 | 59.10  | 73.20 | 58.90  | 73.20 |
| 6/11/2025 14:17:46 | 64.10  | 77.10 | 65.00  | 77.20 |
| 6/11/2025 14:17:47 | 66.30  | 78.80 | 66.80  | 78.90 |
| 6/11/2025 14:17:48 | 70.70  | 82.20 | 71.40  | 82.20 |
| 6/11/2025 14:17:49 | 70.80  | 80.60 | 70.10  | 80.60 |
| 6/11/2025 14:17:50 | 70.00  | 78.50 | 65.20  | 78.50 |
| 6/11/2025 14:17:51 | 67.20  | 72.80 | 61.20  | 73.00 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:17:52 | 64.40  | 72.90 | 59.40  | 73.30 |
| 6/11/2025 14:17:53 | 61.90  | 70.80 | 58.30  | 70.70 |
| 6/11/2025 14:17:54 | 59.90  | 71.00 | 57.50  | 70.70 |
| 6/11/2025 14:17:55 | 58.40  | 67.20 | 55.20  | 67.20 |
| 6/11/2025 14:17:56 | 57.00  | 71.30 | 55.80  | 71.00 |
| 6/11/2025 14:17:57 | 59.20  | 75.10 | 58.90  | 75.10 |
| 6/11/2025 14:17:58 | 58.20  | 77.80 | 53.30  | 78.00 |
| 6/11/2025 14:17:59 | 55.70  | 64.50 | 51.50  | 65.20 |
| 6/11/2025 14:18:00 | 55.20  | 68.60 | 54.70  | 68.30 |
| 6/11/2025 14:18:01 | 58.20  | 75.10 | 58.50  | 75.10 |
| 6/11/2025 14:18:02 | 61.70  | 77.60 | 62.40  | 77.60 |
| 6/11/2025 14:18:03 | 64.30  | 77.40 | 65.10  | 77.10 |
| 6/11/2025 14:18:04 | 65.50  | 86.00 | 65.80  | 85.90 |
| 6/11/2025 14:18:05 | 65.30  | 81.80 | 64.00  | 81.80 |
| 6/11/2025 14:18:06 | 64.20  | 73.60 | 59.70  | 73.40 |
| 6/11/2025 14:18:07 | 61.80  | 72.70 | 57.90  | 72.60 |
| 6/11/2025 14:18:08 | 59.60  | 76.90 | 56.90  | 76.70 |
| 6/11/2025 14:18:09 | 58.10  | 68.40 | 55.40  | 68.20 |
| 6/11/2025 14:18:10 | 56.90  | 70.50 | 56.40  | 70.90 |
| 6/11/2025 14:18:11 | 59.60  | 72.30 | 60.00  | 72.30 |
| 6/11/2025 14:18:12 | 64.00  | 77.80 | 64.20  | 77.80 |
| 6/11/2025 14:18:13 | 68.60  | 82.30 | 69.70  | 82.10 |
| 6/11/2025 14:18:14 | 68.50  | 79.30 | 66.00  | 79.30 |
| 6/11/2025 14:18:15 | 66.60  | 72.10 | 59.60  | 72.30 |
| 6/11/2025 14:18:16 | 63.30  | 70.20 | 54.90  | 71.10 |
| 6/11/2025 14:18:17 | 59.90  | 66.90 | 53.30  | 66.60 |
| 6/11/2025 14:18:18 | 56.90  | 69.90 | 51.20  | 69.50 |
| 6/11/2025 14:18:19 | 54.40  | 62.70 | 49.80  | 61.50 |
| 6/11/2025 14:18:20 | 52.10  | 62.30 | 49.60  | 62.00 |
| 6/11/2025 14:18:21 | 50.70  | 61.20 | 49.20  | 61.70 |
| 6/11/2025 14:18:22 | 50.40  | 62.50 | 50.50  | 63.50 |
| 6/11/2025 14:18:23 | 50.60  | 63.40 | 50.60  | 63.70 |
| 6/11/2025 14:18:24 | 50.70  | 63.50 | 50.60  | 63.10 |
| 6/11/2025 14:18:25 | 51.10  | 64.40 | 51.30  | 65.10 |
| 6/11/2025 14:18:26 | 51.20  | 64.30 | 50.60  | 63.30 |
| 6/11/2025 14:18:27 | 51.10  | 67.90 | 50.70  | 67.80 |
| 6/11/2025 14:18:28 | 50.80  | 67.50 | 49.80  | 67.50 |
| 6/11/2025 14:18:29 | 50.10  | 62.40 | 49.80  | 62.30 |
| 6/11/2025 14:18:30 | 50.50  | 63.80 | 50.40  | 63.50 |
| 6/11/2025 14:18:31 | 50.70  | 63.10 | 50.50  | 62.30 |
| 6/11/2025 14:18:32 | 51.50  | 68.60 | 51.20  | 68.80 |
| 6/11/2025 14:18:33 | 52.50  | 66.90 | 52.90  | 66.70 |
| 6/11/2025 14:18:34 | 52.40  | 64.70 | 52.30  | 65.50 |
| 6/11/2025 14:18:35 | 53.00  | 68.50 | 53.00  | 67.80 |
| 6/11/2025 14:18:36 | 53.60  | 74.50 | 53.50  | 74.20 |
| 6/11/2025 14:18:37 | 54.30  | 69.80 | 54.50  | 70.80 |
| 6/11/2025 14:18:38 | 64.20  | 78.40 | 65.40  | 78.20 |
| 6/11/2025 14:18:39 | 63.10  | 74.60 | 58.70  | 74.50 |
| 6/11/2025 14:18:40 | 65.40  | 79.80 | 65.90  | 79.60 |
| 6/11/2025 14:18:41 | 64.90  | 76.00 | 62.70  | 75.90 |
| 6/11/2025 14:18:42 | 63.80  | 70.40 | 57.00  | 69.30 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:18:43 | 60.50  | 69.00 | 55.70  | 69.10 |
| 6/11/2025 14:18:44 | 58.30  | 66.00 | 53.40  | 65.60 |
| 6/11/2025 14:18:45 | 56.80  | 70.20 | 56.00  | 70.50 |
| 6/11/2025 14:18:46 | 58.00  | 71.80 | 58.20  | 71.10 |
| 6/11/2025 14:18:47 | 64.30  | 79.70 | 64.30  | 79.60 |
| 6/11/2025 14:18:48 | 69.00  | 86.50 | 70.30  | 86.50 |
| 6/11/2025 14:18:49 | 69.20  | 81.20 | 69.00  | 81.20 |
| 6/11/2025 14:18:50 | 71.60  | 85.00 | 72.20  | 84.90 |
| 6/11/2025 14:18:51 | 71.50  | 81.00 | 69.30  | 80.90 |
| 6/11/2025 14:18:52 | 69.70  | 75.70 | 63.30  | 75.90 |
| 6/11/2025 14:18:53 | 66.70  | 73.90 | 58.90  | 73.70 |
| 6/11/2025 14:18:54 | 63.30  | 76.40 | 60.20  | 76.60 |
| 6/11/2025 14:18:55 | 61.80  | 76.30 | 57.90  | 76.10 |
| 6/11/2025 14:18:56 | 59.60  | 67.90 | 53.80  | 68.90 |
| 6/11/2025 14:18:57 | 56.70  | 71.30 | 51.80  | 71.70 |
| 6/11/2025 14:18:58 | 54.20  | 62.70 | 49.50  | 63.00 |
| 6/11/2025 14:18:59 | 51.80  | 62.00 | 48.80  | 61.30 |
| 6/11/2025 14:19:00 | 50.30  | 62.00 | 48.90  | 62.00 |
| 6/11/2025 14:19:01 | 49.50  | 61.20 | 48.20  | 61.60 |
| 6/11/2025 14:19:02 | 48.90  | 63.20 | 48.80  | 62.90 |
| 6/11/2025 14:19:03 | 49.20  | 61.50 | 49.20  | 61.90 |
| 6/11/2025 14:19:04 | 49.40  | 61.70 | 49.40  | 61.60 |
| 6/11/2025 14:19:05 | 51.90  | 67.60 | 51.30  | 67.40 |
| 6/11/2025 14:19:06 | 53.40  | 68.50 | 52.90  | 67.50 |
| 6/11/2025 14:19:07 | 54.10  | 67.50 | 53.50  | 67.90 |
| 6/11/2025 14:19:08 | 52.70  | 63.10 | 49.40  | 62.80 |
| 6/11/2025 14:19:09 | 50.90  | 62.40 | 49.20  | 62.70 |
| 6/11/2025 14:19:10 | 49.90  | 61.60 | 49.00  | 61.80 |
| 6/11/2025 14:19:11 | 49.50  | 60.90 | 47.90  | 60.90 |
| 6/11/2025 14:19:12 | 48.60  | 60.80 | 48.00  | 61.60 |
| 6/11/2025 14:19:13 | 49.40  | 65.20 | 49.70  | 64.70 |
| 6/11/2025 14:19:14 | 50.40  | 66.30 | 50.40  | 66.10 |
| 6/11/2025 14:19:15 | 50.10  | 61.40 | 49.20  | 61.70 |
| 6/11/2025 14:19:16 | 51.60  | 67.10 | 51.00  | 66.40 |
| 6/11/2025 14:19:17 | 55.60  | 70.70 | 56.40  | 70.80 |
| 6/11/2025 14:19:18 | 63.20  | 78.20 | 64.30  | 78.20 |
| 6/11/2025 14:19:19 | 63.80  | 83.10 | 63.80  | 83.00 |
| 6/11/2025 14:19:20 | 64.00  | 76.30 | 64.10  | 76.20 |
| 6/11/2025 14:19:21 | 64.00  | 85.90 | 62.60  | 85.90 |
| 6/11/2025 14:19:22 | 62.70  | 71.00 | 58.30  | 71.30 |
| 6/11/2025 14:19:23 | 60.30  | 67.70 | 55.40  | 67.80 |
| 6/11/2025 14:19:24 | 57.80  | 67.80 | 52.90  | 66.80 |
| 6/11/2025 14:19:25 | 55.40  | 63.60 | 51.40  | 64.00 |
| 6/11/2025 14:19:26 | 54.30  | 75.00 | 51.40  | 75.00 |
| 6/11/2025 14:19:27 | 54.40  | 66.10 | 52.50  | 66.00 |
| 6/11/2025 14:19:28 | 52.20  | 61.00 | 49.00  | 61.20 |
| 6/11/2025 14:19:29 | 50.40  | 61.80 | 48.70  | 62.60 |
| 6/11/2025 14:19:30 | 49.60  | 63.00 | 49.20  | 63.50 |
| 6/11/2025 14:19:31 | 51.10  | 65.60 | 51.40  | 65.60 |
| 6/11/2025 14:19:32 | 51.70  | 67.20 | 51.00  | 66.90 |
| 6/11/2025 14:19:33 | 50.80  | 62.60 | 49.50  | 62.40 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:19:34 | 50.30  | 75.10 | 50.00  | 75.50 |
| 6/11/2025 14:19:35 | 50.20  | 63.60 | 49.70  | 63.00 |
| 6/11/2025 14:19:36 | 50.20  | 63.10 | 50.20  | 62.30 |
| 6/11/2025 14:19:37 | 50.20  | 64.50 | 49.90  | 63.60 |
| 6/11/2025 14:19:38 | 50.70  | 65.30 | 50.50  | 65.10 |
| 6/11/2025 14:19:39 | 50.70  | 65.50 | 50.50  | 65.90 |
| 6/11/2025 14:19:40 | 50.50  | 62.60 | 49.90  | 63.20 |
| 6/11/2025 14:19:41 | 50.50  | 65.30 | 50.40  | 63.80 |
| 6/11/2025 14:19:42 | 50.50  | 68.20 | 50.00  | 68.70 |
| 6/11/2025 14:19:43 | 51.20  | 64.40 | 51.60  | 64.30 |
| 6/11/2025 14:19:44 | 52.20  | 69.60 | 52.10  | 69.40 |
| 6/11/2025 14:19:45 | 53.60  | 67.70 | 53.90  | 67.40 |
| 6/11/2025 14:19:46 | 55.50  | 68.60 | 56.20  | 68.40 |
| 6/11/2025 14:19:47 | 58.90  | 73.00 | 59.40  | 72.60 |
| 6/11/2025 14:19:48 | 64.00  | 79.90 | 64.40  | 80.10 |
| 6/11/2025 14:19:49 | 70.20  | 86.10 | 70.60  | 86.10 |
| 6/11/2025 14:19:50 | 71.10  | 85.50 | 71.70  | 85.30 |
| 6/11/2025 14:19:51 | 70.60  | 78.80 | 65.70  | 78.60 |
| 6/11/2025 14:19:52 | 67.80  | 69.70 | 56.50  | 70.20 |
| 6/11/2025 14:19:53 | 63.90  | 66.00 | 52.50  | 65.50 |
| 6/11/2025 14:19:54 | 60.10  | 64.40 | 51.10  | 64.10 |
| 6/11/2025 14:19:55 | 56.60  | 67.80 | 50.30  | 68.10 |
| 6/11/2025 14:19:56 | 53.90  | 66.80 | 53.30  | 66.60 |
| 6/11/2025 14:19:57 | 56.60  | 79.70 | 56.90  | 79.70 |
| 6/11/2025 14:19:58 | 57.80  | 77.80 | 56.80  | 77.60 |
| 6/11/2025 14:19:59 | 56.70  | 72.40 | 56.00  | 72.20 |
| 6/11/2025 14:20:00 | 60.80  | 77.40 | 60.80  | 77.30 |
| 6/11/2025 14:20:01 | 66.40  | 81.20 | 66.60  | 81.20 |
| 6/11/2025 14:20:02 | 70.10  | 85.00 | 71.20  | 85.00 |
| 6/11/2025 14:20:03 | 70.10  | 81.00 | 68.80  | 81.10 |
| 6/11/2025 14:20:04 | 68.90  | 78.40 | 64.60  | 78.30 |
| 6/11/2025 14:20:05 | 66.30  | 74.70 | 58.70  | 74.60 |
| 6/11/2025 14:20:06 | 63.00  | 67.70 | 54.80  | 67.10 |
| 6/11/2025 14:20:07 | 59.60  | 66.60 | 52.80  | 66.30 |
| 6/11/2025 14:20:08 | 56.60  | 64.30 | 51.00  | 63.30 |
| 6/11/2025 14:20:09 | 54.00  | 71.10 | 52.10  | 70.80 |
| 6/11/2025 14:20:10 | 53.30  | 63.20 | 50.90  | 62.90 |
| 6/11/2025 14:20:11 | 51.60  | 66.90 | 50.40  | 66.20 |
| 6/11/2025 14:20:12 | 50.90  | 64.20 | 50.20  | 63.60 |
| 6/11/2025 14:20:13 | 50.70  | 63.70 | 49.80  | 63.80 |
| 6/11/2025 14:20:14 | 50.00  | 63.20 | 49.40  | 62.40 |
| 6/11/2025 14:20:15 | 51.00  | 65.80 | 50.50  | 65.40 |
| 6/11/2025 14:20:16 | 51.10  | 61.40 | 48.90  | 61.70 |
| 6/11/2025 14:20:17 | 49.50  | 64.00 | 48.50  | 64.80 |
| 6/11/2025 14:20:18 | 48.90  | 61.70 | 47.90  | 61.90 |
| 6/11/2025 14:20:19 | 49.40  | 63.10 | 49.00  | 64.10 |
| 6/11/2025 14:20:20 | 49.50  | 61.70 | 48.90  | 62.80 |
| 6/11/2025 14:20:21 | 49.30  | 62.70 | 49.00  | 61.60 |
| 6/11/2025 14:20:22 | 49.70  | 68.90 | 49.50  | 67.80 |
| 6/11/2025 14:20:23 | 49.30  | 62.00 | 48.60  | 61.40 |
| 6/11/2025 14:20:24 | 49.40  | 70.70 | 49.50  | 70.80 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:20:25 | 49.70  | 63.00 | 49.50  | 62.80 |
| 6/11/2025 14:20:26 | 50.50  | 64.70 | 50.60  | 64.20 |
| 6/11/2025 14:20:27 | 50.10  | 61.90 | 49.30  | 62.30 |
| 6/11/2025 14:20:28 | 49.80  | 62.00 | 49.30  | 62.10 |
| 6/11/2025 14:20:29 | 49.40  | 66.80 | 48.80  | 66.70 |
| 6/11/2025 14:20:30 | 49.90  | 71.40 | 50.10  | 72.20 |
| 6/11/2025 14:20:31 | 54.80  | 72.20 | 55.00  | 72.10 |
| 6/11/2025 14:20:32 | 57.00  | 75.30 | 57.60  | 75.20 |
| 6/11/2025 14:20:33 | 59.60  | 73.80 | 60.10  | 73.50 |
| 6/11/2025 14:20:34 | 61.90  | 74.80 | 62.70  | 74.70 |
| 6/11/2025 14:20:35 | 62.40  | 75.60 | 62.70  | 75.90 |
| 6/11/2025 14:20:36 | 62.40  | 73.80 | 60.60  | 73.80 |
| 6/11/2025 14:20:37 | 61.00  | 71.20 | 57.60  | 71.10 |
| 6/11/2025 14:20:38 | 59.40  | 71.50 | 59.20  | 71.50 |
| 6/11/2025 14:20:39 | 60.80  | 73.00 | 61.00  | 72.90 |
| 6/11/2025 14:20:40 | 61.90  | 83.60 | 62.50  | 83.40 |
| 6/11/2025 14:20:41 | 61.80  | 72.50 | 59.10  | 72.10 |
| 6/11/2025 14:20:42 | 59.90  | 69.50 | 55.70  | 69.30 |
| 6/11/2025 14:20:43 | 57.60  | 66.80 | 53.70  | 67.10 |
| 6/11/2025 14:20:44 | 58.80  | 72.40 | 58.90  | 72.50 |
| 6/11/2025 14:20:45 | 58.60  | 70.50 | 55.20  | 70.50 |
| 6/11/2025 14:20:46 | 56.20  | 70.30 | 54.60  | 69.90 |
| 6/11/2025 14:20:47 | 55.90  | 64.10 | 51.90  | 64.30 |
| 6/11/2025 14:20:48 | 53.50  | 63.10 | 50.00  | 62.80 |
| 6/11/2025 14:20:49 | 51.50  | 65.10 | 49.80  | 64.60 |
| 6/11/2025 14:20:50 | 50.90  | 63.60 | 50.80  | 63.40 |
| 6/11/2025 14:20:51 | 51.90  | 68.70 | 51.10  | 68.80 |
| 6/11/2025 14:20:52 | 54.60  | 73.00 | 55.00  | 73.30 |
| 6/11/2025 14:20:53 | 54.10  | 63.90 | 51.80  | 63.90 |
| 6/11/2025 14:20:54 | 52.90  | 63.90 | 50.70  | 63.30 |
| 6/11/2025 14:20:55 | 51.90  | 66.00 | 51.70  | 65.80 |
| 6/11/2025 14:20:56 | 59.10  | 78.70 | 59.30  | 78.80 |
| 6/11/2025 14:20:57 | 60.20  | 75.00 | 60.50  | 74.80 |
| 6/11/2025 14:20:58 | 59.50  | 71.50 | 57.70  | 71.40 |
| 6/11/2025 14:20:59 | 58.50  | 81.50 | 57.20  | 81.30 |
| 6/11/2025 14:21:00 | 60.20  | 74.30 | 60.30  | 74.10 |
| 6/11/2025 14:21:01 | 62.40  | 82.50 | 62.90  | 82.30 |
| 6/11/2025 14:21:02 | 64.70  | 80.50 | 65.20  | 80.40 |
| 6/11/2025 14:21:03 | 67.00  | 80.90 | 67.80  | 80.80 |
| 6/11/2025 14:21:04 | 69.20  | 82.30 | 69.40  | 82.30 |
| 6/11/2025 14:21:05 | 70.10  | 83.00 | 70.70  | 82.90 |
| 6/11/2025 14:21:06 | 70.00  | 80.70 | 67.60  | 80.70 |
| 6/11/2025 14:21:07 | 68.20  | 77.00 | 63.90  | 76.80 |
| 6/11/2025 14:21:08 | 65.80  | 73.40 | 60.90  | 73.80 |
| 6/11/2025 14:21:09 | 63.20  | 71.10 | 58.80  | 71.80 |
| 6/11/2025 14:21:10 | 61.00  | 70.10 | 57.90  | 69.90 |
| 6/11/2025 14:21:11 | 59.20  | 69.20 | 56.90  | 69.20 |
| 6/11/2025 14:21:12 | 58.00  | 67.70 | 56.30  | 68.20 |
| 6/11/2025 14:21:13 | 56.90  | 69.00 | 55.40  | 69.20 |
| 6/11/2025 14:21:14 | 55.80  | 68.00 | 54.00  | 68.10 |
| 6/11/2025 14:21:15 | 54.90  | 65.60 | 52.90  | 65.50 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:21:16 | 53.50  | 63.40 | 50.80  | 64.70 |
| 6/11/2025 14:21:17 | 51.90  | 62.70 | 50.20  | 62.80 |
| 6/11/2025 14:21:18 | 50.90  | 63.40 | 49.70  | 64.10 |
| 6/11/2025 14:21:19 | 50.20  | 64.00 | 49.70  | 62.90 |
| 6/11/2025 14:21:20 | 51.40  | 73.60 | 51.40  | 73.30 |
| 6/11/2025 14:21:21 | 51.00  | 62.90 | 49.80  | 62.90 |
| 6/11/2025 14:21:22 | 51.00  | 64.80 | 50.80  | 65.90 |
| 6/11/2025 14:21:23 | 50.70  | 62.50 | 49.40  | 61.80 |
| 6/11/2025 14:21:24 | 50.00  | 61.80 | 49.30  | 62.20 |
| 6/11/2025 14:21:25 | 49.60  | 62.20 | 48.70  | 61.70 |
| 6/11/2025 14:21:26 | 49.20  | 62.40 | 48.80  | 61.80 |
| 6/11/2025 14:21:27 | 49.20  | 62.00 | 49.00  | 61.50 |
| 6/11/2025 14:21:28 | 49.60  | 63.10 | 49.50  | 63.00 |
| 6/11/2025 14:21:29 | 49.60  | 63.30 | 49.20  | 61.90 |
| 6/11/2025 14:21:30 | 50.50  | 66.90 | 50.90  | 66.40 |
| 6/11/2025 14:21:31 | 50.40  | 63.90 | 48.90  | 63.10 |
| 6/11/2025 14:21:32 | 51.30  | 72.20 | 50.90  | 72.00 |
| 6/11/2025 14:21:33 | 50.90  | 61.10 | 48.70  | 60.30 |
| 6/11/2025 14:21:34 | 51.00  | 70.30 | 50.50  | 70.20 |
| 6/11/2025 14:21:35 | 50.90  | 61.90 | 49.10  | 61.30 |
| 6/11/2025 14:21:36 | 49.80  | 61.60 | 48.70  | 61.80 |
| 6/11/2025 14:21:37 | 49.10  | 61.70 | 48.70  | 61.60 |
| 6/11/2025 14:21:38 | 49.20  | 61.40 | 49.10  | 61.60 |
| 6/11/2025 14:21:39 | 49.40  | 63.20 | 49.30  | 62.50 |
| 6/11/2025 14:21:40 | 49.60  | 62.70 | 49.60  | 62.40 |
| 6/11/2025 14:21:41 | 49.80  | 62.70 | 49.60  | 63.20 |
| 6/11/2025 14:21:42 | 50.10  | 67.60 | 49.30  | 66.20 |
| 6/11/2025 14:21:43 | 50.90  | 65.80 | 50.70  | 65.30 |
| 6/11/2025 14:21:44 | 50.40  | 71.10 | 49.90  | 70.70 |
| 6/11/2025 14:21:45 | 50.20  | 65.40 | 49.60  | 64.90 |
| 6/11/2025 14:21:46 | 50.00  | 62.80 | 49.80  | 63.60 |
| 6/11/2025 14:21:47 | 49.80  | 62.60 | 49.50  | 61.70 |
| 6/11/2025 14:21:48 | 49.80  | 62.50 | 49.40  | 62.10 |
| 6/11/2025 14:21:49 | 49.40  | 62.20 | 48.90  | 61.70 |
| 6/11/2025 14:21:50 | 49.20  | 62.20 | 48.50  | 60.90 |
| 6/11/2025 14:21:51 | 48.90  | 60.60 | 48.70  | 60.80 |
| 6/11/2025 14:21:52 | 48.80  | 60.70 | 48.70  | 61.20 |
| 6/11/2025 14:21:53 | 49.00  | 62.70 | 48.80  | 61.10 |
| 6/11/2025 14:21:54 | 49.30  | 61.80 | 49.10  | 62.50 |
| 6/11/2025 14:21:55 | 49.00  | 66.20 | 48.50  | 66.10 |
| 6/11/2025 14:21:56 | 49.10  | 61.70 | 48.90  | 61.60 |
| 6/11/2025 14:21:57 | 49.00  | 64.20 | 48.80  | 64.60 |
| 6/11/2025 14:21:58 | 49.20  | 62.10 | 49.20  | 61.30 |
| 6/11/2025 14:21:59 | 49.10  | 62.70 | 48.80  | 62.60 |
| 6/11/2025 14:22:00 | 48.90  | 61.60 | 48.70  | 61.60 |
| 6/11/2025 14:22:01 | 49.30  | 62.20 | 49.40  | 62.30 |
| 6/11/2025 14:22:02 | 49.60  | 62.40 | 49.70  | 62.00 |
| 6/11/2025 14:22:03 | 49.90  | 62.40 | 49.90  | 62.60 |
| 6/11/2025 14:22:04 | 50.50  | 64.00 | 50.50  | 63.90 |
| 6/11/2025 14:22:05 | 52.50  | 71.10 | 52.90  | 71.10 |
| 6/11/2025 14:22:06 | 52.70  | 67.40 | 52.70  | 67.00 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:22:07 | 52.70  | 68.10 | 51.90  | 68.40 |
| 6/11/2025 14:22:08 | 52.40  | 69.30 | 52.00  | 68.90 |
| 6/11/2025 14:22:09 | 55.20  | 77.80 | 56.10  | 77.70 |
| 6/11/2025 14:22:10 | 56.50  | 73.70 | 56.80  | 73.20 |
| 6/11/2025 14:22:11 | 60.50  | 74.90 | 60.80  | 75.00 |
| 6/11/2025 14:22:12 | 62.40  | 75.90 | 63.20  | 76.10 |
| 6/11/2025 14:22:13 | 63.20  | 76.80 | 63.70  | 76.60 |
| 6/11/2025 14:22:14 | 63.20  | 74.90 | 61.80  | 75.00 |
| 6/11/2025 14:22:15 | 62.00  | 74.30 | 60.90  | 74.20 |
| 6/11/2025 14:22:16 | 61.80  | 74.40 | 61.70  | 74.70 |
| 6/11/2025 14:22:17 | 64.40  | 77.60 | 64.70  | 77.90 |
| 6/11/2025 14:22:18 | 64.80  | 79.20 | 64.90  | 79.10 |
| 6/11/2025 14:22:19 | 64.40  | 76.10 | 61.40  | 75.50 |
| 6/11/2025 14:22:20 | 62.40  | 72.80 | 58.30  | 72.70 |
| 6/11/2025 14:22:21 | 60.00  | 67.20 | 54.50  | 67.50 |
| 6/11/2025 14:22:22 | 57.40  | 68.10 | 54.00  | 68.70 |
| 6/11/2025 14:22:23 | 55.60  | 68.10 | 54.50  | 68.30 |
| 6/11/2025 14:22:24 | 57.40  | 74.10 | 58.10  | 73.80 |
| 6/11/2025 14:22:25 | 57.00  | 71.40 | 55.40  | 71.50 |
| 6/11/2025 14:22:26 | 56.00  | 69.20 | 54.20  | 68.60 |
| 6/11/2025 14:22:27 | 56.60  | 71.70 | 56.60  | 71.60 |
| 6/11/2025 14:22:28 | 59.70  | 80.80 | 59.90  | 80.90 |
| 6/11/2025 14:22:29 | 63.90  | 78.00 | 64.40  | 77.90 |
| 6/11/2025 14:22:30 | 66.10  | 81.30 | 67.00  | 81.20 |
| 6/11/2025 14:22:31 | 66.10  | 75.70 | 63.60  | 75.70 |
| 6/11/2025 14:22:32 | 64.20  | 72.20 | 58.30  | 72.50 |
| 6/11/2025 14:22:33 | 61.30  | 71.90 | 54.90  | 71.70 |
| 6/11/2025 14:22:34 | 58.30  | 66.50 | 53.10  | 66.10 |
| 6/11/2025 14:22:35 | 55.70  | 63.80 | 50.60  | 63.90 |
| 6/11/2025 14:22:36 | 53.10  | 62.40 | 49.60  | 62.20 |
| 6/11/2025 14:22:37 | 51.30  | 63.10 | 49.50  | 62.50 |
| 6/11/2025 14:22:38 | 50.60  | 65.40 | 50.00  | 66.00 |
| 6/11/2025 14:22:39 | 49.90  | 61.50 | 48.60  | 61.60 |
| 6/11/2025 14:22:40 | 49.20  | 61.50 | 48.10  | 61.70 |
| 6/11/2025 14:22:41 | 48.60  | 60.90 | 48.10  | 61.60 |
| 6/11/2025 14:22:42 | 48.30  | 60.10 | 47.70  | 60.80 |
| 6/11/2025 14:22:43 | 48.30  | 73.80 | 48.10  | 74.10 |
| 6/11/2025 14:22:44 | 48.20  | 61.60 | 48.10  | 61.20 |
| 6/11/2025 14:22:45 | 48.20  | 61.50 | 47.90  | 60.30 |
| 6/11/2025 14:22:46 | 48.70  | 70.00 | 48.60  | 69.90 |
| 6/11/2025 14:22:47 | 49.30  | 68.80 | 48.60  | 68.70 |
| 6/11/2025 14:22:48 | 48.70  | 66.80 | 48.30  | 66.40 |
| 6/11/2025 14:22:49 | 48.60  | 60.40 | 47.90  | 62.10 |
| 6/11/2025 14:22:50 | 48.20  | 61.50 | 47.80  | 60.70 |
| 6/11/2025 14:22:51 | 48.10  | 60.90 | 48.00  | 60.60 |
| 6/11/2025 14:22:52 | 48.30  | 63.20 | 48.10  | 64.30 |
| 6/11/2025 14:22:53 | 48.30  | 67.10 | 47.70  | 66.40 |
| 6/11/2025 14:22:54 | 48.00  | 60.30 | 47.50  | 60.40 |
| 6/11/2025 14:22:55 | 47.70  | 60.70 | 47.20  | 60.00 |
| 6/11/2025 14:22:56 | 47.80  | 64.50 | 47.60  | 64.50 |
| 6/11/2025 14:22:57 | 47.80  | 62.50 | 47.30  | 61.90 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:22:58 | 47.80  | 62.10 | 47.90  | 62.40 |
| 6/11/2025 14:22:59 | 48.10  | 62.30 | 47.90  | 61.70 |
| 6/11/2025 14:23:00 | 47.80  | 60.00 | 47.20  | 59.60 |
| 6/11/2025 14:23:01 | 48.50  | 62.60 | 48.20  | 62.30 |
| 6/11/2025 14:23:02 | 48.70  | 61.20 | 48.30  | 61.00 |
| 6/11/2025 14:23:03 | 48.70  | 65.00 | 47.90  | 65.30 |
| 6/11/2025 14:23:04 | 47.90  | 60.40 | 47.20  | 60.40 |
| 6/11/2025 14:23:05 | 47.70  | 61.10 | 47.40  | 59.90 |
| 6/11/2025 14:23:06 | 47.70  | 60.10 | 47.10  | 59.60 |
| 6/11/2025 14:23:07 | 47.30  | 61.40 | 47.10  | 60.40 |
| 6/11/2025 14:23:08 | 47.30  | 60.70 | 47.10  | 60.80 |
| 6/11/2025 14:23:09 | 47.20  | 60.30 | 47.00  | 59.90 |
| 6/11/2025 14:23:10 | 47.30  | 59.70 | 47.20  | 61.30 |
| 6/11/2025 14:23:11 | 47.60  | 60.40 | 47.60  | 62.20 |
| 6/11/2025 14:23:12 | 47.90  | 63.00 | 47.90  | 62.30 |
| 6/11/2025 14:23:13 | 47.90  | 60.30 | 47.80  | 60.00 |
| 6/11/2025 14:23:14 | 48.00  | 61.60 | 47.70  | 62.00 |
| 6/11/2025 14:23:15 | 48.30  | 64.60 | 48.20  | 63.60 |
| 6/11/2025 14:23:16 | 48.50  | 60.50 | 48.50  | 60.40 |
| 6/11/2025 14:23:17 | 48.40  | 59.60 | 47.30  | 60.40 |
| 6/11/2025 14:23:18 | 47.70  | 61.30 | 46.90  | 59.90 |
| 6/11/2025 14:23:19 | 47.50  | 60.80 | 47.40  | 60.80 |
| 6/11/2025 14:23:20 | 47.40  | 59.90 | 47.10  | 59.90 |
| 6/11/2025 14:23:21 | 47.20  | 59.90 | 47.00  | 60.70 |
| 6/11/2025 14:23:22 | 47.20  | 59.10 | 46.90  | 59.50 |
| 6/11/2025 14:23:23 | 47.20  | 59.80 | 47.10  | 59.70 |
| 6/11/2025 14:23:24 | 47.50  | 61.20 | 47.50  | 61.20 |
| 6/11/2025 14:23:25 | 47.80  | 62.80 | 47.90  | 62.00 |
| 6/11/2025 14:23:26 | 47.70  | 60.20 | 47.40  | 61.40 |
| 6/11/2025 14:23:27 | 47.60  | 60.10 | 47.40  | 60.80 |
| 6/11/2025 14:23:28 | 48.00  | 64.10 | 47.80  | 65.40 |
| 6/11/2025 14:23:29 | 47.80  | 60.80 | 47.60  | 60.90 |
| 6/11/2025 14:23:30 | 48.00  | 63.30 | 47.80  | 62.00 |
| 6/11/2025 14:23:31 | 48.30  | 61.80 | 48.30  | 61.30 |
| 6/11/2025 14:23:32 | 48.50  | 60.70 | 48.40  | 60.80 |
| 6/11/2025 14:23:33 | 48.60  | 61.50 | 48.50  | 61.30 |
| 6/11/2025 14:23:34 | 48.60  | 61.80 | 48.30  | 61.30 |
| 6/11/2025 14:23:35 | 49.90  | 68.90 | 49.70  | 69.30 |
| 6/11/2025 14:23:36 | 49.90  | 62.00 | 49.40  | 61.70 |
| 6/11/2025 14:23:37 | 49.40  | 62.10 | 48.80  | 61.50 |
| 6/11/2025 14:23:38 | 49.10  | 61.30 | 48.70  | 61.00 |
| 6/11/2025 14:23:39 | 49.10  | 62.70 | 49.00  | 63.60 |
| 6/11/2025 14:23:40 | 49.20  | 62.70 | 49.10  | 63.20 |
| 6/11/2025 14:23:41 | 49.70  | 63.60 | 49.70  | 64.10 |
| 6/11/2025 14:23:42 | 49.70  | 62.90 | 49.30  | 62.30 |
| 6/11/2025 14:23:43 | 49.50  | 61.10 | 49.00  | 60.90 |
| 6/11/2025 14:23:44 | 49.30  | 62.70 | 49.10  | 62.50 |
| 6/11/2025 14:23:45 | 49.30  | 62.30 | 49.30  | 63.20 |
| 6/11/2025 14:23:46 | 49.40  | 61.70 | 49.20  | 62.10 |
| 6/11/2025 14:23:47 | 49.30  | 61.80 | 49.00  | 61.50 |
| 6/11/2025 14:23:48 | 49.30  | 62.00 | 49.20  | 62.70 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:23:49 | 49.50  | 65.00 | 49.40  | 64.30 |
| 6/11/2025 14:23:50 | 49.40  | 63.10 | 48.90  | 63.30 |
| 6/11/2025 14:23:51 | 49.60  | 67.40 | 49.60  | 66.60 |
| 6/11/2025 14:23:52 | 49.60  | 62.40 | 48.70  | 60.70 |
| 6/11/2025 14:23:53 | 49.30  | 62.80 | 49.10  | 62.40 |
| 6/11/2025 14:23:54 | 49.20  | 63.20 | 48.50  | 62.10 |
| 6/11/2025 14:23:55 | 48.70  | 60.30 | 47.50  | 59.40 |
| 6/11/2025 14:23:56 | 48.00  | 60.40 | 47.70  | 60.70 |
| 6/11/2025 14:23:57 | 48.40  | 63.60 | 48.50  | 63.50 |
| 6/11/2025 14:23:58 | 48.20  | 60.10 | 47.90  | 60.40 |
| 6/11/2025 14:23:59 | 48.10  | 60.50 | 47.60  | 60.20 |
| 6/11/2025 14:24:00 | 47.90  | 60.60 | 47.80  | 60.30 |
| 6/11/2025 14:24:01 | 48.00  | 60.60 | 47.80  | 61.00 |
| 6/11/2025 14:24:02 | 47.90  | 62.10 | 47.60  | 60.30 |
| 6/11/2025 14:24:03 | 48.30  | 61.20 | 48.20  | 61.50 |
| 6/11/2025 14:24:04 | 48.90  | 61.10 | 49.00  | 61.90 |
| 6/11/2025 14:24:05 | 49.90  | 67.00 | 50.20  | 66.80 |
| 6/11/2025 14:24:06 | 52.30  | 66.50 | 52.50  | 66.10 |
| 6/11/2025 14:24:07 | 57.30  | 71.50 | 57.50  | 71.50 |
| 6/11/2025 14:24:08 | 61.40  | 74.80 | 62.00  | 74.60 |
| 6/11/2025 14:24:09 | 66.70  | 80.70 | 67.20  | 80.70 |
| 6/11/2025 14:24:10 | 68.10  | 84.50 | 69.00  | 84.50 |
| 6/11/2025 14:24:11 | 67.90  | 79.20 | 65.10  | 79.30 |
| 6/11/2025 14:24:12 | 66.00  | 74.40 | 60.90  | 74.10 |
| 6/11/2025 14:24:13 | 63.20  | 69.30 | 55.50  | 68.90 |
| 6/11/2025 14:24:14 | 59.90  | 69.30 | 51.30  | 68.80 |
| 6/11/2025 14:24:15 | 56.40  | 63.20 | 49.40  | 62.70 |
| 6/11/2025 14:24:16 | 53.40  | 60.70 | 48.00  | 60.90 |
| 6/11/2025 14:24:17 | 50.90  | 60.50 | 48.10  | 60.10 |
| 6/11/2025 14:24:18 | 49.40  | 62.00 | 48.80  | 62.70 |
| 6/11/2025 14:24:19 | 49.40  | 65.50 | 49.30  | 65.30 |
| 6/11/2025 14:24:20 | 49.80  | 65.40 | 49.80  | 65.50 |
| 6/11/2025 14:24:21 | 50.00  | 63.70 | 49.80  | 64.10 |
| 6/11/2025 14:24:22 | 49.80  | 63.20 | 49.30  | 63.60 |
| 6/11/2025 14:24:23 | 49.40  | 61.30 | 48.40  | 61.40 |
| 6/11/2025 14:24:24 | 48.90  | 61.00 | 48.10  | 62.10 |
| 6/11/2025 14:24:25 | 48.40  | 61.80 | 48.00  | 62.80 |
| 6/11/2025 14:24:26 | 49.30  | 63.40 | 49.20  | 62.90 |
| 6/11/2025 14:24:27 | 49.10  | 61.50 | 48.50  | 62.40 |
| 6/11/2025 14:24:28 | 48.70  | 61.60 | 48.20  | 61.40 |
| 6/11/2025 14:24:29 | 48.70  | 62.80 | 48.70  | 63.20 |
| 6/11/2025 14:24:30 | 48.80  | 61.30 | 48.70  | 61.70 |
| 6/11/2025 14:24:31 | 49.20  | 61.30 | 49.30  | 61.50 |
| 6/11/2025 14:24:32 | 49.70  | 63.90 | 49.80  | 64.70 |
| 6/11/2025 14:24:33 | 50.00  | 62.50 | 50.10  | 64.10 |
| 6/11/2025 14:24:34 | 50.60  | 64.10 | 50.60  | 65.00 |
| 6/11/2025 14:24:35 | 52.10  | 69.80 | 52.40  | 69.40 |
| 6/11/2025 14:24:36 | 54.80  | 71.20 | 54.90  | 71.30 |
| 6/11/2025 14:24:37 | 59.20  | 74.00 | 59.80  | 73.60 |
| 6/11/2025 14:24:38 | 63.60  | 80.00 | 64.10  | 80.00 |
| 6/11/2025 14:24:39 | 67.40  | 89.80 | 68.40  | 89.70 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:24:40 | 67.40  | 79.20 | 65.70  | 79.40 |
| 6/11/2025 14:24:41 | 65.90  | 74.30 | 61.30  | 74.10 |
| 6/11/2025 14:24:42 | 63.30  | 71.60 | 56.90  | 71.30 |
| 6/11/2025 14:24:43 | 60.20  | 81.00 | 54.00  | 80.90 |
| 6/11/2025 14:24:44 | 57.20  | 63.20 | 50.20  | 63.40 |
| 6/11/2025 14:24:45 | 54.20  | 63.40 | 49.70  | 62.80 |
| 6/11/2025 14:24:46 | 52.00  | 63.20 | 49.10  | 62.30 |
| 6/11/2025 14:24:47 | 50.40  | 71.10 | 49.50  | 71.40 |
| 6/11/2025 14:24:48 | 49.90  | 63.20 | 49.30  | 63.40 |
| 6/11/2025 14:24:49 | 49.60  | 63.20 | 49.40  | 63.10 |
| 6/11/2025 14:24:50 | 49.60  | 61.70 | 48.30  | 60.90 |
| 6/11/2025 14:24:51 | 48.60  | 60.70 | 47.30  | 60.50 |
| 6/11/2025 14:24:52 | 47.80  | 60.10 | 47.20  | 60.00 |
| 6/11/2025 14:24:53 | 47.70  | 60.80 | 47.30  | 61.00 |
| 6/11/2025 14:24:54 | 47.60  | 60.70 | 47.40  | 60.90 |
| 6/11/2025 14:24:55 | 47.50  | 60.20 | 46.80  | 59.90 |
| 6/11/2025 14:24:56 | 47.30  | 60.50 | 47.10  | 60.80 |
| 6/11/2025 14:24:57 | 47.30  | 59.80 | 47.00  | 59.40 |
| 6/11/2025 14:24:58 | 47.30  | 60.80 | 47.20  | 62.20 |
| 6/11/2025 14:24:59 | 47.40  | 60.80 | 47.20  | 60.40 |
| 6/11/2025 14:25:00 | 47.90  | 60.80 | 47.90  | 60.60 |
| 6/11/2025 14:25:01 | 48.20  | 62.00 | 48.20  | 60.90 |
| 6/11/2025 14:25:02 | 48.20  | 61.30 | 47.90  | 60.70 |
| 6/11/2025 14:25:03 | 48.60  | 61.30 | 48.60  | 61.60 |
| 6/11/2025 14:25:04 | 49.60  | 63.00 | 49.60  | 63.50 |
| 6/11/2025 14:25:05 | 51.20  | 64.10 | 51.70  | 64.20 |
| 6/11/2025 14:25:06 | 50.80  | 62.80 | 50.40  | 62.30 |
| 6/11/2025 14:25:07 | 52.40  | 65.80 | 52.60  | 65.50 |
| 6/11/2025 14:25:08 | 52.40  | 63.50 | 50.20  | 62.30 |
| 6/11/2025 14:25:09 | 50.90  | 63.60 | 50.40  | 63.20 |
| 6/11/2025 14:25:10 | 50.60  | 61.40 | 49.30  | 61.50 |
| 6/11/2025 14:25:11 | 49.80  | 62.90 | 49.10  | 62.30 |
| 6/11/2025 14:25:12 | 50.10  | 64.10 | 49.90  | 63.30 |
| 6/11/2025 14:25:13 | 50.80  | 64.40 | 50.90  | 64.30 |
| 6/11/2025 14:25:14 | 51.30  | 64.00 | 51.00  | 64.40 |
| 6/11/2025 14:25:15 | 51.20  | 62.90 | 50.10  | 62.60 |
| 6/11/2025 14:25:16 | 50.40  | 63.00 | 49.50  | 62.70 |
| 6/11/2025 14:25:17 | 50.30  | 63.90 | 50.10  | 63.80 |
| 6/11/2025 14:25:18 | 50.50  | 65.00 | 50.50  | 65.30 |
| 6/11/2025 14:25:19 | 50.20  | 62.90 | 48.90  | 62.20 |
| 6/11/2025 14:25:20 | 49.50  | 61.50 | 48.80  | 61.60 |
| 6/11/2025 14:25:21 | 49.10  | 61.30 | 48.30  | 60.80 |
| 6/11/2025 14:25:22 | 48.80  | 60.60 | 48.60  | 60.80 |
| 6/11/2025 14:25:23 | 49.00  | 61.40 | 48.90  | 62.30 |
| 6/11/2025 14:25:24 | 49.00  | 62.40 | 48.60  | 62.10 |
| 6/11/2025 14:25:25 | 48.90  | 60.50 | 48.30  | 60.80 |
| 6/11/2025 14:25:26 | 48.80  | 63.50 | 48.40  | 63.40 |
| 6/11/2025 14:25:27 | 48.50  | 61.90 | 48.00  | 62.70 |
| 6/11/2025 14:25:28 | 48.70  | 63.00 | 48.50  | 63.20 |
| 6/11/2025 14:25:29 | 48.80  | 61.60 | 48.70  | 61.10 |
| 6/11/2025 14:25:30 | 48.70  | 61.40 | 48.30  | 61.60 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 14:25:31 | 48.50  | 60.80 | 48.40  | 60.80 |
| 6/11/2025 14:25:32 | 48.50  | 61.40 | 48.20  | 62.80 |
| 6/11/2025 14:25:33 | 49.00  | 62.20 | 49.10  | 62.50 |
| 6/11/2025 14:25:34 | 48.90  | 61.00 | 48.50  | 61.70 |
| 6/11/2025 14:25:35 | 48.60  | 61.10 | 48.40  | 60.80 |
| 6/11/2025 14:25:36 | 48.80  | 63.00 | 48.50  | 63.30 |
| 6/11/2025 14:25:37 | 48.70  | 60.60 | 48.40  | 61.00 |
| 6/11/2025 14:25:38 | 48.60  | 61.20 | 48.50  | 61.60 |
| 6/11/2025 14:25:39 | 49.10  | 67.60 | 49.00  | 67.20 |
| 6/11/2025 14:25:40 | 49.40  | 64.30 | 49.30  | 62.10 |
| 6/11/2025 14:25:41 | 49.50  | 62.50 | 49.50  | 62.00 |
| 6/11/2025 14:25:42 | 49.70  | 63.30 | 49.60  | 62.70 |
| 6/11/2025 14:25:43 | 49.60  | 64.20 | 48.80  | 62.80 |
| 6/11/2025 14:25:44 | 49.10  | 62.40 | 48.90  | 61.70 |
| 6/11/2025 14:25:45 | 49.20  | 62.20 | 48.80  | 61.60 |
| 6/11/2025 14:25:46 | 48.80  | 60.60 | 48.10  | 61.10 |
| 6/11/2025 14:25:47 | 48.80  | 61.60 | 48.50  | 61.80 |
| 6/11/2025 14:25:48 | 48.90  | 61.00 | 48.30  | 61.70 |
| 6/11/2025 14:25:49 | 49.10  | 62.20 | 49.20  | 62.50 |
| 6/11/2025 14:25:50 | 49.20  | 62.50 | 48.80  | 62.80 |
| 6/11/2025 14:25:51 | 48.80  | 62.00 | 48.40  | 61.90 |
| 6/11/2025 14:25:52 | 48.70  | 62.20 | 48.20  | 61.50 |
| 6/11/2025 14:25:53 | 48.50  | 60.90 | 48.30  | 60.60 |
| 6/11/2025 14:25:54 | 48.50  | 61.50 | 48.40  | 60.90 |
| 6/11/2025 14:25:55 | 49.40  | 64.10 | 48.60  | 64.30 |
| 6/11/2025 14:25:56 | 49.50  | 64.00 | 49.70  | 62.90 |
| 6/11/2025 14:25:57 | 49.50  | 62.00 | 49.10  | 61.40 |
| 6/11/2025 14:25:58 | 49.50  | 63.00 | 49.30  | 62.80 |
| 6/11/2025 14:25:59 | 49.20  | 61.30 | 48.20  | 61.70 |
| 6/11/2025 14:26:00 | 49.90  | 65.00 | 50.10  | 64.80 |
| 6/11/2025 14:26:01 | 49.80  | 62.20 | 49.40  | 63.10 |
| 6/11/2025 14:26:02 | 50.60  | 74.80 | 50.50  | 74.90 |
| 6/11/2025 14:26:03 | 50.00  | 61.70 | 48.60  | 62.20 |
| 6/11/2025 14:26:04 | 49.30  | 61.20 | 48.60  | 61.90 |
| 6/11/2025 14:26:05 | 49.30  | 63.00 | 49.00  | 63.00 |
| 6/11/2025 14:26:06 | 52.50  | 68.50 | 52.80  | 68.10 |
| 6/11/2025 14:26:07 | 52.70  | 67.30 | 51.10  | 67.60 |
| 6/11/2025 14:26:08 | 51.10  | 60.40 | 48.30  | 60.90 |
| 6/11/2025 14:26:09 | 49.50  | 62.00 | 48.40  | 61.60 |
| 6/11/2025 14:26:10 | 50.30  | 65.80 | 50.10  | 65.50 |
| 6/11/2025 14:26:11 | 51.90  | 69.30 | 52.40  | 69.60 |

|      |       |     |      |
|------|-------|-----|------|
|      |       | Min | 46.8 |
|      |       | Leq | 58.2 |
| Lmax | 71.60 | Max | 72.2 |

**S059\_BIU070007\_18062025\_085115: Information Panel**

| Description         | Value                          |
|---------------------|--------------------------------|
| Name                | S059_BIU070007_18062025_085115 |
| Start Time          | 6/11/2025 12:30:28             |
| Stop Time           | 6/11/2025 12:50:33             |
| Device Name         | BIU070007                      |
| Model Type          | SoundPro DL                    |
| Device Firmware Rev | R.13J                          |
| Comments            |                                |

**S059\_BIU070007\_18062025\_085115: Logged Data Chart**

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:30:29 | 55.90  | 76.90 | 54.80  | 77.10 |
| 6/11/2025 12:30:30 | 55.90  | 70.70 | 55.10  | 70.90 |
| 6/11/2025 12:30:31 | 56.90  | 82.30 | 56.40  | 82.40 |
| 6/11/2025 12:30:32 | 61.60  | 92.20 | 60.70  | 92.20 |
| 6/11/2025 12:30:33 | 60.50  | 75.70 | 56.00  | 75.70 |
| 6/11/2025 12:30:34 | 57.90  | 76.60 | 54.10  | 76.40 |
| 6/11/2025 12:30:35 | 56.30  | 75.30 | 54.80  | 75.40 |
| 6/11/2025 12:30:36 | 56.40  | 83.20 | 56.10  | 83.10 |
| 6/11/2025 12:30:37 | 56.10  | 81.00 | 55.40  | 80.90 |
| 6/11/2025 12:30:38 | 62.20  | 92.10 | 59.60  | 92.10 |
| 6/11/2025 12:30:39 | 61.70  | 81.80 | 58.70  | 81.90 |
| 6/11/2025 12:30:40 | 59.80  | 67.30 | 55.50  | 68.40 |
| 6/11/2025 12:30:41 | 60.10  | 88.10 | 58.50  | 88.30 |
| 6/11/2025 12:30:42 | 61.20  | 87.00 | 59.30  | 86.90 |
| 6/11/2025 12:30:43 | 61.90  | 83.80 | 60.10  | 83.80 |
| 6/11/2025 12:30:44 | 59.90  | 76.50 | 53.50  | 76.60 |
| 6/11/2025 12:30:45 | 57.00  | 64.20 | 52.40  | 64.90 |
| 6/11/2025 12:30:46 | 54.80  | 69.60 | 52.70  | 68.70 |
| 6/11/2025 12:30:47 | 53.80  | 64.80 | 52.90  | 64.70 |
| 6/11/2025 12:30:48 | 53.80  | 68.20 | 53.40  | 68.50 |
| 6/11/2025 12:30:49 | 54.60  | 73.80 | 54.20  | 73.80 |
| 6/11/2025 12:30:50 | 55.10  | 71.10 | 54.90  | 71.00 |
| 6/11/2025 12:30:51 | 58.90  | 86.40 | 59.00  | 86.40 |
| 6/11/2025 12:30:52 | 59.30  | 85.90 | 57.90  | 86.00 |
| 6/11/2025 12:30:53 | 58.90  | 80.80 | 56.10  | 80.80 |
| 6/11/2025 12:30:54 | 58.70  | 77.10 | 57.70  | 77.20 |
| 6/11/2025 12:30:55 | 59.70  | 89.30 | 58.80  | 89.20 |
| 6/11/2025 12:30:56 | 59.40  | 74.80 | 58.20  | 74.90 |
| 6/11/2025 12:30:57 | 58.80  | 80.70 | 57.00  | 80.70 |
| 6/11/2025 12:30:58 | 62.10  | 91.40 | 60.90  | 91.40 |
| 6/11/2025 12:30:59 | 59.50  | 80.00 | 57.30  | 80.20 |
| 6/11/2025 12:31:00 | 59.10  | 88.50 | 57.40  | 88.50 |
| 6/11/2025 12:31:01 | 58.70  | 79.80 | 55.70  | 79.90 |
| 6/11/2025 12:31:02 | 58.50  | 74.70 | 57.00  | 74.40 |
| 6/11/2025 12:31:03 | 56.60  | 73.50 | 54.50  | 73.40 |
| 6/11/2025 12:31:04 | 55.50  | 70.70 | 54.20  | 70.30 |
| 6/11/2025 12:31:05 | 54.80  | 68.50 | 53.50  | 68.40 |
| 6/11/2025 12:31:06 | 54.40  | 72.20 | 54.00  | 72.10 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:31:07 | 59.60  | 87.80 | 58.70  | 87.80 |
| 6/11/2025 12:31:08 | 61.30  | 85.80 | 60.10  | 85.70 |
| 6/11/2025 12:31:09 | 59.60  | 80.20 | 55.90  | 80.30 |
| 6/11/2025 12:31:10 | 62.80  | 87.90 | 62.40  | 87.80 |
| 6/11/2025 12:31:11 | 64.80  | 90.80 | 61.50  | 90.70 |
| 6/11/2025 12:31:12 | 61.70  | 87.40 | 58.20  | 87.30 |
| 6/11/2025 12:31:13 | 63.30  | 91.50 | 62.20  | 91.40 |
| 6/11/2025 12:31:14 | 61.50  | 85.40 | 57.50  | 85.30 |
| 6/11/2025 12:31:15 | 59.70  | 85.00 | 56.60  | 84.80 |
| 6/11/2025 12:31:16 | 60.50  | 84.50 | 59.90  | 84.50 |
| 6/11/2025 12:31:17 | 58.90  | 83.50 | 55.00  | 83.40 |
| 6/11/2025 12:31:18 | 58.10  | 82.60 | 57.00  | 82.90 |
| 6/11/2025 12:31:19 | 60.80  | 88.60 | 59.00  | 88.50 |
| 6/11/2025 12:31:20 | 59.80  | 68.10 | 55.00  | 68.10 |
| 6/11/2025 12:31:21 | 58.00  | 85.20 | 56.70  | 85.00 |
| 6/11/2025 12:31:22 | 57.10  | 69.50 | 52.40  | 69.70 |
| 6/11/2025 12:31:23 | 57.10  | 85.70 | 56.00  | 85.70 |
| 6/11/2025 12:31:24 | 56.10  | 69.70 | 53.60  | 69.20 |
| 6/11/2025 12:31:25 | 55.60  | 75.30 | 55.00  | 75.10 |
| 6/11/2025 12:31:26 | 54.90  | 65.80 | 53.70  | 66.50 |
| 6/11/2025 12:31:27 | 54.00  | 65.80 | 53.00  | 65.90 |
| 6/11/2025 12:31:28 | 54.30  | 80.30 | 54.10  | 80.50 |
| 6/11/2025 12:31:29 | 56.00  | 79.90 | 55.90  | 80.00 |
| 6/11/2025 12:31:30 | 56.00  | 80.60 | 55.30  | 80.30 |
| 6/11/2025 12:31:31 | 62.40  | 94.10 | 61.50  | 94.10 |
| 6/11/2025 12:31:32 | 60.10  | 82.70 | 57.50  | 82.50 |
| 6/11/2025 12:31:33 | 62.20  | 92.10 | 61.80  | 92.00 |
| 6/11/2025 12:31:34 | 61.50  | 84.70 | 58.30  | 84.60 |
| 6/11/2025 12:31:35 | 59.50  | 78.20 | 56.50  | 78.10 |
| 6/11/2025 12:31:36 | 58.40  | 81.40 | 57.40  | 81.60 |
| 6/11/2025 12:31:37 | 57.90  | 76.60 | 56.80  | 76.40 |
| 6/11/2025 12:31:38 | 56.80  | 74.90 | 53.60  | 74.50 |
| 6/11/2025 12:31:39 | 55.10  | 68.10 | 52.40  | 68.60 |
| 6/11/2025 12:31:40 | 53.50  | 66.00 | 53.00  | 66.20 |
| 6/11/2025 12:31:41 | 53.40  | 64.90 | 52.70  | 65.60 |
| 6/11/2025 12:31:42 | 53.10  | 71.80 | 52.70  | 71.90 |
| 6/11/2025 12:31:43 | 53.80  | 67.10 | 53.70  | 66.90 |
| 6/11/2025 12:31:44 | 53.70  | 78.70 | 52.70  | 78.70 |
| 6/11/2025 12:31:45 | 53.00  | 68.80 | 50.70  | 67.90 |
| 6/11/2025 12:31:46 | 51.80  | 66.00 | 51.10  | 66.20 |
| 6/11/2025 12:31:47 | 51.70  | 69.10 | 51.20  | 69.20 |
| 6/11/2025 12:31:48 | 52.50  | 66.10 | 52.90  | 66.20 |
| 6/11/2025 12:31:49 | 52.40  | 65.40 | 51.70  | 64.60 |
| 6/11/2025 12:31:50 | 52.30  | 75.70 | 51.60  | 75.40 |
| 6/11/2025 12:31:51 | 52.20  | 65.70 | 51.70  | 66.50 |
| 6/11/2025 12:31:52 | 63.20  | 91.50 | 61.70  | 91.50 |
| 6/11/2025 12:31:53 | 60.00  | 65.80 | 51.50  | 65.10 |
| 6/11/2025 12:31:54 | 57.70  | 78.80 | 55.80  | 78.80 |
| 6/11/2025 12:31:55 | 59.60  | 88.00 | 57.90  | 87.90 |
| 6/11/2025 12:31:56 | 57.10  | 76.20 | 53.50  | 76.30 |
| 6/11/2025 12:31:57 | 55.90  | 81.80 | 54.20  | 81.80 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:31:58 | 54.90  | 81.20 | 53.50  | 81.00 |
| 6/11/2025 12:31:59 | 56.20  | 74.60 | 55.50  | 74.20 |
| 6/11/2025 12:32:00 | 55.40  | 74.10 | 52.00  | 73.70 |
| 6/11/2025 12:32:01 | 53.90  | 67.00 | 53.70  | 68.30 |
| 6/11/2025 12:32:02 | 55.10  | 79.30 | 54.80  | 79.30 |
| 6/11/2025 12:32:03 | 54.60  | 65.70 | 52.30  | 65.10 |
| 6/11/2025 12:32:04 | 53.00  | 69.00 | 51.10  | 69.90 |
| 6/11/2025 12:32:05 | 52.90  | 67.60 | 52.20  | 67.60 |
| 6/11/2025 12:32:06 | 54.50  | 76.50 | 53.80  | 76.30 |
| 6/11/2025 12:32:07 | 54.30  | 74.80 | 53.60  | 74.80 |
| 6/11/2025 12:32:08 | 55.20  | 81.00 | 53.90  | 80.90 |
| 6/11/2025 12:32:09 | 59.50  | 89.90 | 58.20  | 89.80 |
| 6/11/2025 12:32:10 | 59.00  | 81.40 | 54.60  | 81.30 |
| 6/11/2025 12:32:11 | 56.30  | 65.10 | 50.30  | 64.70 |
| 6/11/2025 12:32:12 | 53.50  | 78.00 | 50.40  | 77.70 |
| 6/11/2025 12:32:13 | 52.50  | 68.30 | 51.00  | 68.00 |
| 6/11/2025 12:32:14 | 52.80  | 75.00 | 52.50  | 75.30 |
| 6/11/2025 12:32:15 | 52.30  | 62.10 | 49.30  | 62.50 |
| 6/11/2025 12:32:16 | 54.70  | 83.70 | 53.20  | 83.80 |
| 6/11/2025 12:32:17 | 54.70  | 78.50 | 54.50  | 78.40 |
| 6/11/2025 12:32:18 | 55.80  | 82.40 | 53.10  | 82.40 |
| 6/11/2025 12:32:19 | 54.00  | 67.10 | 53.20  | 67.00 |
| 6/11/2025 12:32:20 | 53.30  | 67.10 | 51.00  | 66.30 |
| 6/11/2025 12:32:21 | 52.00  | 75.60 | 50.70  | 75.60 |
| 6/11/2025 12:32:22 | 59.80  | 89.20 | 51.60  | 89.20 |
| 6/11/2025 12:32:23 | 62.40  | 90.00 | 61.70  | 90.00 |
| 6/11/2025 12:32:24 | 59.50  | 76.00 | 51.00  | 75.70 |
| 6/11/2025 12:32:25 | 59.10  | 89.90 | 57.30  | 89.90 |
| 6/11/2025 12:32:26 | 57.80  | 80.80 | 51.80  | 80.70 |
| 6/11/2025 12:32:27 | 56.80  | 79.60 | 55.80  | 79.50 |
| 6/11/2025 12:32:28 | 59.30  | 73.20 | 58.80  | 73.30 |
| 6/11/2025 12:32:29 | 57.60  | 64.20 | 51.50  | 64.00 |
| 6/11/2025 12:32:30 | 54.90  | 67.00 | 51.70  | 66.90 |
| 6/11/2025 12:32:31 | 53.20  | 75.80 | 51.70  | 75.60 |
| 6/11/2025 12:32:32 | 52.70  | 68.20 | 51.20  | 68.00 |
| 6/11/2025 12:32:33 | 51.80  | 66.30 | 50.90  | 65.90 |
| 6/11/2025 12:32:34 | 51.30  | 64.30 | 49.80  | 64.70 |
| 6/11/2025 12:32:35 | 50.20  | 62.40 | 49.10  | 62.50 |
| 6/11/2025 12:32:36 | 50.10  | 67.50 | 49.90  | 66.70 |
| 6/11/2025 12:32:37 | 50.90  | 66.50 | 50.90  | 66.60 |
| 6/11/2025 12:32:38 | 54.70  | 87.80 | 54.20  | 87.90 |
| 6/11/2025 12:32:39 | 55.80  | 80.40 | 53.70  | 80.30 |
| 6/11/2025 12:32:40 | 59.10  | 87.80 | 58.00  | 87.80 |
| 6/11/2025 12:32:41 | 57.00  | 70.40 | 50.20  | 70.20 |
| 6/11/2025 12:32:42 | 54.10  | 66.50 | 49.80  | 66.90 |
| 6/11/2025 12:32:43 | 55.20  | 84.30 | 54.80  | 84.20 |
| 6/11/2025 12:32:44 | 59.00  | 85.30 | 58.10  | 85.20 |
| 6/11/2025 12:32:45 | 57.00  | 79.40 | 52.00  | 79.80 |
| 6/11/2025 12:32:46 | 55.20  | 68.60 | 52.00  | 67.90 |
| 6/11/2025 12:32:47 | 56.50  | 86.90 | 55.70  | 86.80 |
| 6/11/2025 12:32:48 | 56.30  | 78.60 | 54.20  | 78.50 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:32:49 | 59.70  | 87.90 | 60.10  | 87.90 |
| 6/11/2025 12:32:50 | 59.90  | 85.60 | 58.60  | 85.70 |
| 6/11/2025 12:32:51 | 61.70  | 89.20 | 60.40  | 89.10 |
| 6/11/2025 12:32:52 | 59.50  | 63.40 | 50.20  | 63.10 |
| 6/11/2025 12:32:53 | 61.50  | 89.10 | 60.30  | 89.20 |
| 6/11/2025 12:32:54 | 60.90  | 84.20 | 55.00  | 84.00 |
| 6/11/2025 12:32:55 | 57.70  | 71.70 | 51.70  | 71.50 |
| 6/11/2025 12:32:56 | 55.00  | 64.10 | 49.70  | 63.40 |
| 6/11/2025 12:32:57 | 52.60  | 66.40 | 49.90  | 66.90 |
| 6/11/2025 12:32:58 | 51.70  | 72.00 | 51.70  | 71.40 |
| 6/11/2025 12:32:59 | 52.10  | 68.10 | 50.70  | 67.90 |
| 6/11/2025 12:33:00 | 52.20  | 64.20 | 51.90  | 64.40 |
| 6/11/2025 12:33:01 | 51.90  | 77.30 | 50.70  | 77.30 |
| 6/11/2025 12:33:02 | 60.10  | 90.10 | 58.80  | 90.00 |
| 6/11/2025 12:33:03 | 58.40  | 80.10 | 53.90  | 80.10 |
| 6/11/2025 12:33:04 | 56.60  | 79.80 | 53.00  | 79.60 |
| 6/11/2025 12:33:05 | 61.40  | 89.90 | 59.50  | 89.80 |
| 6/11/2025 12:33:06 | 60.70  | 87.30 | 57.90  | 87.20 |
| 6/11/2025 12:33:07 | 58.50  | 83.50 | 54.00  | 83.50 |
| 6/11/2025 12:33:08 | 56.40  | 76.50 | 53.20  | 76.30 |
| 6/11/2025 12:33:09 | 54.50  | 76.10 | 52.30  | 76.00 |
| 6/11/2025 12:33:10 | 57.70  | 89.40 | 56.00  | 89.40 |
| 6/11/2025 12:33:11 | 58.00  | 88.20 | 56.00  | 88.20 |
| 6/11/2025 12:33:12 | 57.90  | 79.30 | 55.30  | 79.20 |
| 6/11/2025 12:33:13 | 55.80  | 63.90 | 51.80  | 64.10 |
| 6/11/2025 12:33:14 | 55.70  | 84.50 | 55.60  | 84.50 |
| 6/11/2025 12:33:15 | 58.20  | 82.40 | 56.50  | 82.50 |
| 6/11/2025 12:33:16 | 61.30  | 93.60 | 59.10  | 93.60 |
| 6/11/2025 12:33:17 | 61.10  | 85.40 | 60.20  | 85.50 |
| 6/11/2025 12:33:18 | 60.10  | 87.70 | 57.10  | 87.60 |
| 6/11/2025 12:33:19 | 60.90  | 88.80 | 59.80  | 88.80 |
| 6/11/2025 12:33:20 | 59.70  | 86.40 | 56.80  | 86.50 |
| 6/11/2025 12:33:21 | 58.30  | 76.10 | 52.30  | 76.40 |
| 6/11/2025 12:33:22 | 55.40  | 71.90 | 52.70  | 71.90 |
| 6/11/2025 12:33:23 | 54.30  | 84.40 | 53.40  | 84.30 |
| 6/11/2025 12:33:24 | 54.50  | 75.50 | 53.70  | 75.40 |
| 6/11/2025 12:33:25 | 55.20  | 82.80 | 55.40  | 82.50 |
| 6/11/2025 12:33:26 | 61.20  | 87.10 | 62.00  | 87.00 |
| 6/11/2025 12:33:27 | 60.50  | 76.30 | 57.20  | 76.00 |
| 6/11/2025 12:33:28 | 59.30  | 84.60 | 59.20  | 84.50 |
| 6/11/2025 12:33:29 | 59.50  | 82.10 | 56.90  | 82.00 |
| 6/11/2025 12:33:30 | 57.80  | 76.90 | 56.80  | 77.10 |
| 6/11/2025 12:33:31 | 57.10  | 73.20 | 55.90  | 73.10 |
| 6/11/2025 12:33:32 | 56.80  | 74.00 | 55.10  | 73.80 |
| 6/11/2025 12:33:33 | 55.80  | 66.70 | 53.80  | 66.60 |
| 6/11/2025 12:33:34 | 60.90  | 89.70 | 60.50  | 89.60 |
| 6/11/2025 12:33:35 | 58.90  | 86.10 | 55.60  | 86.00 |
| 6/11/2025 12:33:36 | 60.50  | 91.00 | 58.80  | 91.00 |
| 6/11/2025 12:33:37 | 59.80  | 84.70 | 56.60  | 84.70 |
| 6/11/2025 12:33:38 | 59.10  | 81.30 | 57.90  | 81.20 |
| 6/11/2025 12:33:39 | 57.70  | 72.80 | 55.80  | 72.70 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:33:40 | 56.50  | 78.80 | 53.90  | 78.80 |
| 6/11/2025 12:33:41 | 55.00  | 73.70 | 53.60  | 73.80 |
| 6/11/2025 12:33:42 | 54.70  | 67.20 | 54.50  | 66.60 |
| 6/11/2025 12:33:43 | 54.70  | 71.80 | 54.50  | 71.80 |
| 6/11/2025 12:33:44 | 54.60  | 69.60 | 54.10  | 69.00 |
| 6/11/2025 12:33:45 | 54.20  | 76.50 | 53.50  | 76.70 |
| 6/11/2025 12:33:46 | 53.70  | 66.40 | 53.10  | 67.10 |
| 6/11/2025 12:33:47 | 53.80  | 67.90 | 53.40  | 67.40 |
| 6/11/2025 12:33:48 | 55.00  | 81.20 | 55.00  | 81.30 |
| 6/11/2025 12:33:49 | 55.30  | 71.20 | 53.70  | 70.80 |
| 6/11/2025 12:33:50 | 54.10  | 66.20 | 53.80  | 66.30 |
| 6/11/2025 12:33:51 | 55.40  | 75.80 | 55.40  | 75.50 |
| 6/11/2025 12:33:52 | 62.10  | 92.40 | 57.00  | 92.40 |
| 6/11/2025 12:33:53 | 62.00  | 68.20 | 59.30  | 69.30 |
| 6/11/2025 12:33:54 | 60.20  | 87.20 | 57.60  | 87.20 |
| 6/11/2025 12:33:55 | 58.30  | 79.50 | 54.70  | 79.70 |
| 6/11/2025 12:33:56 | 59.90  | 83.20 | 59.50  | 83.20 |
| 6/11/2025 12:33:57 | 59.40  | 68.00 | 55.10  | 68.30 |
| 6/11/2025 12:33:58 | 57.00  | 79.80 | 52.90  | 79.70 |
| 6/11/2025 12:33:59 | 58.30  | 87.10 | 56.80  | 87.20 |
| 6/11/2025 12:34:00 | 59.50  | 88.10 | 58.40  | 88.10 |
| 6/11/2025 12:34:01 | 59.30  | 83.90 | 57.70  | 83.80 |
| 6/11/2025 12:34:02 | 58.40  | 70.30 | 54.90  | 71.10 |
| 6/11/2025 12:34:03 | 56.60  | 70.20 | 53.60  | 70.80 |
| 6/11/2025 12:34:04 | 56.10  | 78.30 | 54.80  | 78.20 |
| 6/11/2025 12:34:05 | 54.80  | 69.10 | 53.70  | 69.30 |
| 6/11/2025 12:34:06 | 54.10  | 86.20 | 52.40  | 86.10 |
| 6/11/2025 12:34:07 | 56.40  | 84.20 | 55.30  | 84.00 |
| 6/11/2025 12:34:08 | 55.30  | 76.70 | 53.80  | 77.00 |
| 6/11/2025 12:34:09 | 54.90  | 68.60 | 52.50  | 68.40 |
| 6/11/2025 12:34:10 | 52.80  | 65.10 | 50.50  | 65.20 |
| 6/11/2025 12:34:11 | 51.60  | 69.60 | 50.80  | 69.80 |
| 6/11/2025 12:34:12 | 57.10  | 84.20 | 55.70  | 84.30 |
| 6/11/2025 12:34:13 | 56.70  | 82.80 | 53.30  | 82.80 |
| 6/11/2025 12:34:14 | 54.40  | 69.70 | 52.30  | 69.90 |
| 6/11/2025 12:34:15 | 53.40  | 66.40 | 51.90  | 67.20 |
| 6/11/2025 12:34:16 | 53.40  | 66.70 | 52.60  | 66.30 |
| 6/11/2025 12:34:17 | 52.80  | 67.90 | 52.20  | 68.50 |
| 6/11/2025 12:34:18 | 52.60  | 69.00 | 52.00  | 68.70 |
| 6/11/2025 12:34:19 | 52.50  | 65.50 | 51.10  | 64.50 |
| 6/11/2025 12:34:20 | 51.90  | 72.70 | 51.30  | 72.60 |
| 6/11/2025 12:34:21 | 52.00  | 73.10 | 51.70  | 72.70 |
| 6/11/2025 12:34:22 | 57.80  | 87.80 | 56.80  | 87.70 |
| 6/11/2025 12:34:23 | 59.30  | 92.00 | 57.80  | 91.90 |
| 6/11/2025 12:34:24 | 62.70  | 89.70 | 59.00  | 89.60 |
| 6/11/2025 12:34:25 | 62.70  | 77.90 | 59.50  | 77.90 |
| 6/11/2025 12:34:26 | 59.50  | 82.80 | 53.20  | 82.60 |
| 6/11/2025 12:34:27 | 58.10  | 74.90 | 58.20  | 74.70 |
| 6/11/2025 12:34:28 | 58.40  | 72.80 | 57.80  | 72.50 |
| 6/11/2025 12:34:29 | 58.20  | 81.50 | 55.20  | 81.50 |
| 6/11/2025 12:34:30 | 56.60  | 81.60 | 54.70  | 81.60 |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 12:34:31 | 55.70         | 82.50        | 53.20         | 82.50        |
| 6/11/2025 12:34:32 | 54.80         | 81.20        | 53.70         | 81.30        |
| 6/11/2025 12:34:33 | 54.60         | 67.50        | 54.10         | 67.50        |
| 6/11/2025 12:34:34 | 56.10         | 80.30        | 56.40         | 80.40        |
| 6/11/2025 12:34:35 | 60.80         | 90.40        | 58.80         | 90.40        |
| 6/11/2025 12:34:36 | 60.30         | 67.00        | 55.90         | 67.10        |
| 6/11/2025 12:34:37 | 57.20         | 75.00        | 54.90         | 74.80        |
| 6/11/2025 12:34:38 | 61.40         | 92.50        | 60.20         | 92.50        |
| 6/11/2025 12:34:39 | 61.20         | 86.90        | 58.70         | 86.80        |
| 6/11/2025 12:34:40 | 59.20         | 74.90        | 54.60         | 75.10        |
| 6/11/2025 12:34:41 | 58.40         | 87.50        | 56.80         | 87.50        |
| 6/11/2025 12:34:42 | 62.90         | 91.80        | 62.80         | 91.80        |
| 6/11/2025 12:34:43 | 62.70         | 86.20        | 58.50         | 86.10        |
| 6/11/2025 12:34:44 | 60.30         | 83.30        | 57.40         | 83.30        |
| 6/11/2025 12:34:45 | 58.90         | 88.70        | 54.40         | 88.60        |
| 6/11/2025 12:34:46 | 57.00         | 83.90        | 55.20         | 83.90        |
| 6/11/2025 12:34:47 | 56.00         | 68.80        | 51.50         | 69.00        |
| 6/11/2025 12:34:48 | 54.00         | 71.10        | 51.90         | 71.60        |
| 6/11/2025 12:34:49 | 52.90         | 62.70        | 50.30         | 63.70        |
| 6/11/2025 12:34:50 | 63.80         | 94.90        | 61.40         | 94.90        |
| 6/11/2025 12:34:51 | 63.70         | 87.60        | 59.50         | 87.60        |
| 6/11/2025 12:34:52 | 60.60         | 64.60        | 50.10         | 63.80        |
| 6/11/2025 12:34:53 | 57.40         | 79.30        | 54.50         | 79.40        |
| 6/11/2025 12:34:54 | 58.60         | 93.60        | 58.40         | 93.60        |
| 6/11/2025 12:34:55 | 57.80         | 65.70        | 53.10         | 66.00        |
| 6/11/2025 12:34:56 | 57.50         | 91.90        | 56.10         | 91.90        |
| 6/11/2025 12:34:57 | 57.30         | 78.70        | 56.30         | 78.70        |
| 6/11/2025 12:34:58 | 61.40         | 88.80        | 59.40         | 88.80        |
| 6/11/2025 12:34:59 | 61.20         | 72.50        | 55.50         | 72.30        |
| 6/11/2025 12:35:00 | 58.10         | 76.50        | 54.70         | 76.20        |
| 6/11/2025 12:35:01 | 57.10         | 79.10        | 54.10         | 78.90        |
| 6/11/2025 12:35:02 | 55.10         | 71.50        | 53.90         | 71.40        |
| 6/11/2025 12:35:03 | 55.10         | 78.50        | 54.20         | 78.50        |
| 6/11/2025 12:35:04 | 55.60         | 77.50        | 55.60         | 77.50        |
| 6/11/2025 12:35:05 | 56.10         | 83.30        | 55.10         | 83.30        |
| 6/11/2025 12:35:06 | 56.20         | 78.20        | 55.90         | 78.50        |
| 6/11/2025 12:35:07 | 55.90         | 68.80        | 52.40         | 69.10        |
| 6/11/2025 12:35:08 | 53.80         | 65.00        | 51.30         | 66.20        |
| 6/11/2025 12:35:09 | 53.00         | 67.80        | 51.10         | 67.10        |
| 6/11/2025 12:35:10 | 53.30         | 76.80        | 51.90         | 76.50        |
| 6/11/2025 12:35:11 | 53.30         | 63.60        | 51.30         | 64.30        |
| 6/11/2025 12:35:12 | 61.80         | 89.90        | 60.90         | 89.90        |
| 6/11/2025 12:35:13 | 58.80         | 74.80        | 52.10         | 75.70        |
| 6/11/2025 12:35:14 | 59.70         | 88.50        | 59.50         | 88.50        |
| 6/11/2025 12:35:15 | 59.50         | 88.20        | 55.80         | 88.10        |
| 6/11/2025 12:35:16 | 59.20         | 86.60        | 58.30         | 86.50        |
| 6/11/2025 12:35:17 | 59.30         | 91.10        | 57.90         | 91.10        |
| 6/11/2025 12:35:18 | 60.30         | 87.90        | 59.50         | 87.80        |
| 6/11/2025 12:35:19 | 59.90         | 77.50        | 53.50         | 77.70        |
| 6/11/2025 12:35:20 | 62.20         | 92.70        | 60.60         | 92.70        |
| 6/11/2025 12:35:21 | 61.70         | 85.30        | 59.30         | 85.30        |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:35:22 | 60.90  | 86.50 | 59.50  | 86.50 |
| 6/11/2025 12:35:23 | 60.30  | 86.50 | 57.10  | 86.50 |
| 6/11/2025 12:35:24 | 64.70  | 94.90 | 62.80  | 94.90 |
| 6/11/2025 12:35:25 | 62.00  | 88.40 | 56.30  | 88.30 |
| 6/11/2025 12:35:26 | 64.70  | 94.90 | 62.60  | 94.90 |
| 6/11/2025 12:35:27 | 62.00  | 74.10 | 54.90  | 74.20 |
| 6/11/2025 12:35:28 | 60.70  | 88.10 | 59.10  | 88.10 |
| 6/11/2025 12:35:29 | 59.90  | 77.40 | 56.30  | 77.40 |
| 6/11/2025 12:35:30 | 59.90  | 82.40 | 59.00  | 82.40 |
| 6/11/2025 12:35:31 | 58.80  | 66.90 | 53.40  | 66.20 |
| 6/11/2025 12:35:32 | 56.00  | 72.90 | 54.50  | 72.80 |
| 6/11/2025 12:35:33 | 55.60  | 71.30 | 54.40  | 71.50 |
| 6/11/2025 12:35:34 | 54.80  | 77.60 | 53.60  | 77.60 |
| 6/11/2025 12:35:35 | 54.40  | 67.10 | 52.90  | 66.40 |
| 6/11/2025 12:35:36 | 53.90  | 75.40 | 52.60  | 75.40 |
| 6/11/2025 12:35:37 | 52.80  | 64.60 | 51.40  | 64.30 |
| 6/11/2025 12:35:38 | 52.30  | 68.30 | 51.80  | 68.80 |
| 6/11/2025 12:35:39 | 56.10  | 85.50 | 55.70  | 85.40 |
| 6/11/2025 12:35:40 | 54.90  | 76.00 | 53.50  | 76.10 |
| 6/11/2025 12:35:41 | 54.50  | 69.80 | 54.00  | 69.40 |
| 6/11/2025 12:35:42 | 58.20  | 88.80 | 57.00  | 88.80 |
| 6/11/2025 12:35:43 | 56.10  | 78.10 | 51.70  | 78.10 |
| 6/11/2025 12:35:44 | 61.40  | 91.00 | 61.40  | 91.00 |
| 6/11/2025 12:35:45 | 61.10  | 83.20 | 56.60  | 83.10 |
| 6/11/2025 12:35:46 | 59.40  | 88.30 | 56.90  | 88.30 |
| 6/11/2025 12:35:47 | 59.00  | 78.30 | 56.70  | 78.30 |
| 6/11/2025 12:35:48 | 57.30  | 77.60 | 51.30  | 77.70 |
| 6/11/2025 12:35:49 | 58.60  | 89.40 | 57.20  | 89.40 |
| 6/11/2025 12:35:50 | 57.70  | 74.60 | 53.40  | 74.80 |
| 6/11/2025 12:35:51 | 59.50  | 87.60 | 58.40  | 87.60 |
| 6/11/2025 12:35:52 | 57.60  | 81.20 | 53.70  | 81.40 |
| 6/11/2025 12:35:53 | 56.30  | 83.90 | 53.90  | 83.90 |
| 6/11/2025 12:35:54 | 55.50  | 68.40 | 52.60  | 67.70 |
| 6/11/2025 12:35:55 | 55.80  | 85.00 | 54.60  | 85.10 |
| 6/11/2025 12:35:56 | 54.00  | 79.30 | 51.20  | 79.20 |
| 6/11/2025 12:35:57 | 52.20  | 65.90 | 49.50  | 66.30 |
| 6/11/2025 12:35:58 | 52.30  | 66.30 | 52.00  | 66.80 |
| 6/11/2025 12:35:59 | 52.70  | 73.20 | 51.90  | 73.30 |
| 6/11/2025 12:36:00 | 53.00  | 78.10 | 52.00  | 77.80 |
| 6/11/2025 12:36:01 | 52.90  | 65.60 | 50.50  | 65.70 |
| 6/11/2025 12:36:02 | 60.50  | 89.10 | 60.60  | 89.10 |
| 6/11/2025 12:36:03 | 60.80  | 88.20 | 57.60  | 88.10 |
| 6/11/2025 12:36:04 | 60.30  | 64.30 | 54.10  | 64.40 |
| 6/11/2025 12:36:05 | 57.80  | 86.50 | 55.30  | 86.50 |
| 6/11/2025 12:36:06 | 57.70  | 85.30 | 55.20  | 85.10 |
| 6/11/2025 12:36:07 | 56.40  | 81.50 | 55.30  | 81.30 |
| 6/11/2025 12:36:08 | 55.60  | 62.30 | 49.70  | 62.50 |
| 6/11/2025 12:36:09 | 54.70  | 86.50 | 53.10  | 86.40 |
| 6/11/2025 12:36:10 | 52.80  | 78.40 | 50.50  | 78.10 |
| 6/11/2025 12:36:11 | 54.40  | 81.70 | 54.90  | 81.50 |
| 6/11/2025 12:36:12 | 54.40  | 78.00 | 52.50  | 78.00 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:36:13 | 54.00  | 74.50 | 53.60  | 74.60 |
| 6/11/2025 12:36:14 | 62.20  | 95.80 | 60.60  | 95.70 |
| 6/11/2025 12:36:15 | 60.30  | 82.30 | 52.80  | 82.40 |
| 6/11/2025 12:36:16 | 57.10  | 79.50 | 53.40  | 79.40 |
| 6/11/2025 12:36:17 | 59.40  | 87.80 | 57.60  | 87.70 |
| 6/11/2025 12:36:18 | 56.40  | 85.00 | 52.70  | 85.10 |
| 6/11/2025 12:36:19 | 55.80  | 70.00 | 52.50  | 70.20 |
| 6/11/2025 12:36:20 | 53.50  | 70.70 | 49.90  | 71.30 |
| 6/11/2025 12:36:21 | 51.80  | 63.80 | 50.10  | 63.60 |
| 6/11/2025 12:36:22 | 55.50  | 70.10 | 55.30  | 70.20 |
| 6/11/2025 12:36:23 | 55.20  | 65.60 | 52.60  | 66.50 |
| 6/11/2025 12:36:24 | 54.80  | 81.90 | 52.90  | 81.80 |
| 6/11/2025 12:36:25 | 54.80  | 78.80 | 54.10  | 78.90 |
| 6/11/2025 12:36:26 | 55.20  | 81.40 | 53.10  | 81.60 |
| 6/11/2025 12:36:27 | 55.10  | 69.80 | 52.10  | 69.40 |
| 6/11/2025 12:36:28 | 52.70  | 66.50 | 50.20  | 65.70 |
| 6/11/2025 12:36:29 | 52.00  | 65.40 | 51.30  | 66.10 |
| 6/11/2025 12:36:30 | 54.00  | 78.00 | 54.20  | 77.90 |
| 6/11/2025 12:36:31 | 54.20  | 70.70 | 53.20  | 70.50 |
| 6/11/2025 12:36:32 | 54.20  | 77.10 | 53.30  | 77.40 |
| 6/11/2025 12:36:33 | 60.40  | 88.80 | 59.50  | 88.80 |
| 6/11/2025 12:36:34 | 58.30  | 78.30 | 55.30  | 78.20 |
| 6/11/2025 12:36:35 | 56.70  | 79.20 | 54.70  | 79.00 |
| 6/11/2025 12:36:36 | 64.20  | 92.10 | 65.00  | 92.10 |
| 6/11/2025 12:36:37 | 64.60  | 89.40 | 62.30  | 89.30 |
| 6/11/2025 12:36:38 | 63.60  | 89.40 | 62.80  | 89.30 |
| 6/11/2025 12:36:39 | 62.70  | 80.90 | 55.20  | 80.70 |
| 6/11/2025 12:36:40 | 60.30  | 88.60 | 54.20  | 88.70 |
| 6/11/2025 12:36:41 | 60.30  | 72.30 | 56.90  | 72.20 |
| 6/11/2025 12:36:42 | 57.10  | 74.10 | 52.60  | 74.60 |
| 6/11/2025 12:36:43 | 57.60  | 85.30 | 55.30  | 85.20 |
| 6/11/2025 12:36:44 | 55.50  | 86.00 | 53.20  | 86.10 |
| 6/11/2025 12:36:45 | 54.20  | 68.70 | 53.10  | 68.50 |
| 6/11/2025 12:36:46 | 53.50  | 64.10 | 51.00  | 63.90 |
| 6/11/2025 12:36:47 | 56.90  | 87.30 | 56.30  | 87.30 |
| 6/11/2025 12:36:48 | 55.30  | 81.70 | 53.50  | 81.90 |
| 6/11/2025 12:36:49 | 55.00  | 72.30 | 54.00  | 72.40 |
| 6/11/2025 12:36:50 | 59.00  | 94.20 | 57.80  | 94.20 |
| 6/11/2025 12:36:51 | 58.20  | 85.40 | 55.90  | 85.30 |
| 6/11/2025 12:36:52 | 60.60  | 89.80 | 59.50  | 89.80 |
| 6/11/2025 12:36:53 | 60.20  | 85.30 | 55.70  | 85.10 |
| 6/11/2025 12:36:54 | 57.60  | 81.50 | 55.10  | 81.40 |
| 6/11/2025 12:36:55 | 63.80  | 94.20 | 62.10  | 94.30 |
| 6/11/2025 12:36:56 | 60.80  | 84.10 | 55.20  | 84.20 |
| 6/11/2025 12:36:57 | 61.10  | 86.20 | 58.30  | 86.10 |
| 6/11/2025 12:36:58 | 58.30  | 80.80 | 51.10  | 80.70 |
| 6/11/2025 12:36:59 | 55.40  | 68.40 | 53.20  | 68.20 |
| 6/11/2025 12:37:00 | 54.90  | 69.00 | 53.30  | 68.50 |
| 6/11/2025 12:37:01 | 53.80  | 68.40 | 51.50  | 68.00 |
| 6/11/2025 12:37:02 | 52.80  | 71.50 | 52.50  | 71.10 |
| 6/11/2025 12:37:03 | 52.30  | 77.60 | 51.10  | 77.30 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:37:04 | 52.50  | 70.80 | 52.20  | 70.70 |
| 6/11/2025 12:37:05 | 60.90  | 92.80 | 60.80  | 92.90 |
| 6/11/2025 12:37:06 | 60.30  | 74.10 | 54.10  | 74.70 |
| 6/11/2025 12:37:07 | 56.90  | 83.70 | 52.40  | 83.70 |
| 6/11/2025 12:37:08 | 56.20  | 79.70 | 52.60  | 79.60 |
| 6/11/2025 12:37:09 | 55.50  | 80.00 | 55.40  | 79.80 |
| 6/11/2025 12:37:10 | 55.20  | 82.90 | 53.70  | 82.70 |
| 6/11/2025 12:37:11 | 57.00  | 83.80 | 55.30  | 83.80 |
| 6/11/2025 12:37:12 | 60.30  | 91.10 | 60.70  | 91.10 |
| 6/11/2025 12:37:13 | 59.50  | 84.10 | 56.80  | 84.00 |
| 6/11/2025 12:37:14 | 58.00  | 84.60 | 55.00  | 84.50 |
| 6/11/2025 12:37:15 | 57.10  | 74.80 | 54.00  | 74.80 |
| 6/11/2025 12:37:16 | 57.60  | 85.00 | 55.70  | 85.00 |
| 6/11/2025 12:37:17 | 55.70  | 83.00 | 53.20  | 83.00 |
| 6/11/2025 12:37:18 | 54.00  | 64.50 | 51.10  | 64.10 |
| 6/11/2025 12:37:19 | 57.30  | 82.50 | 57.60  | 82.50 |
| 6/11/2025 12:37:20 | 60.40  | 89.20 | 60.20  | 89.20 |
| 6/11/2025 12:37:21 | 58.70  | 70.10 | 56.00  | 70.30 |
| 6/11/2025 12:37:22 | 57.70  | 78.40 | 54.60  | 78.20 |
| 6/11/2025 12:37:23 | 61.10  | 91.30 | 59.90  | 91.20 |
| 6/11/2025 12:37:24 | 60.10  | 78.80 | 54.20  | 78.80 |
| 6/11/2025 12:37:25 | 57.80  | 79.50 | 55.40  | 79.40 |
| 6/11/2025 12:37:26 | 58.30  | 82.70 | 58.80  | 82.60 |
| 6/11/2025 12:37:27 | 57.80  | 72.10 | 53.80  | 72.00 |
| 6/11/2025 12:37:28 | 55.80  | 79.00 | 54.30  | 79.20 |
| 6/11/2025 12:37:29 | 56.10  | 73.50 | 54.60  | 73.90 |
| 6/11/2025 12:37:30 | 54.40  | 66.20 | 51.40  | 67.00 |
| 6/11/2025 12:37:31 | 52.70  | 76.20 | 51.30  | 76.10 |
| 6/11/2025 12:37:32 | 52.70  | 70.30 | 52.20  | 71.00 |
| 6/11/2025 12:37:33 | 52.80  | 67.60 | 51.50  | 67.90 |
| 6/11/2025 12:37:34 | 53.10  | 73.70 | 52.30  | 73.80 |
| 6/11/2025 12:37:35 | 59.60  | 88.60 | 58.40  | 88.60 |
| 6/11/2025 12:37:36 | 59.10  | 75.10 | 53.80  | 74.80 |
| 6/11/2025 12:37:37 | 59.00  | 87.90 | 54.90  | 88.00 |
| 6/11/2025 12:37:38 | 58.90  | 79.20 | 56.60  | 79.40 |
| 6/11/2025 12:37:39 | 57.10  | 85.90 | 54.40  | 85.80 |
| 6/11/2025 12:37:40 | 56.90  | 66.50 | 52.50  | 66.30 |
| 6/11/2025 12:37:41 | 54.00  | 66.40 | 50.20  | 65.00 |
| 6/11/2025 12:37:42 | 56.20  | 78.30 | 56.10  | 78.20 |
| 6/11/2025 12:37:43 | 56.20  | 65.60 | 53.40  | 66.20 |
| 6/11/2025 12:37:44 | 53.90  | 72.80 | 52.00  | 72.50 |
| 6/11/2025 12:37:45 | 53.90  | 85.80 | 53.00  | 85.80 |
| 6/11/2025 12:37:46 | 53.80  | 74.60 | 53.80  | 74.50 |
| 6/11/2025 12:37:47 | 59.10  | 88.50 | 59.40  | 88.50 |
| 6/11/2025 12:37:48 | 58.30  | 83.70 | 55.90  | 83.70 |
| 6/11/2025 12:37:49 | 58.40  | 87.80 | 57.50  | 87.60 |
| 6/11/2025 12:37:50 | 58.00  | 85.80 | 55.40  | 85.90 |
| 6/11/2025 12:37:51 | 57.30  | 80.80 | 55.40  | 80.90 |
| 6/11/2025 12:37:52 | 56.00  | 73.70 | 55.50  | 74.10 |
| 6/11/2025 12:37:53 | 58.20  | 84.50 | 58.00  | 84.60 |
| 6/11/2025 12:37:54 | 57.20  | 81.70 | 53.80  | 81.70 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:37:55 | 58.20  | 86.80 | 57.30  | 86.90 |
| 6/11/2025 12:37:56 | 57.30  | 90.00 | 56.00  | 89.90 |
| 6/11/2025 12:37:57 | 56.40  | 67.50 | 53.60  | 68.00 |
| 6/11/2025 12:37:58 | 54.80  | 68.80 | 53.80  | 68.00 |
| 6/11/2025 12:37:59 | 55.90  | 74.60 | 54.30  | 74.50 |
| 6/11/2025 12:38:00 | 55.80  | 67.60 | 53.40  | 68.90 |
| 6/11/2025 12:38:01 | 53.90  | 73.40 | 52.00  | 73.50 |
| 6/11/2025 12:38:02 | 55.40  | 84.90 | 52.30  | 85.00 |
| 6/11/2025 12:38:03 | 55.50  | 71.30 | 54.10  | 70.50 |
| 6/11/2025 12:38:04 | 54.30  | 74.90 | 53.60  | 74.60 |
| 6/11/2025 12:38:05 | 54.10  | 67.80 | 53.10  | 68.10 |
| 6/11/2025 12:38:06 | 53.80  | 79.80 | 52.60  | 79.90 |
| 6/11/2025 12:38:07 | 52.80  | 64.60 | 50.70  | 65.10 |
| 6/11/2025 12:38:08 | 54.60  | 79.20 | 55.10  | 79.20 |
| 6/11/2025 12:38:09 | 55.20  | 69.40 | 54.50  | 69.50 |
| 6/11/2025 12:38:10 | 54.20  | 68.50 | 52.00  | 68.50 |
| 6/11/2025 12:38:11 | 55.00  | 70.70 | 53.80  | 70.50 |
| 6/11/2025 12:38:12 | 55.60  | 76.50 | 55.50  | 76.30 |
| 6/11/2025 12:38:13 | 54.70  | 66.20 | 52.40  | 67.10 |
| 6/11/2025 12:38:14 | 61.10  | 88.00 | 59.70  | 88.10 |
| 6/11/2025 12:38:15 | 59.80  | 88.70 | 58.10  | 88.70 |
| 6/11/2025 12:38:16 | 58.80  | 77.60 | 53.70  | 78.10 |
| 6/11/2025 12:38:17 | 58.40  | 88.00 | 55.80  | 88.00 |
| 6/11/2025 12:38:18 | 55.80  | 75.90 | 52.90  | 75.90 |
| 6/11/2025 12:38:19 | 54.10  | 80.80 | 52.40  | 80.60 |
| 6/11/2025 12:38:20 | 56.70  | 86.50 | 56.20  | 86.50 |
| 6/11/2025 12:38:21 | 59.60  | 91.80 | 59.00  | 91.80 |
| 6/11/2025 12:38:22 | 58.90  | 77.40 | 53.10  | 77.20 |
| 6/11/2025 12:38:23 | 60.90  | 91.00 | 60.10  | 90.90 |
| 6/11/2025 12:38:24 | 58.90  | 88.60 | 54.50  | 88.50 |
| 6/11/2025 12:38:25 | 56.80  | 87.30 | 54.10  | 87.10 |
| 6/11/2025 12:38:26 | 59.40  | 87.70 | 59.60  | 87.50 |
| 6/11/2025 12:38:27 | 59.40  | 82.10 | 57.40  | 82.10 |
| 6/11/2025 12:38:28 | 57.70  | 71.30 | 52.40  | 71.00 |
| 6/11/2025 12:38:29 | 55.40  | 73.90 | 53.10  | 73.60 |
| 6/11/2025 12:38:30 | 54.20  | 64.90 | 51.80  | 64.80 |
| 6/11/2025 12:38:31 | 52.70  | 70.90 | 51.30  | 71.30 |
| 6/11/2025 12:38:32 | 57.80  | 82.90 | 56.90  | 82.90 |
| 6/11/2025 12:38:33 | 56.60  | 75.00 | 52.20  | 75.10 |
| 6/11/2025 12:38:34 | 56.00  | 74.60 | 55.10  | 74.50 |
| 6/11/2025 12:38:35 | 59.80  | 85.90 | 55.90  | 85.90 |
| 6/11/2025 12:38:36 | 59.90  | 85.10 | 57.90  | 85.20 |
| 6/11/2025 12:38:37 | 58.10  | 79.80 | 56.60  | 79.80 |
| 6/11/2025 12:38:38 | 61.60  | 88.90 | 59.80  | 88.90 |
| 6/11/2025 12:38:39 | 60.90  | 72.80 | 53.90  | 73.30 |
| 6/11/2025 12:38:40 | 57.70  | 72.50 | 52.90  | 72.70 |
| 6/11/2025 12:38:41 | 57.60  | 84.00 | 56.20  | 84.00 |
| 6/11/2025 12:38:42 | 56.00  | 64.00 | 51.00  | 63.70 |
| 6/11/2025 12:38:43 | 53.50  | 74.60 | 52.10  | 74.90 |
| 6/11/2025 12:38:44 | 52.80  | 65.00 | 50.70  | 64.90 |
| 6/11/2025 12:38:45 | 57.70  | 83.20 | 58.50  | 83.20 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:38:46 | 57.00  | 75.10 | 56.10  | 75.20 |
| 6/11/2025 12:38:47 | 56.80  | 77.10 | 56.40  | 77.30 |
| 6/11/2025 12:38:48 | 67.70  | 89.40 | 66.60  | 89.20 |
| 6/11/2025 12:38:49 | 67.10  | 75.30 | 60.70  | 75.40 |
| 6/11/2025 12:38:50 | 63.70  | 70.30 | 55.60  | 70.80 |
| 6/11/2025 12:38:51 | 60.40  | 73.00 | 54.10  | 72.50 |
| 6/11/2025 12:38:52 | 60.70  | 88.80 | 58.70  | 88.70 |
| 6/11/2025 12:38:53 | 58.40  | 75.00 | 54.10  | 75.20 |
| 6/11/2025 12:38:54 | 56.20  | 67.80 | 52.50  | 67.30 |
| 6/11/2025 12:38:55 | 63.20  | 93.50 | 61.80  | 93.50 |
| 6/11/2025 12:38:56 | 60.80  | 67.00 | 51.80  | 66.80 |
| 6/11/2025 12:38:57 | 57.50  | 66.30 | 52.60  | 66.40 |
| 6/11/2025 12:38:58 | 55.10  | 76.70 | 53.40  | 76.70 |
| 6/11/2025 12:38:59 | 54.60  | 67.40 | 53.40  | 67.10 |
| 6/11/2025 12:39:00 | 63.40  | 94.50 | 62.50  | 94.50 |
| 6/11/2025 12:39:01 | 60.60  | 76.30 | 53.90  | 76.00 |
| 6/11/2025 12:39:02 | 57.70  | 73.30 | 52.60  | 73.40 |
| 6/11/2025 12:39:03 | 57.20  | 83.80 | 56.00  | 83.70 |
| 6/11/2025 12:39:04 | 58.90  | 89.50 | 57.10  | 89.40 |
| 6/11/2025 12:39:05 | 57.10  | 81.50 | 54.60  | 81.30 |
| 6/11/2025 12:39:06 | 61.90  | 93.10 | 60.80  | 93.00 |
| 6/11/2025 12:39:07 | 60.60  | 87.30 | 58.30  | 87.30 |
| 6/11/2025 12:39:08 | 60.30  | 81.80 | 58.30  | 81.80 |
| 6/11/2025 12:39:09 | 59.20  | 70.90 | 56.40  | 71.40 |
| 6/11/2025 12:39:10 | 57.20  | 71.50 | 55.30  | 71.00 |
| 6/11/2025 12:39:11 | 57.80  | 78.90 | 57.00  | 78.70 |
| 6/11/2025 12:39:12 | 58.90  | 84.00 | 58.70  | 83.80 |
| 6/11/2025 12:39:13 | 58.40  | 72.00 | 56.90  | 72.10 |
| 6/11/2025 12:39:14 | 58.30  | 79.00 | 58.60  | 79.10 |
| 6/11/2025 12:39:15 | 58.10  | 67.20 | 55.40  | 67.00 |
| 6/11/2025 12:39:16 | 56.30  | 70.20 | 54.40  | 70.60 |
| 6/11/2025 12:39:17 | 55.30  | 73.10 | 54.90  | 73.50 |
| 6/11/2025 12:39:18 | 56.10  | 77.00 | 56.00  | 76.70 |
| 6/11/2025 12:39:19 | 59.80  | 91.00 | 58.90  | 90.90 |
| 6/11/2025 12:39:20 | 59.60  | 71.50 | 57.30  | 71.60 |
| 6/11/2025 12:39:21 | 58.10  | 69.10 | 57.70  | 69.10 |
| 6/11/2025 12:39:22 | 61.20  | 89.20 | 60.60  | 89.10 |
| 6/11/2025 12:39:23 | 62.60  | 87.90 | 61.40  | 87.80 |
| 6/11/2025 12:39:24 | 62.00  | 87.70 | 59.90  | 87.70 |
| 6/11/2025 12:39:25 | 62.50  | 89.60 | 61.80  | 89.60 |
| 6/11/2025 12:39:26 | 63.90  | 90.90 | 61.70  | 90.80 |
| 6/11/2025 12:39:27 | 61.50  | 82.50 | 58.10  | 82.20 |
| 6/11/2025 12:39:28 | 60.30  | 80.50 | 57.90  | 80.50 |
| 6/11/2025 12:39:29 | 58.60  | 69.50 | 56.50  | 69.60 |
| 6/11/2025 12:39:30 | 58.50  | 73.90 | 58.60  | 73.80 |
| 6/11/2025 12:39:31 | 60.80  | 76.90 | 60.30  | 76.90 |
| 6/11/2025 12:39:32 | 60.90  | 74.50 | 60.90  | 74.40 |
| 6/11/2025 12:39:33 | 62.70  | 78.40 | 62.70  | 78.50 |
| 6/11/2025 12:39:34 | 63.20  | 75.60 | 63.30  | 75.30 |
| 6/11/2025 12:39:35 | 62.90  | 86.40 | 61.80  | 86.30 |
| 6/11/2025 12:39:36 | 63.30  | 89.00 | 62.90  | 88.90 |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 12:39:37 | 63.50         | 79.20        | 63.20         | 79.20        |
| 6/11/2025 12:39:38 | 64.70         | 84.50        | 64.50         | 84.50        |
| 6/11/2025 12:39:39 | 65.60         | 80.60        | 65.70         | 80.50        |
| 6/11/2025 12:39:40 | 66.10         | 80.50        | 66.10         | 80.20        |
| 6/11/2025 12:39:41 | 66.00         | 81.60        | 65.60         | 81.50        |
| 6/11/2025 12:39:42 | 69.60         | 87.90        | 70.20         | 87.80        |
| 6/11/2025 12:39:43 | 69.50         | 84.50        | 67.10         | 84.40        |
| 6/11/2025 12:39:44 | 69.00         | 84.40        | 68.40         | 84.50        |
| 6/11/2025 12:39:45 | 69.40         | 87.10        | 68.20         | 87.00        |
| 6/11/2025 12:39:46 | 69.60         | 84.30        | 69.00         | 84.20        |
| 6/11/2025 12:39:47 | 68.70         | 81.70        | 68.10         | 81.90        |
| 6/11/2025 12:39:48 | 69.00         | 83.20        | 69.10         | 83.20        |
| 6/11/2025 12:39:49 | 68.90         | 80.80        | 68.20         | 80.80        |
| 6/11/2025 12:39:50 | 68.90         | 89.80        | 66.50         | 89.90        |
| 6/11/2025 12:39:51 | 67.10         | 86.40        | 65.40         | 86.50        |
| 6/11/2025 12:39:52 | 66.00         | 86.40        | 63.50         | 86.40        |
| 6/11/2025 12:39:53 | 64.40         | 88.30        | 61.00         | 88.30        |
| 6/11/2025 12:39:54 | 63.50         | 80.60        | 63.80         | 80.70        |
| 6/11/2025 12:39:55 | 64.20         | 89.60        | 63.20         | 89.60        |
| 6/11/2025 12:39:56 | 65.70         | 92.60        | 65.20         | 92.60        |
| 6/11/2025 12:39:57 | 64.20         | 80.50        | 60.70         | 80.60        |
| 6/11/2025 12:39:58 | 62.30         | 78.10        | 59.50         | 78.20        |
| 6/11/2025 12:39:59 | 60.80         | 77.90        | 59.90         | 77.60        |
| 6/11/2025 12:40:00 | 60.70         | 81.90        | 60.60         | 82.00        |
| 6/11/2025 12:40:01 | 60.30         | 74.80        | 59.00         | 74.60        |
| 6/11/2025 12:40:02 | 61.10         | 80.10        | 61.30         | 80.10        |
| 6/11/2025 12:40:03 | 61.90         | 75.30        | 62.10         | 75.10        |
| 6/11/2025 12:40:04 | 61.50         | 75.40        | 60.70         | 75.50        |
| 6/11/2025 12:40:05 | 60.80         | 75.20        | 59.90         | 75.20        |
| 6/11/2025 12:40:06 | 60.70         | 74.90        | 59.50         | 74.50        |
| 6/11/2025 12:40:07 | 59.80         | 76.30        | 56.60         | 76.00        |
| 6/11/2025 12:40:08 | 57.70         | 78.70        | 55.70         | 78.60        |
| 6/11/2025 12:40:09 | 63.10         | 92.50        | 62.50         | 92.50        |
| 6/11/2025 12:40:10 | 60.60         | 68.60        | 55.50         | 68.80        |
| 6/11/2025 12:40:11 | 60.80         | 87.40        | 60.30         | 87.40        |
| 6/11/2025 12:40:12 | 60.40         | 77.10        | 56.10         | 77.30        |
| 6/11/2025 12:40:13 | 57.80         | 66.70        | 53.60         | 65.80        |
| 6/11/2025 12:40:14 | 56.90         | 82.70        | 55.10         | 82.80        |
| 6/11/2025 12:40:15 | 55.30         | 66.70        | 53.10         | 67.30        |
| 6/11/2025 12:40:16 | 54.00         | 66.30        | 52.70         | 66.30        |
| 6/11/2025 12:40:17 | 54.10         | 79.30        | 53.30         | 79.40        |
| 6/11/2025 12:40:18 | 55.50         | 75.60        | 55.30         | 75.30        |
| 6/11/2025 12:40:19 | 55.90         | 86.10        | 54.60         | 86.10        |
| 6/11/2025 12:40:20 | 55.50         | 66.60        | 52.10         | 66.20        |
| 6/11/2025 12:40:21 | 54.00         | 76.50        | 52.90         | 76.80        |
| 6/11/2025 12:40:22 | 54.20         | 81.30        | 52.90         | 81.50        |
| 6/11/2025 12:40:23 | 60.50         | 88.40        | 59.10         | 88.40        |
| 6/11/2025 12:40:24 | 59.40         | 85.00        | 55.20         | 84.90        |
| 6/11/2025 12:40:25 | 58.20         | 73.40        | 53.60         | 73.10        |
| 6/11/2025 12:40:26 | 64.20         | 93.70        | 63.10         | 93.70        |
| 6/11/2025 12:40:27 | 63.60         | 87.70        | 61.10         | 87.70        |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:40:28 | 63.70  | 90.90 | 62.30  | 90.90 |
| 6/11/2025 12:40:29 | 62.10  | 89.50 | 58.00  | 89.50 |
| 6/11/2025 12:40:30 | 61.10  | 74.10 | 55.10  | 74.30 |
| 6/11/2025 12:40:31 | 58.80  | 85.50 | 55.90  | 85.50 |
| 6/11/2025 12:40:32 | 57.80  | 84.30 | 56.20  | 84.20 |
| 6/11/2025 12:40:33 | 57.40  | 88.20 | 54.60  | 88.20 |
| 6/11/2025 12:40:34 | 57.10  | 76.70 | 54.00  | 76.40 |
| 6/11/2025 12:40:35 | 58.50  | 87.20 | 57.50  | 87.10 |
| 6/11/2025 12:40:36 | 57.90  | 82.40 | 52.60  | 82.30 |
| 6/11/2025 12:40:37 | 60.40  | 91.20 | 59.30  | 91.20 |
| 6/11/2025 12:40:38 | 58.60  | 89.00 | 55.60  | 89.00 |
| 6/11/2025 12:40:39 | 58.70  | 86.00 | 56.10  | 86.00 |
| 6/11/2025 12:40:40 | 58.20  | 88.20 | 57.40  | 88.20 |
| 6/11/2025 12:40:41 | 56.90  | 81.40 | 53.60  | 81.50 |
| 6/11/2025 12:40:42 | 55.70  | 80.80 | 54.40  | 80.80 |
| 6/11/2025 12:40:43 | 59.90  | 90.20 | 57.50  | 90.30 |
| 6/11/2025 12:40:44 | 59.70  | 81.20 | 57.20  | 81.20 |
| 6/11/2025 12:40:45 | 60.60  | 92.90 | 58.80  | 92.80 |
| 6/11/2025 12:40:46 | 58.60  | 81.70 | 53.70  | 81.40 |
| 6/11/2025 12:40:47 | 59.40  | 85.60 | 57.50  | 85.60 |
| 6/11/2025 12:40:48 | 58.90  | 74.00 | 53.70  | 73.90 |
| 6/11/2025 12:40:49 | 57.90  | 89.60 | 55.20  | 89.60 |
| 6/11/2025 12:40:50 | 60.90  | 89.80 | 59.60  | 89.90 |
| 6/11/2025 12:40:51 | 61.90  | 87.20 | 61.10  | 87.20 |
| 6/11/2025 12:40:52 | 60.60  | 76.20 | 55.00  | 76.60 |
| 6/11/2025 12:40:53 | 58.30  | 73.90 | 55.60  | 73.70 |
| 6/11/2025 12:40:54 | 57.70  | 82.10 | 55.20  | 82.00 |
| 6/11/2025 12:40:55 | 56.00  | 67.60 | 53.10  | 67.50 |
| 6/11/2025 12:40:56 | 61.20  | 93.20 | 59.90  | 93.10 |
| 6/11/2025 12:40:57 | 58.40  | 73.90 | 50.90  | 73.90 |
| 6/11/2025 12:40:58 | 55.30  | 80.10 | 53.10  | 80.10 |
| 6/11/2025 12:40:59 | 54.80  | 75.00 | 53.90  | 74.60 |
| 6/11/2025 12:41:00 | 58.30  | 86.70 | 56.90  | 86.40 |
| 6/11/2025 12:41:01 | 60.70  | 83.50 | 59.50  | 83.60 |
| 6/11/2025 12:41:02 | 58.30  | 74.20 | 54.90  | 74.40 |
| 6/11/2025 12:41:03 | 57.60  | 70.50 | 55.50  | 71.30 |
| 6/11/2025 12:41:04 | 56.00  | 82.00 | 54.10  | 82.00 |
| 6/11/2025 12:41:05 | 56.80  | 89.70 | 56.80  | 89.60 |
| 6/11/2025 12:41:06 | 56.00  | 78.80 | 53.30  | 78.70 |
| 6/11/2025 12:41:07 | 54.50  | 80.30 | 53.20  | 80.40 |
| 6/11/2025 12:41:08 | 57.10  | 84.80 | 57.10  | 84.70 |
| 6/11/2025 12:41:09 | 64.30  | 94.10 | 56.60  | 94.10 |
| 6/11/2025 12:41:10 | 64.30  | 81.00 | 63.10  | 80.90 |
| 6/11/2025 12:41:11 | 62.00  | 80.60 | 55.70  | 80.70 |
| 6/11/2025 12:41:12 | 60.90  | 88.30 | 57.30  | 88.20 |
| 6/11/2025 12:41:13 | 60.20  | 72.10 | 56.90  | 71.50 |
| 6/11/2025 12:41:14 | 59.00  | 78.90 | 55.90  | 79.10 |
| 6/11/2025 12:41:15 | 57.70  | 87.20 | 54.90  | 87.10 |
| 6/11/2025 12:41:16 | 57.70  | 70.00 | 55.80  | 69.30 |
| 6/11/2025 12:41:17 | 59.40  | 82.50 | 58.40  | 82.60 |
| 6/11/2025 12:41:18 | 57.20  | 68.90 | 54.90  | 68.30 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:41:19 | 55.70  | 75.50 | 52.40  | 75.70 |
| 6/11/2025 12:41:20 | 54.00  | 71.50 | 52.60  | 71.40 |
| 6/11/2025 12:41:21 | 53.30  | 65.10 | 52.40  | 64.90 |
| 6/11/2025 12:41:22 | 55.90  | 80.50 | 55.40  | 80.30 |
| 6/11/2025 12:41:23 | 56.30  | 81.10 | 55.00  | 81.10 |
| 6/11/2025 12:41:24 | 57.00  | 81.70 | 55.70  | 81.50 |
| 6/11/2025 12:41:25 | 55.70  | 68.00 | 52.40  | 67.60 |
| 6/11/2025 12:41:26 | 54.00  | 71.60 | 52.60  | 70.60 |
| 6/11/2025 12:41:27 | 54.80  | 79.10 | 54.10  | 79.20 |
| 6/11/2025 12:41:28 | 53.90  | 74.80 | 52.60  | 74.30 |
| 6/11/2025 12:41:29 | 58.80  | 99.20 | 56.50  | 99.20 |
| 6/11/2025 12:41:30 | 58.10  | 67.40 | 54.00  | 67.30 |
| 6/11/2025 12:41:31 | 55.80  | 81.20 | 55.30  | 81.30 |
| 6/11/2025 12:41:32 | 57.20  | 85.50 | 56.20  | 85.50 |
| 6/11/2025 12:41:33 | 58.10  | 83.60 | 57.80  | 83.80 |
| 6/11/2025 12:41:34 | 57.40  | 71.80 | 54.60  | 71.10 |
| 6/11/2025 12:41:35 | 56.20  | 69.70 | 56.00  | 69.20 |
| 6/11/2025 12:41:36 | 56.10  | 68.30 | 56.00  | 68.40 |
| 6/11/2025 12:41:37 | 58.30  | 91.50 | 56.50  | 91.40 |
| 6/11/2025 12:41:38 | 58.20  | 68.90 | 58.00  | 69.40 |
| 6/11/2025 12:41:39 | 57.40  | 75.00 | 55.80  | 74.90 |
| 6/11/2025 12:41:40 | 59.60  | 93.10 | 58.40  | 93.00 |
| 6/11/2025 12:41:41 | 58.80  | 70.70 | 54.10  | 70.30 |
| 6/11/2025 12:41:42 | 56.40  | 68.30 | 55.20  | 68.00 |
| 6/11/2025 12:41:43 | 58.80  | 86.40 | 58.50  | 86.40 |
| 6/11/2025 12:41:44 | 57.80  | 68.70 | 53.90  | 68.20 |
| 6/11/2025 12:41:45 | 55.80  | 66.30 | 53.30  | 65.90 |
| 6/11/2025 12:41:46 | 56.20  | 83.00 | 56.20  | 83.00 |
| 6/11/2025 12:41:47 | 60.60  | 88.00 | 61.00  | 88.00 |
| 6/11/2025 12:41:48 | 61.30  | 86.50 | 59.40  | 86.50 |
| 6/11/2025 12:41:49 | 60.00  | 71.30 | 55.60  | 71.50 |
| 6/11/2025 12:41:50 | 58.20  | 81.20 | 57.20  | 81.00 |
| 6/11/2025 12:41:51 | 57.80  | 69.70 | 56.10  | 70.30 |
| 6/11/2025 12:41:52 | 56.70  | 68.90 | 54.80  | 68.40 |
| 6/11/2025 12:41:53 | 55.40  | 66.50 | 52.20  | 65.70 |
| 6/11/2025 12:41:54 | 54.20  | 67.70 | 53.90  | 67.60 |
| 6/11/2025 12:41:55 | 55.40  | 74.40 | 55.20  | 74.30 |
| 6/11/2025 12:41:56 | 55.10  | 67.30 | 52.10  | 66.70 |
| 6/11/2025 12:41:57 | 54.80  | 75.50 | 54.60  | 75.60 |
| 6/11/2025 12:41:58 | 54.00  | 66.40 | 53.20  | 66.40 |
| 6/11/2025 12:41:59 | 55.50  | 78.80 | 55.30  | 78.70 |
| 6/11/2025 12:42:00 | 54.20  | 73.30 | 51.70  | 73.40 |
| 6/11/2025 12:42:01 | 53.90  | 82.60 | 52.90  | 82.70 |
| 6/11/2025 12:42:02 | 62.00  | 94.10 | 60.60  | 94.10 |
| 6/11/2025 12:42:03 | 59.90  | 80.50 | 54.90  | 80.80 |
| 6/11/2025 12:42:04 | 58.00  | 76.70 | 56.70  | 76.40 |
| 6/11/2025 12:42:05 | 57.40  | 85.20 | 56.20  | 85.10 |
| 6/11/2025 12:42:06 | 61.90  | 88.40 | 62.70  | 88.30 |
| 6/11/2025 12:42:07 | 61.60  | 86.60 | 57.40  | 86.60 |
| 6/11/2025 12:42:08 | 58.90  | 70.60 | 54.40  | 70.70 |
| 6/11/2025 12:42:09 | 57.10  | 83.90 | 54.10  | 83.90 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:42:10 | 55.30  | 74.70 | 51.70  | 74.80 |
| 6/11/2025 12:42:11 | 53.20  | 72.10 | 50.70  | 72.20 |
| 6/11/2025 12:42:12 | 51.80  | 71.10 | 50.40  | 71.10 |
| 6/11/2025 12:42:13 | 51.90  | 71.60 | 51.90  | 71.50 |
| 6/11/2025 12:42:14 | 53.30  | 73.50 | 52.80  | 73.50 |
| 6/11/2025 12:42:15 | 53.50  | 83.30 | 52.20  | 83.20 |
| 6/11/2025 12:42:16 | 54.00  | 73.00 | 54.10  | 72.40 |
| 6/11/2025 12:42:17 | 53.10  | 64.40 | 50.70  | 64.40 |
| 6/11/2025 12:42:18 | 52.20  | 74.50 | 51.30  | 74.70 |
| 6/11/2025 12:42:19 | 55.20  | 87.60 | 54.00  | 87.60 |
| 6/11/2025 12:42:20 | 57.40  | 82.40 | 55.30  | 82.40 |
| 6/11/2025 12:42:21 | 57.70  | 82.60 | 55.20  | 82.40 |
| 6/11/2025 12:42:22 | 57.40  | 85.50 | 55.20  | 85.50 |
| 6/11/2025 12:42:23 | 59.50  | 87.30 | 55.10  | 87.30 |
| 6/11/2025 12:42:24 | 59.40  | 85.20 | 58.60  | 85.00 |
| 6/11/2025 12:42:25 | 58.90  | 77.40 | 55.80  | 77.20 |
| 6/11/2025 12:42:26 | 56.70  | 69.50 | 53.80  | 69.60 |
| 6/11/2025 12:42:27 | 58.80  | 84.00 | 58.10  | 84.00 |
| 6/11/2025 12:42:28 | 65.50  | 95.60 | 63.80  | 95.60 |
| 6/11/2025 12:42:29 | 64.10  | 80.80 | 55.20  | 80.80 |
| 6/11/2025 12:42:30 | 60.60  | 78.30 | 54.10  | 78.20 |
| 6/11/2025 12:42:31 | 58.30  | 86.90 | 55.90  | 86.90 |
| 6/11/2025 12:42:32 | 57.20  | 77.50 | 54.20  | 77.60 |
| 6/11/2025 12:42:33 | 55.50  | 68.70 | 50.40  | 68.20 |
| 6/11/2025 12:42:34 | 55.80  | 84.30 | 53.70  | 84.40 |
| 6/11/2025 12:42:35 | 54.50  | 76.80 | 53.60  | 76.70 |
| 6/11/2025 12:42:36 | 54.00  | 66.50 | 51.10  | 67.00 |
| 6/11/2025 12:42:37 | 57.50  | 85.00 | 56.50  | 85.10 |
| 6/11/2025 12:42:38 | 55.50  | 66.60 | 51.50  | 66.50 |
| 6/11/2025 12:42:39 | 53.40  | 70.80 | 52.10  | 71.00 |
| 6/11/2025 12:42:40 | 52.40  | 70.80 | 49.80  | 70.90 |
| 6/11/2025 12:42:41 | 55.40  | 83.40 | 52.50  | 83.40 |
| 6/11/2025 12:42:42 | 55.20  | 76.70 | 52.60  | 76.50 |
| 6/11/2025 12:42:43 | 57.70  | 85.90 | 57.20  | 85.90 |
| 6/11/2025 12:42:44 | 58.90  | 85.60 | 58.20  | 85.60 |
| 6/11/2025 12:42:45 | 58.10  | 87.60 | 54.10  | 87.50 |
| 6/11/2025 12:42:46 | 56.60  | 78.20 | 52.90  | 78.20 |
| 6/11/2025 12:42:47 | 67.00  | 97.70 | 63.30  | 97.60 |
| 6/11/2025 12:42:48 | 66.30  | 84.20 | 60.70  | 84.20 |
| 6/11/2025 12:42:49 | 63.20  | 90.10 | 58.70  | 90.10 |
| 6/11/2025 12:42:50 | 60.50  | 79.70 | 53.10  | 79.70 |
| 6/11/2025 12:42:51 | 58.40  | 79.70 | 57.10  | 79.60 |
| 6/11/2025 12:42:52 | 63.30  | 83.50 | 62.10  | 83.50 |
| 6/11/2025 12:42:53 | 63.20  | 73.60 | 60.80  | 73.50 |
| 6/11/2025 12:42:54 | 61.70  | 87.20 | 57.50  | 87.10 |
| 6/11/2025 12:42:55 | 61.70  | 69.00 | 57.70  | 69.00 |
| 6/11/2025 12:42:56 | 58.30  | 68.80 | 51.80  | 67.80 |
| 6/11/2025 12:42:57 | 57.00  | 72.40 | 55.60  | 72.10 |
| 6/11/2025 12:42:58 | 56.90  | 71.00 | 54.50  | 70.70 |
| 6/11/2025 12:42:59 | 55.10  | 71.50 | 52.50  | 71.30 |
| 6/11/2025 12:43:00 | 53.50  | 64.20 | 50.90  | 64.20 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:43:01 | 52.80  | 82.30 | 50.40  | 82.20 |
| 6/11/2025 12:43:02 | 53.00  | 67.50 | 52.90  | 68.20 |
| 6/11/2025 12:43:03 | 53.00  | 72.20 | 52.10  | 72.10 |
| 6/11/2025 12:43:04 | 51.90  | 64.60 | 50.40  | 64.60 |
| 6/11/2025 12:43:05 | 51.50  | 68.40 | 51.30  | 68.40 |
| 6/11/2025 12:43:06 | 51.90  | 65.50 | 51.70  | 65.30 |
| 6/11/2025 12:43:07 | 52.90  | 70.50 | 52.10  | 70.20 |
| 6/11/2025 12:43:08 | 55.40  | 81.90 | 55.30  | 81.80 |
| 6/11/2025 12:43:09 | 59.90  | 92.70 | 59.20  | 92.70 |
| 6/11/2025 12:43:10 | 62.10  | 91.80 | 60.70  | 91.60 |
| 6/11/2025 12:43:11 | 61.00  | 82.10 | 56.80  | 82.20 |
| 6/11/2025 12:43:12 | 59.10  | 77.70 | 55.10  | 77.90 |
| 6/11/2025 12:43:13 | 58.30  | 86.10 | 55.90  | 86.10 |
| 6/11/2025 12:43:14 | 59.20  | 84.10 | 59.10  | 84.00 |
| 6/11/2025 12:43:15 | 59.10  | 77.90 | 56.80  | 77.70 |
| 6/11/2025 12:43:16 | 61.80  | 74.40 | 62.30  | 74.30 |
| 6/11/2025 12:43:17 | 61.60  | 74.80 | 59.20  | 75.20 |
| 6/11/2025 12:43:18 | 60.10  | 76.70 | 58.30  | 76.70 |
| 6/11/2025 12:43:19 | 59.60  | 81.20 | 56.20  | 81.00 |
| 6/11/2025 12:43:20 | 57.60  | 76.90 | 53.50  | 77.00 |
| 6/11/2025 12:43:21 | 55.20  | 66.00 | 52.40  | 66.40 |
| 6/11/2025 12:43:22 | 55.20  | 71.30 | 54.00  | 71.00 |
| 6/11/2025 12:43:23 | 54.30  | 77.40 | 52.40  | 77.40 |
| 6/11/2025 12:43:24 | 55.80  | 69.00 | 56.40  | 68.80 |
| 6/11/2025 12:43:25 | 55.60  | 79.30 | 53.30  | 79.40 |
| 6/11/2025 12:43:26 | 56.80  | 80.60 | 55.80  | 80.50 |
| 6/11/2025 12:43:27 | 61.60  | 91.60 | 61.20  | 91.60 |
| 6/11/2025 12:43:28 | 61.60  | 72.70 | 54.60  | 72.80 |
| 6/11/2025 12:43:29 | 64.30  | 94.10 | 62.90  | 94.10 |
| 6/11/2025 12:43:30 | 63.50  | 79.60 | 56.30  | 79.70 |
| 6/11/2025 12:43:31 | 60.50  | 88.30 | 58.50  | 88.30 |
| 6/11/2025 12:43:32 | 61.80  | 76.80 | 60.60  | 76.90 |
| 6/11/2025 12:43:33 | 63.30  | 91.70 | 61.20  | 91.70 |
| 6/11/2025 12:43:34 | 61.90  | 83.40 | 55.40  | 83.30 |
| 6/11/2025 12:43:35 | 59.70  | 85.20 | 55.30  | 85.20 |
| 6/11/2025 12:43:36 | 56.90  | 75.00 | 52.30  | 74.90 |
| 6/11/2025 12:43:37 | 60.00  | 91.30 | 58.70  | 91.30 |
| 6/11/2025 12:43:38 | 61.10  | 77.90 | 58.50  | 77.90 |
| 6/11/2025 12:43:39 | 61.10  | 70.50 | 56.00  | 70.90 |
| 6/11/2025 12:43:40 | 57.40  | 65.80 | 49.70  | 66.00 |
| 6/11/2025 12:43:41 | 54.30  | 67.50 | 51.60  | 67.10 |
| 6/11/2025 12:43:42 | 53.80  | 81.40 | 50.80  | 81.30 |
| 6/11/2025 12:43:43 | 54.20  | 78.10 | 53.60  | 77.90 |
| 6/11/2025 12:43:44 | 58.10  | 83.20 | 58.20  | 83.00 |
| 6/11/2025 12:43:45 | 58.50  | 82.00 | 57.00  | 82.00 |
| 6/11/2025 12:43:46 | 60.80  | 89.00 | 59.00  | 89.00 |
| 6/11/2025 12:43:47 | 59.30  | 83.90 | 56.10  | 83.90 |
| 6/11/2025 12:43:48 | 58.90  | 86.50 | 56.00  | 86.40 |
| 6/11/2025 12:43:49 | 61.00  | 89.40 | 58.80  | 89.40 |
| 6/11/2025 12:43:50 | 61.40  | 86.60 | 61.60  | 86.50 |
| 6/11/2025 12:43:51 | 61.30  | 85.50 | 60.20  | 85.60 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:43:52 | 60.50  | 88.20 | 55.00  | 88.20 |
| 6/11/2025 12:43:53 | 60.80  | 89.20 | 60.00  | 89.20 |
| 6/11/2025 12:43:54 | 59.30  | 67.90 | 53.40  | 68.00 |
| 6/11/2025 12:43:55 | 56.70  | 71.30 | 54.60  | 70.80 |
| 6/11/2025 12:43:56 | 56.20  | 70.30 | 54.30  | 70.10 |
| 6/11/2025 12:43:57 | 58.30  | 78.30 | 58.30  | 78.00 |
| 6/11/2025 12:43:58 | 58.30  | 72.60 | 56.40  | 72.30 |
| 6/11/2025 12:43:59 | 61.30  | 89.80 | 61.00  | 89.80 |
| 6/11/2025 12:44:00 | 59.80  | 80.50 | 54.10  | 80.40 |
| 6/11/2025 12:44:01 | 57.10  | 71.00 | 51.20  | 70.40 |
| 6/11/2025 12:44:02 | 54.20  | 82.40 | 52.00  | 82.30 |
| 6/11/2025 12:44:03 | 53.90  | 63.50 | 50.40  | 62.20 |
| 6/11/2025 12:44:04 | 57.90  | 90.00 | 57.30  | 90.00 |
| 6/11/2025 12:44:05 | 56.80  | 78.80 | 53.20  | 78.80 |
| 6/11/2025 12:44:06 | 56.80  | 66.60 | 53.70  | 66.80 |
| 6/11/2025 12:44:07 | 65.30  | 89.10 | 64.30  | 89.10 |
| 6/11/2025 12:44:08 | 64.70  | 75.50 | 57.90  | 75.70 |
| 6/11/2025 12:44:09 | 63.50  | 90.60 | 60.40  | 90.50 |
| 6/11/2025 12:44:10 | 60.80  | 82.90 | 57.90  | 82.90 |
| 6/11/2025 12:44:11 | 60.70  | 77.40 | 60.20  | 77.10 |
| 6/11/2025 12:44:12 | 60.70  | 77.50 | 58.10  | 77.40 |
| 6/11/2025 12:44:13 | 62.90  | 91.60 | 61.50  | 91.60 |
| 6/11/2025 12:44:14 | 61.20  | 79.50 | 54.80  | 79.40 |
| 6/11/2025 12:44:15 | 58.70  | 87.70 | 55.90  | 87.60 |
| 6/11/2025 12:44:16 | 57.60  | 76.10 | 56.30  | 76.00 |
| 6/11/2025 12:44:17 | 56.90  | 70.80 | 54.20  | 71.50 |
| 6/11/2025 12:44:18 | 55.00  | 63.50 | 50.50  | 63.40 |
| 6/11/2025 12:44:19 | 55.40  | 81.70 | 54.20  | 81.50 |
| 6/11/2025 12:44:20 | 54.60  | 66.20 | 51.60  | 66.90 |
| 6/11/2025 12:44:21 | 55.30  | 86.40 | 54.00  | 86.30 |
| 6/11/2025 12:44:22 | 53.90  | 64.90 | 50.80  | 65.70 |
| 6/11/2025 12:44:23 | 56.30  | 82.20 | 56.80  | 82.10 |
| 6/11/2025 12:44:24 | 56.00  | 66.10 | 52.10  | 66.90 |
| 6/11/2025 12:44:25 | 53.60  | 63.60 | 49.40  | 63.30 |
| 6/11/2025 12:44:26 | 55.40  | 81.00 | 54.90  | 81.00 |
| 6/11/2025 12:44:27 | 61.10  | 89.90 | 59.60  | 89.90 |
| 6/11/2025 12:44:28 | 59.10  | 81.20 | 53.30  | 81.10 |
| 6/11/2025 12:44:29 | 59.60  | 84.00 | 59.70  | 84.00 |
| 6/11/2025 12:44:30 | 60.10  | 82.50 | 59.00  | 82.50 |
| 6/11/2025 12:44:31 | 62.10  | 88.80 | 60.40  | 88.80 |
| 6/11/2025 12:44:32 | 63.20  | 90.90 | 61.80  | 90.80 |
| 6/11/2025 12:44:33 | 63.30  | 88.30 | 62.40  | 88.30 |
| 6/11/2025 12:44:34 | 62.20  | 87.20 | 59.30  | 87.20 |
| 6/11/2025 12:44:35 | 64.30  | 91.10 | 63.40  | 91.10 |
| 6/11/2025 12:44:36 | 62.00  | 80.70 | 55.20  | 80.50 |
| 6/11/2025 12:44:37 | 63.40  | 92.70 | 62.00  | 92.70 |
| 6/11/2025 12:44:38 | 62.40  | 71.50 | 58.10  | 72.00 |
| 6/11/2025 12:44:39 | 61.10  | 74.60 | 59.00  | 74.30 |
| 6/11/2025 12:44:40 | 59.00  | 66.30 | 52.90  | 66.20 |
| 6/11/2025 12:44:41 | 56.80  | 79.40 | 56.10  | 79.50 |
| 6/11/2025 12:44:42 | 57.20  | 75.30 | 55.90  | 75.20 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:44:43 | 55.70  | 74.70 | 51.50  | 74.70 |
| 6/11/2025 12:44:44 | 53.50  | 64.90 | 52.20  | 64.90 |
| 6/11/2025 12:44:45 | 52.80  | 65.90 | 51.60  | 66.10 |
| 6/11/2025 12:44:46 | 52.00  | 63.30 | 49.90  | 62.50 |
| 6/11/2025 12:44:47 | 51.50  | 66.20 | 50.90  | 66.50 |
| 6/11/2025 12:44:48 | 51.60  | 65.30 | 51.60  | 64.70 |
| 6/11/2025 12:44:49 | 52.10  | 64.80 | 52.00  | 64.90 |
| 6/11/2025 12:44:50 | 51.90  | 65.40 | 50.90  | 65.60 |
| 6/11/2025 12:44:51 | 53.20  | 72.70 | 53.40  | 72.80 |
| 6/11/2025 12:44:52 | 58.20  | 87.20 | 56.70  | 87.30 |
| 6/11/2025 12:44:53 | 57.70  | 66.10 | 54.00  | 66.20 |
| 6/11/2025 12:44:54 | 55.40  | 71.50 | 52.20  | 71.10 |
| 6/11/2025 12:44:55 | 55.70  | 78.60 | 55.50  | 78.50 |
| 6/11/2025 12:44:56 | 63.70  | 90.80 | 62.60  | 90.80 |
| 6/11/2025 12:44:57 | 61.50  | 87.70 | 54.60  | 87.60 |
| 6/11/2025 12:44:58 | 58.40  | 68.60 | 53.20  | 69.00 |
| 6/11/2025 12:44:59 | 56.00  | 65.90 | 52.90  | 65.80 |
| 6/11/2025 12:45:00 | 56.50  | 87.90 | 55.70  | 87.80 |
| 6/11/2025 12:45:01 | 55.90  | 66.90 | 53.10  | 66.90 |
| 6/11/2025 12:45:02 | 54.30  | 66.10 | 52.20  | 65.80 |
| 6/11/2025 12:45:03 | 53.00  | 64.60 | 51.50  | 65.50 |
| 6/11/2025 12:45:04 | 52.80  | 64.70 | 52.70  | 64.80 |
| 6/11/2025 12:45:05 | 54.00  | 67.10 | 53.60  | 67.30 |
| 6/11/2025 12:45:06 | 54.90  | 77.70 | 54.30  | 77.80 |
| 6/11/2025 12:45:07 | 54.80  | 79.40 | 53.40  | 79.30 |
| 6/11/2025 12:45:08 | 56.30  | 86.60 | 54.40  | 86.50 |
| 6/11/2025 12:45:09 | 55.70  | 63.20 | 50.90  | 62.00 |
| 6/11/2025 12:45:10 | 52.90  | 76.40 | 50.30  | 76.90 |
| 6/11/2025 12:45:11 | 61.30  | 90.30 | 58.30  | 90.30 |
| 6/11/2025 12:45:12 | 61.50  | 86.50 | 60.90  | 86.60 |
| 6/11/2025 12:45:13 | 61.40  | 84.00 | 58.10  | 83.90 |
| 6/11/2025 12:45:14 | 59.10  | 74.50 | 51.40  | 74.60 |
| 6/11/2025 12:45:15 | 56.20  | 73.10 | 52.50  | 73.30 |
| 6/11/2025 12:45:16 | 58.80  | 87.40 | 58.30  | 87.30 |
| 6/11/2025 12:45:17 | 66.00  | 95.50 | 64.20  | 95.50 |
| 6/11/2025 12:45:18 | 65.00  | 83.20 | 56.80  | 83.40 |
| 6/11/2025 12:45:19 | 61.30  | 73.30 | 55.40  | 73.50 |
| 6/11/2025 12:45:20 | 58.60  | 69.50 | 52.10  | 69.10 |
| 6/11/2025 12:45:21 | 55.70  | 75.20 | 51.30  | 75.80 |
| 6/11/2025 12:45:22 | 53.40  | 66.50 | 51.50  | 66.60 |
| 6/11/2025 12:45:23 | 52.50  | 62.40 | 50.00  | 62.50 |
| 6/11/2025 12:45:24 | 52.40  | 66.50 | 52.40  | 66.50 |
| 6/11/2025 12:45:25 | 55.00  | 79.30 | 55.50  | 79.30 |
| 6/11/2025 12:45:26 | 55.30  | 72.20 | 53.30  | 72.00 |
| 6/11/2025 12:45:27 | 57.10  | 90.70 | 56.70  | 90.70 |
| 6/11/2025 12:45:28 | 56.70  | 79.60 | 52.60  | 79.70 |
| 6/11/2025 12:45:29 | 54.60  | 73.40 | 53.70  | 73.10 |
| 6/11/2025 12:45:30 | 54.80  | 78.80 | 53.80  | 79.00 |
| 6/11/2025 12:45:31 | 59.50  | 76.90 | 57.50  | 77.30 |
| 6/11/2025 12:45:32 | 62.10  | 88.80 | 62.30  | 88.70 |
| 6/11/2025 12:45:33 | 60.60  | 77.10 | 53.90  | 76.90 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:45:34 | 57.80  | 78.60 | 53.50  | 78.70 |
| 6/11/2025 12:45:35 | 61.10  | 87.20 | 61.20  | 87.20 |
| 6/11/2025 12:45:36 | 60.00  | 85.60 | 54.70  | 85.60 |
| 6/11/2025 12:45:37 | 59.20  | 71.70 | 57.60  | 71.10 |
| 6/11/2025 12:45:38 | 57.20  | 70.60 | 52.90  | 70.60 |
| 6/11/2025 12:45:39 | 56.10  | 76.90 | 54.00  | 76.90 |
| 6/11/2025 12:45:40 | 56.20  | 79.80 | 55.20  | 79.80 |
| 6/11/2025 12:45:41 | 60.10  | 90.00 | 58.90  | 90.00 |
| 6/11/2025 12:45:42 | 59.00  | 70.90 | 51.90  | 70.80 |
| 6/11/2025 12:45:43 | 63.60  | 92.60 | 61.10  | 92.60 |
| 6/11/2025 12:45:44 | 62.90  | 64.70 | 55.70  | 64.90 |
| 6/11/2025 12:45:45 | 63.10  | 93.80 | 56.60  | 93.80 |
| 6/11/2025 12:45:46 | 63.00  | 71.00 | 59.30  | 70.80 |
| 6/11/2025 12:45:47 | 59.40  | 74.40 | 55.90  | 74.00 |
| 6/11/2025 12:45:48 | 60.20  | 74.60 | 59.70  | 74.60 |
| 6/11/2025 12:45:49 | 58.80  | 83.70 | 55.90  | 83.70 |
| 6/11/2025 12:45:50 | 58.60  | 85.90 | 57.20  | 85.70 |
| 6/11/2025 12:45:51 | 58.10  | 76.60 | 57.30  | 76.60 |
| 6/11/2025 12:45:52 | 59.10  | 86.70 | 57.80  | 86.60 |
| 6/11/2025 12:45:53 | 58.70  | 80.40 | 55.20  | 80.40 |
| 6/11/2025 12:45:54 | 56.70  | 79.30 | 53.50  | 79.20 |
| 6/11/2025 12:45:55 | 54.60  | 65.60 | 50.80  | 66.40 |
| 6/11/2025 12:45:56 | 54.80  | 76.50 | 54.60  | 76.30 |
| 6/11/2025 12:45:57 | 53.90  | 63.60 | 49.30  | 64.50 |
| 6/11/2025 12:45:58 | 58.90  | 87.70 | 57.80  | 87.80 |
| 6/11/2025 12:45:59 | 58.20  | 67.30 | 52.30  | 68.20 |
| 6/11/2025 12:46:00 | 57.10  | 81.80 | 55.30  | 81.90 |
| 6/11/2025 12:46:01 | 60.80  | 91.10 | 59.30  | 91.10 |
| 6/11/2025 12:46:02 | 58.20  | 78.20 | 54.20  | 78.30 |
| 6/11/2025 12:46:03 | 57.20  | 71.70 | 55.60  | 71.30 |
| 6/11/2025 12:46:04 | 56.40  | 71.10 | 55.50  | 71.70 |
| 6/11/2025 12:46:05 | 58.30  | 85.20 | 57.30  | 85.20 |
| 6/11/2025 12:46:06 | 58.40  | 69.20 | 55.50  | 69.60 |
| 6/11/2025 12:46:07 | 56.20  | 71.70 | 54.40  | 71.50 |
| 6/11/2025 12:46:08 | 55.80  | 72.20 | 55.50  | 72.30 |
| 6/11/2025 12:46:09 | 55.10  | 71.90 | 52.50  | 71.50 |
| 6/11/2025 12:46:10 | 53.30  | 65.10 | 50.00  | 65.50 |
| 6/11/2025 12:46:11 | 55.00  | 78.40 | 55.60  | 78.50 |
| 6/11/2025 12:46:12 | 58.50  | 91.50 | 57.40  | 91.60 |
| 6/11/2025 12:46:13 | 57.40  | 69.30 | 55.30  | 69.60 |
| 6/11/2025 12:46:14 | 56.40  | 77.00 | 55.00  | 76.80 |
| 6/11/2025 12:46:15 | 55.80  | 70.40 | 55.20  | 70.20 |
| 6/11/2025 12:46:16 | 58.10  | 72.20 | 57.60  | 72.10 |
| 6/11/2025 12:46:17 | 57.80  | 71.00 | 54.50  | 70.70 |
| 6/11/2025 12:46:18 | 56.30  | 74.20 | 55.40  | 74.60 |
| 6/11/2025 12:46:19 | 55.80  | 75.90 | 51.90  | 75.40 |
| 6/11/2025 12:46:20 | 53.50  | 66.20 | 51.00  | 65.90 |
| 6/11/2025 12:46:21 | 55.00  | 87.50 | 54.80  | 87.40 |
| 6/11/2025 12:46:22 | 54.50  | 70.50 | 52.30  | 70.60 |
| 6/11/2025 12:46:23 | 56.80  | 85.20 | 55.10  | 85.20 |
| 6/11/2025 12:46:24 | 62.40  | 91.80 | 61.60  | 91.80 |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 12:46:25 | 60.50         | 87.80        | 56.50         | 87.80        |
| 6/11/2025 12:46:26 | 58.30         | 80.50        | 51.20         | 80.40        |
| 6/11/2025 12:46:27 | 55.40         | 71.60        | 49.90         | 71.40        |
| 6/11/2025 12:46:28 | 55.40         | 83.40        | 54.10         | 83.40        |
| 6/11/2025 12:46:29 | 60.20         | 90.00        | 58.40         | 89.90        |
| 6/11/2025 12:46:30 | 62.60         | 89.70        | 61.30         | 89.50        |
| 6/11/2025 12:46:31 | 61.30         | 84.60        | 59.70         | 84.60        |
| 6/11/2025 12:46:32 | 60.00         | 88.60        | 56.10         | 88.50        |
| 6/11/2025 12:46:33 | 59.50         | 68.30        | 53.50         | 68.10        |
| 6/11/2025 12:46:34 | 56.10         | 70.70        | 53.70         | 70.10        |
| 6/11/2025 12:46:35 | 58.80         | 88.30        | 58.20         | 88.20        |
| 6/11/2025 12:46:36 | 57.20         | 71.50        | 52.00         | 71.60        |
| 6/11/2025 12:46:37 | 55.70         | 72.30        | 54.70         | 71.50        |
| 6/11/2025 12:46:38 | 55.10         | 69.30        | 52.90         | 69.10        |
| 6/11/2025 12:46:39 | 53.40         | 65.60        | 49.10         | 66.20        |
| 6/11/2025 12:46:40 | 52.00         | 67.30        | 50.80         | 68.00        |
| 6/11/2025 12:46:41 | 51.90         | 65.50        | 49.80         | 63.90        |
| 6/11/2025 12:46:42 | 54.60         | 78.90        | 53.90         | 78.70        |
| 6/11/2025 12:46:43 | 62.60         | 92.70        | 60.40         | 92.70        |
| 6/11/2025 12:46:44 | 60.70         | 86.60        | 51.80         | 86.60        |
| 6/11/2025 12:46:45 | 60.10         | 83.80        | 59.60         | 83.80        |
| 6/11/2025 12:46:46 | 59.20         | 70.30        | 52.50         | 70.60        |
| 6/11/2025 12:46:47 | 56.90         | 81.00        | 54.60         | 81.10        |
| 6/11/2025 12:46:48 | 56.20         | 79.20        | 54.70         | 79.10        |
| 6/11/2025 12:46:49 | 59.40         | 89.80        | 58.20         | 89.80        |
| 6/11/2025 12:46:50 | 59.50         | 77.50        | 56.30         | 77.50        |
| 6/11/2025 12:46:51 | 56.60         | 77.90        | 52.70         | 77.70        |
| 6/11/2025 12:46:52 | 55.40         | 79.50        | 52.30         | 79.70        |
| 6/11/2025 12:46:53 | 53.90         | 75.80        | 50.90         | 75.90        |
| 6/11/2025 12:46:54 | 53.90         | 70.20        | 51.40         | 70.20        |
| 6/11/2025 12:46:55 | 51.60         | 62.20        | 48.60         | 61.80        |
| 6/11/2025 12:46:56 | 50.30         | 73.50        | 49.50         | 74.10        |
| 6/11/2025 12:46:57 | 50.90         | 70.50        | 50.70         | 69.80        |
| 6/11/2025 12:46:58 | 51.80         | 68.40        | 51.70         | 69.10        |
| 6/11/2025 12:46:59 | 55.40         | 83.60        | 54.00         | 83.50        |
| 6/11/2025 12:47:00 | 54.80         | 64.10        | 50.20         | 64.60        |
| 6/11/2025 12:47:01 | 58.60         | 89.00        | 57.30         | 89.00        |
| 6/11/2025 12:47:02 | 55.90         | 76.40        | 51.60         | 76.20        |
| 6/11/2025 12:47:03 | 61.20         | 86.50        | 60.30         | 86.40        |
| 6/11/2025 12:47:04 | 59.60         | 73.40        | 54.40         | 73.30        |
| 6/11/2025 12:47:05 | 57.80         | 84.30        | 55.50         | 84.40        |
| 6/11/2025 12:47:06 | 56.80         | 84.30        | 55.70         | 84.30        |
| 6/11/2025 12:47:07 | 57.30         | 82.20        | 56.20         | 82.40        |
| 6/11/2025 12:47:08 | 57.90         | 84.70        | 56.60         | 84.70        |
| 6/11/2025 12:47:09 | 57.00         | 81.20        | 54.30         | 81.20        |
| 6/11/2025 12:47:10 | 58.40         | 83.60        | 58.60         | 83.30        |
| 6/11/2025 12:47:11 | 62.50         | 89.60        | 62.80         | 89.70        |
| 6/11/2025 12:47:12 | 66.70         | 93.40        | 65.70         | 93.30        |
| 6/11/2025 12:47:13 | 64.90         | 85.00        | 57.30         | 84.90        |
| 6/11/2025 12:47:14 | 61.90         | 81.80        | 55.40         | 81.70        |
| 6/11/2025 12:47:15 | 59.60         | 83.30        | 54.20         | 83.30        |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:47:16 | 59.00  | 75.90 | 58.00  | 76.10 |
| 6/11/2025 12:47:17 | 57.70  | 77.50 | 56.80  | 77.40 |
| 6/11/2025 12:47:18 | 57.40  | 83.30 | 55.20  | 83.40 |
| 6/11/2025 12:47:19 | 56.20  | 81.40 | 52.60  | 81.30 |
| 6/11/2025 12:47:20 | 54.90  | 77.80 | 53.40  | 78.00 |
| 6/11/2025 12:47:21 | 54.50  | 65.00 | 50.60  | 64.70 |
| 6/11/2025 12:47:22 | 54.70  | 81.80 | 53.60  | 81.90 |
| 6/11/2025 12:47:23 | 52.80  | 75.70 | 51.60  | 75.70 |
| 6/11/2025 12:47:24 | 60.80  | 88.30 | 60.10  | 88.20 |
| 6/11/2025 12:47:25 | 60.20  | 77.90 | 54.60  | 77.70 |
| 6/11/2025 12:47:26 | 57.00  | 75.90 | 51.70  | 75.90 |
| 6/11/2025 12:47:27 | 57.20  | 82.90 | 55.40  | 82.90 |
| 6/11/2025 12:47:28 | 57.20  | 83.50 | 55.90  | 83.50 |
| 6/11/2025 12:47:29 | 56.80  | 77.30 | 55.60  | 77.30 |
| 6/11/2025 12:47:30 | 57.80  | 84.60 | 56.70  | 84.60 |
| 6/11/2025 12:47:31 | 56.60  | 79.40 | 54.90  | 79.30 |
| 6/11/2025 12:47:32 | 58.40  | 86.80 | 57.00  | 86.80 |
| 6/11/2025 12:47:33 | 59.30  | 78.80 | 58.30  | 78.70 |
| 6/11/2025 12:47:34 | 58.30  | 72.50 | 56.00  | 72.30 |
| 6/11/2025 12:47:35 | 57.10  | 68.40 | 54.80  | 68.00 |
| 6/11/2025 12:47:36 | 56.10  | 69.20 | 55.90  | 69.00 |
| 6/11/2025 12:47:37 | 56.00  | 68.40 | 55.70  | 68.50 |
| 6/11/2025 12:47:38 | 55.80  | 77.10 | 54.10  | 76.90 |
| 6/11/2025 12:47:39 | 61.70  | 89.50 | 60.50  | 89.40 |
| 6/11/2025 12:47:40 | 61.20  | 70.80 | 58.10  | 70.10 |
| 6/11/2025 12:47:41 | 62.90  | 93.40 | 61.70  | 93.40 |
| 6/11/2025 12:47:42 | 62.60  | 71.50 | 58.80  | 71.30 |
| 6/11/2025 12:47:43 | 59.90  | 77.00 | 56.40  | 77.10 |
| 6/11/2025 12:47:44 | 63.60  | 87.30 | 64.20  | 87.20 |
| 6/11/2025 12:47:45 | 63.40  | 81.10 | 60.70  | 81.20 |
| 6/11/2025 12:47:46 | 67.50  | 95.40 | 65.50  | 95.30 |
| 6/11/2025 12:47:47 | 64.80  | 86.30 | 61.30  | 86.20 |
| 6/11/2025 12:47:48 | 63.00  | 79.40 | 58.90  | 79.20 |
| 6/11/2025 12:47:49 | 61.30  | 80.10 | 60.30  | 80.20 |
| 6/11/2025 12:47:50 | 61.20  | 75.70 | 60.30  | 75.40 |
| 6/11/2025 12:47:51 | 59.90  | 77.30 | 57.50  | 77.30 |
| 6/11/2025 12:47:52 | 58.80  | 70.80 | 57.60  | 71.10 |
| 6/11/2025 12:47:53 | 57.90  | 70.60 | 57.40  | 71.00 |
| 6/11/2025 12:47:54 | 58.30  | 72.30 | 58.20  | 72.20 |
| 6/11/2025 12:47:55 | 58.40  | 70.60 | 57.00  | 71.00 |
| 6/11/2025 12:47:56 | 57.20  | 70.60 | 56.40  | 70.40 |
| 6/11/2025 12:47:57 | 57.60  | 82.00 | 56.70  | 81.80 |
| 6/11/2025 12:47:58 | 62.10  | 91.30 | 59.30  | 91.30 |
| 6/11/2025 12:47:59 | 63.20  | 91.80 | 61.40  | 91.60 |
| 6/11/2025 12:48:00 | 62.80  | 79.30 | 58.10  | 79.20 |
| 6/11/2025 12:48:01 | 63.50  | 95.10 | 61.90  | 95.10 |
| 6/11/2025 12:48:02 | 60.90  | 73.40 | 53.60  | 73.70 |
| 6/11/2025 12:48:03 | 58.60  | 81.90 | 55.00  | 82.10 |
| 6/11/2025 12:48:04 | 56.80  | 76.60 | 54.50  | 76.30 |
| 6/11/2025 12:48:05 | 56.50  | 85.30 | 55.10  | 85.30 |
| 6/11/2025 12:48:06 | 56.20  | 77.50 | 53.90  | 77.60 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:48:07 | 54.70  | 65.30 | 52.30  | 65.30 |
| 6/11/2025 12:48:08 | 54.90  | 79.10 | 54.30  | 78.90 |
| 6/11/2025 12:48:09 | 53.70  | 65.50 | 53.40  | 66.30 |
| 6/11/2025 12:48:10 | 54.20  | 76.00 | 54.30  | 75.60 |
| 6/11/2025 12:48:11 | 65.40  | 94.20 | 64.10  | 94.10 |
| 6/11/2025 12:48:12 | 63.00  | 65.80 | 53.80  | 65.80 |
| 6/11/2025 12:48:13 | 59.60  | 81.60 | 55.20  | 81.50 |
| 6/11/2025 12:48:14 | 58.50  | 86.20 | 55.40  | 86.20 |
| 6/11/2025 12:48:15 | 58.50  | 84.70 | 57.20  | 84.60 |
| 6/11/2025 12:48:16 | 56.40  | 72.40 | 50.20  | 72.60 |
| 6/11/2025 12:48:17 | 53.70  | 68.30 | 52.40  | 68.20 |
| 6/11/2025 12:48:18 | 52.80  | 67.40 | 52.10  | 67.70 |
| 6/11/2025 12:48:19 | 53.50  | 70.60 | 53.60  | 70.90 |
| 6/11/2025 12:48:20 | 54.10  | 75.70 | 53.00  | 75.90 |
| 6/11/2025 12:48:21 | 56.90  | 81.10 | 56.40  | 81.00 |
| 6/11/2025 12:48:22 | 56.90  | 70.90 | 54.50  | 70.50 |
| 6/11/2025 12:48:23 | 55.80  | 86.90 | 53.50  | 86.70 |
| 6/11/2025 12:48:24 | 53.90  | 64.60 | 49.60  | 63.80 |
| 6/11/2025 12:48:25 | 51.80  | 70.70 | 49.90  | 70.70 |
| 6/11/2025 12:48:26 | 53.10  | 83.40 | 51.70  | 83.20 |
| 6/11/2025 12:48:27 | 52.90  | 63.60 | 50.90  | 63.60 |
| 6/11/2025 12:48:28 | 52.60  | 76.40 | 52.00  | 76.40 |
| 6/11/2025 12:48:29 | 52.70  | 66.50 | 51.50  | 66.70 |
| 6/11/2025 12:48:30 | 53.50  | 85.20 | 52.10  | 85.30 |
| 6/11/2025 12:48:31 | 55.40  | 83.10 | 54.40  | 83.10 |
| 6/11/2025 12:48:32 | 56.80  | 83.80 | 56.00  | 83.80 |
| 6/11/2025 12:48:33 | 56.20  | 83.50 | 51.40  | 83.50 |
| 6/11/2025 12:48:34 | 55.80  | 84.10 | 54.50  | 83.90 |
| 6/11/2025 12:48:35 | 59.90  | 90.10 | 60.40  | 90.10 |
| 6/11/2025 12:48:36 | 61.70  | 86.10 | 59.40  | 86.00 |
| 6/11/2025 12:48:37 | 59.10  | 83.50 | 56.10  | 83.40 |
| 6/11/2025 12:48:38 | 58.50  | 80.10 | 56.10  | 80.10 |
| 6/11/2025 12:48:39 | 58.10  | 83.80 | 55.60  | 83.70 |
| 6/11/2025 12:48:40 | 55.90  | 63.00 | 48.30  | 61.10 |
| 6/11/2025 12:48:41 | 53.00  | 68.30 | 51.00  | 68.90 |
| 6/11/2025 12:48:42 | 52.30  | 67.00 | 50.00  | 66.80 |
| 6/11/2025 12:48:43 | 52.20  | 62.00 | 50.40  | 62.50 |
| 6/11/2025 12:48:44 | 52.80  | 81.40 | 51.70  | 81.40 |
| 6/11/2025 12:48:45 | 51.60  | 75.60 | 50.10  | 75.60 |
| 6/11/2025 12:48:46 | 53.60  | 78.70 | 52.60  | 78.50 |
| 6/11/2025 12:48:47 | 52.10  | 74.60 | 51.30  | 74.10 |
| 6/11/2025 12:48:48 | 53.60  | 82.50 | 52.00  | 82.50 |
| 6/11/2025 12:48:49 | 51.40  | 65.80 | 49.30  | 65.10 |
| 6/11/2025 12:48:50 | 54.80  | 71.00 | 55.50  | 70.70 |
| 6/11/2025 12:48:51 | 54.40  | 65.40 | 51.10  | 65.90 |
| 6/11/2025 12:48:52 | 54.90  | 81.40 | 54.10  | 81.20 |
| 6/11/2025 12:48:53 | 53.80  | 76.00 | 51.40  | 76.00 |
| 6/11/2025 12:48:54 | 60.10  | 88.00 | 59.70  | 88.00 |
| 6/11/2025 12:48:55 | 59.70  | 85.50 | 56.80  | 85.50 |
| 6/11/2025 12:48:56 | 60.30  | 88.10 | 58.60  | 88.10 |
| 6/11/2025 12:48:57 | 58.30  | 68.30 | 53.80  | 68.50 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:48:58 | 57.70  | 85.80 | 56.50  | 85.60 |
| 6/11/2025 12:48:59 | 57.70  | 74.90 | 55.00  | 75.10 |
| 6/11/2025 12:49:00 | 55.20  | 81.60 | 51.80  | 81.70 |
| 6/11/2025 12:49:01 | 55.30  | 69.20 | 55.30  | 69.70 |
| 6/11/2025 12:49:02 | 55.30  | 77.90 | 53.60  | 78.10 |
| 6/11/2025 12:49:03 | 54.50  | 70.10 | 50.30  | 71.30 |
| 6/11/2025 12:49:04 | 52.10  | 63.00 | 48.80  | 62.60 |
| 6/11/2025 12:49:05 | 53.80  | 70.70 | 52.60  | 70.70 |
| 6/11/2025 12:49:06 | 54.80  | 67.70 | 54.90  | 68.40 |
| 6/11/2025 12:49:07 | 53.90  | 66.90 | 49.10  | 67.30 |
| 6/11/2025 12:49:08 | 54.20  | 69.80 | 54.50  | 69.50 |
| 6/11/2025 12:49:09 | 56.30  | 81.30 | 55.20  | 81.40 |
| 6/11/2025 12:49:10 | 56.30  | 68.90 | 54.40  | 69.00 |
| 6/11/2025 12:49:11 | 58.10  | 88.40 | 57.30  | 88.40 |
| 6/11/2025 12:49:12 | 57.50  | 70.90 | 52.30  | 71.20 |
| 6/11/2025 12:49:13 | 55.70  | 81.70 | 54.60  | 81.90 |
| 6/11/2025 12:49:14 | 55.70  | 73.70 | 53.70  | 73.80 |
| 6/11/2025 12:49:15 | 58.80  | 87.80 | 56.80  | 87.80 |
| 6/11/2025 12:49:16 | 58.00  | 84.10 | 56.10  | 83.90 |
| 6/11/2025 12:49:17 | 62.50  | 88.30 | 61.80  | 88.40 |
| 6/11/2025 12:49:18 | 60.90  | 87.30 | 57.90  | 87.30 |
| 6/11/2025 12:49:19 | 59.40  | 77.10 | 55.60  | 77.10 |
| 6/11/2025 12:49:20 | 58.00  | 78.60 | 52.60  | 78.50 |
| 6/11/2025 12:49:21 | 59.60  | 90.10 | 59.90  | 90.10 |
| 6/11/2025 12:49:22 | 58.30  | 73.30 | 54.60  | 73.40 |
| 6/11/2025 12:49:23 | 57.50  | 77.60 | 56.70  | 77.60 |
| 6/11/2025 12:49:24 | 56.70  | 74.00 | 54.50  | 73.70 |
| 6/11/2025 12:49:25 | 55.20  | 89.00 | 52.60  | 88.90 |
| 6/11/2025 12:49:26 | 58.70  | 88.00 | 57.70  | 88.00 |
| 6/11/2025 12:49:27 | 56.20  | 74.30 | 54.10  | 74.50 |
| 6/11/2025 12:49:28 | 61.20  | 93.60 | 60.40  | 93.60 |
| 6/11/2025 12:49:29 | 59.80  | 75.50 | 53.80  | 75.60 |
| 6/11/2025 12:49:30 | 56.80  | 68.50 | 50.50  | 69.00 |
| 6/11/2025 12:49:31 | 53.90  | 77.80 | 51.20  | 77.80 |
| 6/11/2025 12:49:32 | 54.00  | 75.50 | 52.70  | 75.60 |
| 6/11/2025 12:49:33 | 53.90  | 75.30 | 53.10  | 75.00 |
| 6/11/2025 12:49:34 | 53.10  | 69.60 | 51.40  | 69.30 |
| 6/11/2025 12:49:35 | 52.30  | 71.90 | 51.50  | 72.00 |
| 6/11/2025 12:49:36 | 52.80  | 70.00 | 53.00  | 69.80 |
| 6/11/2025 12:49:37 | 52.50  | 69.90 | 51.70  | 70.40 |
| 6/11/2025 12:49:38 | 54.90  | 78.50 | 55.30  | 78.40 |
| 6/11/2025 12:49:39 | 55.30  | 83.00 | 54.70  | 82.80 |
| 6/11/2025 12:49:40 | 55.20  | 69.30 | 53.70  | 69.40 |
| 6/11/2025 12:49:41 | 55.50  | 74.00 | 53.50  | 73.70 |
| 6/11/2025 12:49:42 | 58.80  | 85.00 | 58.60  | 84.90 |
| 6/11/2025 12:49:43 | 58.00  | 79.70 | 54.60  | 79.70 |
| 6/11/2025 12:49:44 | 61.80  | 92.50 | 60.10  | 92.50 |
| 6/11/2025 12:49:45 | 60.90  | 85.50 | 60.40  | 85.50 |
| 6/11/2025 12:49:46 | 60.40  | 83.90 | 57.40  | 83.80 |
| 6/11/2025 12:49:47 | 58.70  | 79.30 | 55.70  | 79.10 |
| 6/11/2025 12:49:48 | 57.30  | 75.20 | 51.80  | 75.30 |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 12:49:49 | 57.00  | 84.90 | 54.80  | 84.80 |
| 6/11/2025 12:49:50 | 61.30  | 90.00 | 59.80  | 90.10 |
| 6/11/2025 12:49:51 | 60.30  | 64.40 | 52.00  | 63.70 |
| 6/11/2025 12:49:52 | 56.50  | 73.60 | 51.50  | 73.70 |
| 6/11/2025 12:49:53 | 57.10  | 82.40 | 54.60  | 82.40 |
| 6/11/2025 12:49:54 | 57.30  | 83.00 | 56.50  | 82.90 |
| 6/11/2025 12:49:55 | 57.70  | 69.60 | 56.50  | 70.20 |
| 6/11/2025 12:49:56 | 56.20  | 81.50 | 52.50  | 81.60 |
| 6/11/2025 12:49:57 | 55.00  | 63.80 | 50.60  | 64.30 |
| 6/11/2025 12:49:58 | 56.90  | 84.10 | 56.10  | 84.00 |
| 6/11/2025 12:49:59 | 55.30  | 75.50 | 53.80  | 75.60 |
| 6/11/2025 12:50:00 | 54.00  | 65.70 | 48.60  | 65.30 |
| 6/11/2025 12:50:01 | 55.70  | 84.90 | 55.90  | 84.70 |
| 6/11/2025 12:50:02 | 57.20  | 80.60 | 57.30  | 80.50 |
| 6/11/2025 12:50:03 | 58.10  | 80.00 | 56.30  | 79.90 |
| 6/11/2025 12:50:04 | 58.50  | 89.40 | 59.00  | 89.40 |
| 6/11/2025 12:50:05 | 57.90  | 75.00 | 53.70  | 74.80 |
| 6/11/2025 12:50:06 | 61.90  | 91.30 | 57.90  | 91.30 |
| 6/11/2025 12:50:07 | 61.60  | 82.60 | 60.80  | 82.40 |
| 6/11/2025 12:50:08 | 60.30  | 67.10 | 52.30  | 67.20 |
| 6/11/2025 12:50:09 | 59.20  | 86.30 | 57.80  | 86.40 |
| 6/11/2025 12:50:10 | 57.40  | 75.40 | 53.90  | 75.30 |
| 6/11/2025 12:50:11 | 55.50  | 73.70 | 52.40  | 74.20 |
| 6/11/2025 12:50:12 | 59.40  | 91.50 | 59.00  | 91.50 |
| 6/11/2025 12:50:13 | 57.10  | 66.00 | 49.50  | 65.00 |
| 6/11/2025 12:50:14 | 63.00  | 91.00 | 60.30  | 91.00 |
| 6/11/2025 12:50:15 | 62.50  | 88.90 | 57.40  | 88.90 |
| 6/11/2025 12:50:16 | 60.00  | 72.20 | 53.70  | 72.80 |
| 6/11/2025 12:50:17 | 56.60  | 76.80 | 51.80  | 76.60 |
| 6/11/2025 12:50:18 | 58.30  | 85.30 | 58.70  | 85.20 |
| 6/11/2025 12:50:19 | 58.60  | 78.80 | 57.90  | 78.70 |
| 6/11/2025 12:50:20 | 59.50  | 84.90 | 58.50  | 84.90 |
| 6/11/2025 12:50:21 | 58.00  | 77.80 | 53.30  | 77.70 |
| 6/11/2025 12:50:22 | 55.70  | 82.50 | 53.90  | 82.60 |
| 6/11/2025 12:50:23 | 55.60  | 78.10 | 52.70  | 78.20 |
| 6/11/2025 12:50:24 | 54.20  | 68.60 | 53.60  | 67.90 |
| 6/11/2025 12:50:25 | 54.90  | 80.90 | 53.90  | 81.00 |
| 6/11/2025 12:50:26 | 55.40  | 79.30 | 54.00  | 79.00 |
| 6/11/2025 12:50:27 | 54.80  | 70.90 | 52.60  | 70.90 |
| 6/11/2025 12:50:28 | 55.40  | 77.50 | 55.00  | 77.50 |
| 6/11/2025 12:50:29 | 57.90  | 82.40 | 56.50  | 82.30 |
| 6/11/2025 12:50:30 | 62.40  | 92.90 | 58.30  | 92.80 |
| 6/11/2025 12:50:31 | 63.00  | 85.40 | 61.00  | 85.30 |
| 6/11/2025 12:50:32 | 60.30  | 89.20 | 56.20  | 89.20 |
| 6/11/2025 12:50:33 | 59.00  | 85.30 | 58.10  | 85.30 |

|      |       |     |      |
|------|-------|-----|------|
| Lmax | 69.60 | Min | 48.3 |
|      |       | Leq | 57.3 |
|      |       | Max | 70.2 |

**S060\_BIU070007\_18062025\_085117: Information Panel**

| Description         | Value                          |
|---------------------|--------------------------------|
| Name                | S060_BIU070007_18062025_085117 |
| Start Time          | 6/11/2025 13:21:39             |
| Stop Time           | 6/11/2025 13:41:40             |
| Device Name         | BIU070007                      |
| Model Type          | SoundPro DL                    |
| Device Firmware Rev | R.13J                          |
| Comments            |                                |

**S060\_BIU070007\_18062025\_085117: Logged Data Chart**

| Timestamp          | Lmax-1 | Lpk-1  | Lavg-2 | Lpk-2  |
|--------------------|--------|--------|--------|--------|
| 6/11/2025 13:21:40 | 64.60  | 80.60  | 63.70  | 80.60  |
| 6/11/2025 13:21:41 | 64.90  | 80.60  | 62.80  | 80.70  |
| 6/11/2025 13:21:42 | 63.80  | 84.10  | 61.70  | 84.10  |
| 6/11/2025 13:21:43 | 62.80  | 89.60  | 61.80  | 89.60  |
| 6/11/2025 13:21:44 | 62.70  | 70.70  | 57.20  | 69.80  |
| 6/11/2025 13:21:45 | 60.60  | 82.90  | 59.90  | 82.80  |
| 6/11/2025 13:21:46 | 59.90  | 81.50  | 58.70  | 81.60  |
| 6/11/2025 13:21:47 | 60.10  | 86.10  | 56.70  | 86.20  |
| 6/11/2025 13:21:48 | 60.10  | 82.50  | 59.70  | 82.50  |
| 6/11/2025 13:21:49 | 60.60  | 95.20  | 59.60  | 95.10  |
| 6/11/2025 13:21:50 | 59.80  | 80.30  | 55.60  | 80.30  |
| 6/11/2025 13:21:51 | 62.20  | 89.10  | 60.00  | 89.10  |
| 6/11/2025 13:21:52 | 61.50  | 80.30  | 58.50  | 80.10  |
| 6/11/2025 13:21:53 | 62.40  | 91.80  | 60.90  | 91.70  |
| 6/11/2025 13:21:54 | 60.20  | 80.00  | 56.20  | 80.20  |
| 6/11/2025 13:21:55 | 58.10  | 78.10  | 54.30  | 78.10  |
| 6/11/2025 13:21:56 | 60.30  | 77.80  | 59.80  | 77.90  |
| 6/11/2025 13:21:57 | 60.90  | 84.60  | 57.20  | 84.70  |
| 6/11/2025 13:21:58 | 63.30  | 92.50  | 63.20  | 92.40  |
| 6/11/2025 13:21:59 | 63.00  | 84.10  | 59.50  | 84.00  |
| 6/11/2025 13:22:00 | 68.40  | 102.10 | 66.70  | 102.10 |
| 6/11/2025 13:22:01 | 66.30  | 80.40  | 60.70  | 80.30  |
| 6/11/2025 13:22:02 | 73.70  | 102.40 | 71.70  | 102.30 |
| 6/11/2025 13:22:03 | 72.90  | 94.20  | 69.90  | 94.20  |
| 6/11/2025 13:22:04 | 70.70  | 93.30  | 67.60  | 93.20  |
| 6/11/2025 13:22:05 | 69.20  | 88.90  | 61.00  | 88.90  |
| 6/11/2025 13:22:06 | 65.90  | 78.00  | 60.60  | 78.10  |
| 6/11/2025 13:22:07 | 63.10  | 82.20  | 59.00  | 82.20  |
| 6/11/2025 13:22:08 | 61.40  | 79.90  | 57.60  | 79.90  |
| 6/11/2025 13:22:09 | 59.40  | 70.60  | 56.90  | 70.70  |
| 6/11/2025 13:22:10 | 58.60  | 76.90  | 58.10  | 77.10  |
| 6/11/2025 13:22:11 | 60.20  | 88.90  | 58.50  | 89.00  |
| 6/11/2025 13:22:12 | 60.40  | 90.00  | 59.70  | 89.90  |
| 6/11/2025 13:22:13 | 60.20  | 87.80  | 59.00  | 87.70  |
| 6/11/2025 13:22:14 | 60.00  | 80.10  | 58.80  | 79.90  |
| 6/11/2025 13:22:15 | 63.20  | 93.50  | 61.50  | 93.40  |
| 6/11/2025 13:22:16 | 62.50  | 83.20  | 60.20  | 83.30  |
| 6/11/2025 13:22:17 | 64.40  | 90.00  | 65.10  | 89.90  |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:22:18 | 64.90         | 92.10        | 63.10         | 92.20        |
| 6/11/2025 13:22:19 | 70.10         | 100.00       | 68.50         | 100.00       |
| 6/11/2025 13:22:20 | 71.90         | 103.70       | 68.90         | 103.70       |
| 6/11/2025 13:22:21 | 70.90         | 91.10        | 66.10         | 91.10        |
| 6/11/2025 13:22:22 | 68.80         | 76.10        | 63.90         | 76.00        |
| 6/11/2025 13:22:23 | 68.30         | 93.20        | 65.60         | 93.20        |
| 6/11/2025 13:22:24 | 65.60         | 80.70        | 54.50         | 80.50        |
| 6/11/2025 13:22:25 | 61.90         | 77.90        | 57.50         | 78.00        |
| 6/11/2025 13:22:26 | 59.80         | 74.60        | 56.90         | 74.80        |
| 6/11/2025 13:22:27 | 59.90         | 76.40        | 59.10         | 76.40        |
| 6/11/2025 13:22:28 | 59.00         | 71.40        | 53.80         | 70.80        |
| 6/11/2025 13:22:29 | 58.90         | 82.40        | 59.00         | 82.60        |
| 6/11/2025 13:22:30 | 63.70         | 92.30        | 59.70         | 92.30        |
| 6/11/2025 13:22:31 | 63.70         | 74.20        | 61.10         | 74.40        |
| 6/11/2025 13:22:32 | 61.90         | 87.50        | 61.50         | 87.40        |
| 6/11/2025 13:22:33 | 61.80         | 87.50        | 61.10         | 87.40        |
| 6/11/2025 13:22:34 | 61.80         | 70.20        | 56.30         | 70.20        |
| 6/11/2025 13:22:35 | 68.50         | 96.40        | 64.60         | 96.30        |
| 6/11/2025 13:22:36 | 75.20         | 106.20       | 65.30         | 106.10       |
| 6/11/2025 13:22:37 | 75.30         | 92.50        | 73.00         | 92.50        |
| 6/11/2025 13:22:38 | 71.50         | 91.70        | 63.80         | 91.70        |
| 6/11/2025 13:22:39 | 72.10         | 101.20       | 68.60         | 101.10       |
| 6/11/2025 13:22:40 | 72.00         | 94.90        | 68.10         | 94.80        |
| 6/11/2025 13:22:41 | 69.90         | 81.00        | 64.00         | 81.00        |
| 6/11/2025 13:22:42 | 68.60         | 94.70        | 65.30         | 94.60        |
| 6/11/2025 13:22:43 | 65.70         | 78.30        | 61.80         | 77.90        |
| 6/11/2025 13:22:44 | 64.30         | 82.80        | 62.70         | 82.80        |
| 6/11/2025 13:22:45 | 64.40         | 77.00        | 62.30         | 77.00        |
| 6/11/2025 13:22:46 | 64.70         | 80.30        | 63.50         | 80.30        |
| 6/11/2025 13:22:47 | 65.20         | 86.80        | 64.40         | 86.90        |
| 6/11/2025 13:22:48 | 65.30         | 86.90        | 63.60         | 86.80        |
| 6/11/2025 13:22:49 | 65.10         | 80.00        | 63.40         | 80.10        |
| 6/11/2025 13:22:50 | 63.80         | 75.90        | 60.30         | 76.00        |
| 6/11/2025 13:22:51 | 62.30         | 87.90        | 60.80         | 87.80        |
| 6/11/2025 13:22:52 | 62.20         | 86.00        | 61.50         | 86.00        |
| 6/11/2025 13:22:53 | 61.70         | 74.10        | 58.60         | 73.80        |
| 6/11/2025 13:22:54 | 59.60         | 83.00        | 57.40         | 83.10        |
| 6/11/2025 13:22:55 | 61.00         | 81.40        | 60.90         | 81.50        |
| 6/11/2025 13:22:56 | 62.60         | 88.90        | 60.80         | 88.90        |
| 6/11/2025 13:22:57 | 61.10         | 88.30        | 57.50         | 88.20        |
| 6/11/2025 13:22:58 | 61.70         | 77.90        | 61.00         | 77.80        |
| 6/11/2025 13:22:59 | 64.20         | 82.30        | 63.80         | 82.10        |
| 6/11/2025 13:23:00 | 62.10         | 69.90        | 54.00         | 69.40        |
| 6/11/2025 13:23:01 | 69.20         | 102.00       | 67.20         | 102.00       |
| 6/11/2025 13:23:02 | 67.90         | 94.10        | 64.90         | 94.00        |
| 6/11/2025 13:23:03 | 66.50         | 84.70        | 61.10         | 84.60        |
| 6/11/2025 13:23:04 | 75.70         | 103.80       | 73.50         | 103.80       |
| 6/11/2025 13:23:05 | 72.30         | 94.20        | 64.40         | 94.20        |
| 6/11/2025 13:23:06 | 73.00         | 100.50       | 72.50         | 100.50       |
| 6/11/2025 13:23:07 | 72.00         | 85.70        | 63.70         | 85.80        |
| 6/11/2025 13:23:08 | 68.30         | 81.90        | 57.50         | 81.60        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:23:09 | 64.80         | 73.00        | 54.20         | 73.30        |
| 6/11/2025 13:23:10 | 61.80         | 77.50        | 61.20         | 77.50        |
| 6/11/2025 13:23:11 | 63.70         | 80.50        | 63.20         | 80.40        |
| 6/11/2025 13:23:12 | 62.90         | 80.20        | 61.40         | 80.20        |
| 6/11/2025 13:23:13 | 62.60         | 82.10        | 60.20         | 82.30        |
| 6/11/2025 13:23:14 | 67.10         | 82.50        | 67.10         | 82.50        |
| 6/11/2025 13:23:15 | 65.40         | 77.10        | 60.70         | 77.00        |
| 6/11/2025 13:23:16 | 63.80         | 83.00        | 61.40         | 83.20        |
| 6/11/2025 13:23:17 | 61.90         | 81.30        | 59.70         | 81.20        |
| 6/11/2025 13:23:18 | 67.30         | 94.90        | 68.20         | 94.80        |
| 6/11/2025 13:23:19 | 66.30         | 78.90        | 64.10         | 79.10        |
| 6/11/2025 13:23:20 | 66.00         | 90.20        | 65.80         | 90.10        |
| 6/11/2025 13:23:21 | 66.30         | 86.20        | 63.20         | 86.10        |
| 6/11/2025 13:23:22 | 64.20         | 79.90        | 62.20         | 79.70        |
| 6/11/2025 13:23:23 | 65.00         | 95.10        | 64.20         | 95.10        |
| 6/11/2025 13:23:24 | 69.70         | 94.60        | 69.50         | 94.60        |
| 6/11/2025 13:23:25 | 72.10         | 101.40       | 69.80         | 101.40       |
| 6/11/2025 13:23:26 | 71.20         | 95.80        | 69.10         | 95.80        |
| 6/11/2025 13:23:27 | 73.80         | 104.80       | 71.20         | 104.80       |
| 6/11/2025 13:23:28 | 73.30         | 101.70       | 71.30         | 101.70       |
| 6/11/2025 13:23:29 | 72.90         | 102.00       | 69.60         | 102.00       |
| 6/11/2025 13:23:30 | 72.00         | 90.90        | 64.20         | 90.90        |
| 6/11/2025 13:23:31 | 68.30         | 94.50        | 62.70         | 94.50        |
| 6/11/2025 13:23:32 | 66.30         | 89.70        | 62.40         | 89.70        |
| 6/11/2025 13:23:33 | 65.20         | 77.10        | 64.40         | 76.70        |
| 6/11/2025 13:23:34 | 64.00         | 88.80        | 60.90         | 88.90        |
| 6/11/2025 13:23:35 | 62.40         | 86.80        | 57.50         | 86.80        |
| 6/11/2025 13:23:36 | 63.90         | 81.70        | 60.60         | 81.50        |
| 6/11/2025 13:23:37 | 66.30         | 80.80        | 67.40         | 80.80        |
| 6/11/2025 13:23:38 | 65.70         | 76.70        | 63.10         | 76.60        |
| 6/11/2025 13:23:39 | 64.30         | 82.80        | 61.10         | 82.70        |
| 6/11/2025 13:23:40 | 62.20         | 70.80        | 56.00         | 70.70        |
| 6/11/2025 13:23:41 | 59.20         | 70.40        | 52.70         | 70.40        |
| 6/11/2025 13:23:42 | 58.10         | 78.40        | 57.70         | 78.30        |
| 6/11/2025 13:23:43 | 58.40         | 76.60        | 58.00         | 76.50        |
| 6/11/2025 13:23:44 | 64.50         | 86.80        | 65.00         | 86.70        |
| 6/11/2025 13:23:45 | 64.30         | 78.10        | 56.60         | 78.20        |
| 6/11/2025 13:23:46 | 62.90         | 90.00        | 59.80         | 90.00        |
| 6/11/2025 13:23:47 | 60.30         | 83.50        | 56.30         | 83.30        |
| 6/11/2025 13:23:48 | 61.70         | 93.20        | 60.00         | 93.10        |
| 6/11/2025 13:23:49 | 67.90         | 100.10       | 67.00         | 100.10       |
| 6/11/2025 13:23:50 | 70.00         | 97.50        | 66.10         | 97.50        |
| 6/11/2025 13:23:51 | 69.20         | 82.90        | 65.30         | 83.00        |
| 6/11/2025 13:23:52 | 66.70         | 96.40        | 60.20         | 96.40        |
| 6/11/2025 13:23:53 | 67.70         | 93.60        | 64.20         | 93.50        |
| 6/11/2025 13:23:54 | 66.50         | 92.90        | 60.40         | 92.80        |
| 6/11/2025 13:23:55 | 63.70         | 74.30        | 55.90         | 74.70        |
| 6/11/2025 13:23:56 | 71.20         | 102.30       | 69.00         | 102.30       |
| 6/11/2025 13:23:57 | 71.10         | 101.10       | 69.00         | 101.10       |
| 6/11/2025 13:23:58 | 69.40         | 78.10        | 55.90         | 78.10        |
| 6/11/2025 13:23:59 | 65.30         | 74.20        | 57.30         | 73.90        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:24:00 | 62.20         | 68.90        | 53.80         | 70.10        |
| 6/11/2025 13:24:01 | 58.80         | 68.10        | 52.00         | 67.60        |
| 6/11/2025 13:24:02 | 59.40         | 78.50        | 56.40         | 78.50        |
| 6/11/2025 13:24:03 | 60.40         | 84.40        | 60.40         | 84.40        |
| 6/11/2025 13:24:04 | 59.50         | 82.50        | 54.90         | 82.50        |
| 6/11/2025 13:24:05 | 56.60         | 77.50        | 54.00         | 77.80        |
| 6/11/2025 13:24:06 | 60.00         | 78.00        | 60.10         | 78.00        |
| 6/11/2025 13:24:07 | 59.90         | 76.70        | 57.80         | 76.50        |
| 6/11/2025 13:24:08 | 58.10         | 72.10        | 55.00         | 72.40        |
| 6/11/2025 13:24:09 | 60.60         | 82.10        | 61.80         | 82.00        |
| 6/11/2025 13:24:10 | 62.80         | 82.40        | 61.30         | 82.40        |
| 6/11/2025 13:24:11 | 63.70         | 79.00        | 63.10         | 79.00        |
| 6/11/2025 13:24:12 | 62.10         | 71.00        | 55.50         | 71.40        |
| 6/11/2025 13:24:13 | 59.10         | 73.80        | 56.50         | 74.10        |
| 6/11/2025 13:24:14 | 57.50         | 78.10        | 55.20         | 77.70        |
| 6/11/2025 13:24:15 | 59.30         | 75.30        | 59.40         | 75.00        |
| 6/11/2025 13:24:16 | 59.00         | 74.10        | 58.30         | 74.00        |
| 6/11/2025 13:24:17 | 59.20         | 84.70        | 57.50         | 84.80        |
| 6/11/2025 13:24:18 | 62.80         | 92.70        | 59.40         | 92.70        |
| 6/11/2025 13:24:19 | 64.90         | 83.40        | 63.30         | 83.00        |
| 6/11/2025 13:24:20 | 66.00         | 87.40        | 65.10         | 87.30        |
| 6/11/2025 13:24:21 | 64.40         | 78.80        | 60.00         | 78.70        |
| 6/11/2025 13:24:22 | 62.40         | 78.70        | 61.00         | 78.60        |
| 6/11/2025 13:24:23 | 62.30         | 73.90        | 59.10         | 74.00        |
| 6/11/2025 13:24:24 | 61.40         | 76.80        | 59.90         | 76.40        |
| 6/11/2025 13:24:25 | 59.80         | 78.50        | 58.80         | 78.20        |
| 6/11/2025 13:24:26 | 62.60         | 80.70        | 61.70         | 80.70        |
| 6/11/2025 13:24:27 | 61.40         | 83.50        | 59.90         | 83.60        |
| 6/11/2025 13:24:28 | 68.40         | 98.40        | 66.60         | 98.30        |
| 6/11/2025 13:24:29 | 66.80         | 93.40        | 56.80         | 93.40        |
| 6/11/2025 13:24:30 | 68.80         | 96.90        | 65.70         | 96.90        |
| 6/11/2025 13:24:31 | 64.80         | 89.70        | 59.70         | 89.50        |
| 6/11/2025 13:24:32 | 71.40         | 100.80       | 69.70         | 100.70       |
| 6/11/2025 13:24:33 | 70.10         | 77.90        | 63.60         | 78.00        |
| 6/11/2025 13:24:34 | 68.00         | 89.80        | 65.10         | 89.90        |
| 6/11/2025 13:24:35 | 66.50         | 91.30        | 61.10         | 91.30        |
| 6/11/2025 13:24:36 | 65.10         | 81.10        | 58.80         | 81.10        |
| 6/11/2025 13:24:37 | 62.10         | 82.50        | 59.50         | 82.40        |
| 6/11/2025 13:24:38 | 64.60         | 94.30        | 62.50         | 94.30        |
| 6/11/2025 13:24:39 | 64.00         | 92.10        | 62.50         | 92.00        |
| 6/11/2025 13:24:40 | 63.60         | 78.20        | 61.40         | 78.10        |
| 6/11/2025 13:24:41 | 62.00         | 81.70        | 59.00         | 81.60        |
| 6/11/2025 13:24:42 | 61.30         | 86.70        | 60.60         | 86.70        |
| 6/11/2025 13:24:43 | 61.30         | 76.90        | 59.20         | 76.80        |
| 6/11/2025 13:24:44 | 60.20         | 76.80        | 58.00         | 76.50        |
| 6/11/2025 13:24:45 | 65.90         | 94.50        | 63.20         | 94.50        |
| 6/11/2025 13:24:46 | 72.40         | 102.60       | 70.10         | 102.60       |
| 6/11/2025 13:24:47 | 71.70         | 79.30        | 64.50         | 79.30        |
| 6/11/2025 13:24:48 | 68.00         | 95.70        | 63.70         | 95.70        |
| 6/11/2025 13:24:49 | 73.90         | 103.80       | 71.80         | 103.80       |
| 6/11/2025 13:24:50 | 71.10         | 87.80        | 58.80         | 87.70        |

| Timestamp          | Lmax-1 | Lpk-1  | Lavg-2 | Lpk-2  |
|--------------------|--------|--------|--------|--------|
| 6/11/2025 13:24:51 | 67.40  | 94.00  | 61.70  | 94.00  |
| 6/11/2025 13:24:52 | 65.70  | 75.40  | 55.90  | 75.20  |
| 6/11/2025 13:24:53 | 63.20  | 90.90  | 62.10  | 90.80  |
| 6/11/2025 13:24:54 | 63.20  | 75.10  | 57.30  | 75.00  |
| 6/11/2025 13:24:55 | 61.90  | 94.20  | 61.40  | 94.20  |
| 6/11/2025 13:24:56 | 61.60  | 75.90  | 55.20  | 75.80  |
| 6/11/2025 13:24:57 | 63.70  | 93.40  | 62.30  | 93.50  |
| 6/11/2025 13:24:58 | 61.10  | 77.80  | 53.80  | 77.70  |
| 6/11/2025 13:24:59 | 58.80  | 87.40  | 56.90  | 87.40  |
| 6/11/2025 13:25:00 | 58.60  | 77.00  | 56.00  | 77.00  |
| 6/11/2025 13:25:01 | 59.50  | 89.00  | 58.10  | 89.00  |
| 6/11/2025 13:25:02 | 60.80  | 86.60  | 59.50  | 86.50  |
| 6/11/2025 13:25:03 | 66.30  | 92.50  | 65.40  | 92.40  |
| 6/11/2025 13:25:04 | 64.50  | 89.00  | 59.00  | 89.00  |
| 6/11/2025 13:25:05 | 61.70  | 74.30  | 54.40  | 73.90  |
| 6/11/2025 13:25:06 | 68.00  | 94.30  | 67.50  | 94.30  |
| 6/11/2025 13:25:07 | 71.70  | 103.50 | 70.20  | 103.40 |
| 6/11/2025 13:25:08 | 69.10  | 74.90  | 56.00  | 74.90  |
| 6/11/2025 13:25:09 | 65.10  | 68.70  | 54.20  | 69.00  |
| 6/11/2025 13:25:10 | 62.10  | 78.60  | 60.70  | 78.50  |
| 6/11/2025 13:25:11 | 62.30  | 75.80  | 61.20  | 76.30  |
| 6/11/2025 13:25:12 | 61.60  | 81.00  | 59.30  | 81.30  |
| 6/11/2025 13:25:13 | 59.70  | 79.70  | 54.60  | 79.70  |
| 6/11/2025 13:25:14 | 57.20  | 80.60  | 55.30  | 80.80  |
| 6/11/2025 13:25:15 | 60.50  | 77.60  | 60.60  | 77.50  |
| 6/11/2025 13:25:16 | 61.10  | 75.90  | 60.80  | 76.10  |
| 6/11/2025 13:25:17 | 59.90  | 73.90  | 56.50  | 73.50  |
| 6/11/2025 13:25:18 | 60.10  | 75.40  | 59.90  | 75.30  |
| 6/11/2025 13:25:19 | 67.40  | 95.50  | 65.40  | 95.50  |
| 6/11/2025 13:25:20 | 66.70  | 91.10  | 63.60  | 91.10  |
| 6/11/2025 13:25:21 | 64.60  | 75.10  | 55.60  | 75.60  |
| 6/11/2025 13:25:22 | 61.40  | 86.70  | 59.20  | 86.70  |
| 6/11/2025 13:25:23 | 62.70  | 90.10  | 61.40  | 90.10  |
| 6/11/2025 13:25:24 | 60.50  | 86.30  | 57.60  | 86.20  |
| 6/11/2025 13:25:25 | 60.00  | 81.60  | 58.60  | 81.50  |
| 6/11/2025 13:25:26 | 59.10  | 72.70  | 58.50  | 72.40  |
| 6/11/2025 13:25:27 | 59.30  | 81.20  | 57.90  | 81.40  |
| 6/11/2025 13:25:28 | 60.30  | 90.40  | 59.00  | 90.30  |
| 6/11/2025 13:25:29 | 76.80  | 105.20 | 74.60  | 105.20 |
| 6/11/2025 13:25:30 | 74.50  | 72.20  | 58.20  | 72.30  |
| 6/11/2025 13:25:31 | 70.30  | 90.80  | 64.00  | 90.70  |
| 6/11/2025 13:25:32 | 73.30  | 100.80 | 70.50  | 100.80 |
| 6/11/2025 13:25:33 | 72.00  | 100.60 | 69.20  | 100.50 |
| 6/11/2025 13:25:34 | 70.70  | 89.80  | 61.70  | 89.80  |
| 6/11/2025 13:25:35 | 74.50  | 101.00 | 73.60  | 101.00 |
| 6/11/2025 13:25:36 | 73.60  | 99.30  | 71.50  | 99.30  |
| 6/11/2025 13:25:37 | 75.80  | 105.00 | 73.10  | 104.90 |
| 6/11/2025 13:25:38 | 72.80  | 92.40  | 64.60  | 92.40  |
| 6/11/2025 13:25:39 | 69.60  | 76.90  | 62.30  | 76.80  |
| 6/11/2025 13:25:40 | 71.00  | 88.90  | 71.00  | 88.70  |
| 6/11/2025 13:25:41 | 70.80  | 91.50  | 65.20  | 91.40  |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:25:42 | 67.50         | 91.00        | 62.30         | 91.00        |
| 6/11/2025 13:25:43 | 65.00         | 82.20        | 62.10         | 82.10        |
| 6/11/2025 13:25:44 | 67.90         | 86.20        | 65.20         | 86.10        |
| 6/11/2025 13:25:45 | 73.50         | 103.00       | 71.00         | 102.90       |
| 6/11/2025 13:25:46 | 72.40         | 92.00        | 66.90         | 91.90        |
| 6/11/2025 13:25:47 | 73.20         | 101.40       | 72.00         | 101.40       |
| 6/11/2025 13:25:48 | 74.50         | 103.90       | 71.90         | 103.90       |
| 6/11/2025 13:25:49 | 73.20         | 100.10       | 69.40         | 100.10       |
| 6/11/2025 13:25:50 | 71.10         | 83.30        | 60.40         | 83.40        |
| 6/11/2025 13:25:51 | 73.00         | 102.30       | 70.40         | 102.30       |
| 6/11/2025 13:25:52 | 71.10         | 78.40        | 58.80         | 78.70        |
| 6/11/2025 13:25:53 | 67.90         | 85.20        | 63.30         | 85.20        |
| 6/11/2025 13:25:54 | 70.90         | 101.20       | 69.20         | 101.10       |
| 6/11/2025 13:25:55 | 71.20         | 97.30        | 66.30         | 97.30        |
| 6/11/2025 13:25:56 | 67.70         | 82.50        | 57.50         | 82.30        |
| 6/11/2025 13:25:57 | 69.40         | 97.30        | 66.70         | 97.30        |
| 6/11/2025 13:25:58 | 66.70         | 94.10        | 62.60         | 94.00        |
| 6/11/2025 13:25:59 | 68.80         | 98.40        | 63.30         | 98.30        |
| 6/11/2025 13:26:00 | 68.60         | 96.20        | 66.90         | 96.10        |
| 6/11/2025 13:26:01 | 69.20         | 97.30        | 66.90         | 97.30        |
| 6/11/2025 13:26:02 | 69.10         | 94.30        | 67.50         | 94.30        |
| 6/11/2025 13:26:03 | 72.70         | 104.40       | 68.90         | 104.30       |
| 6/11/2025 13:26:04 | 72.20         | 93.00        | 69.20         | 92.90        |
| 6/11/2025 13:26:05 | 69.60         | 95.20        | 62.00         | 95.20        |
| 6/11/2025 13:26:06 | 74.00         | 103.70       | 72.90         | 103.60       |
| 6/11/2025 13:26:07 | 73.10         | 100.20       | 69.90         | 100.10       |
| 6/11/2025 13:26:08 | 72.70         | 82.60        | 63.70         | 82.40        |
| 6/11/2025 13:26:09 | 68.60         | 78.40        | 59.90         | 78.40        |
| 6/11/2025 13:26:10 | 65.90         | 90.80        | 63.90         | 90.70        |
| 6/11/2025 13:26:11 | 64.70         | 79.20        | 60.10         | 78.80        |
| 6/11/2025 13:26:12 | 67.20         | 84.40        | 67.30         | 84.30        |
| 6/11/2025 13:26:13 | 66.50         | 78.10        | 61.60         | 78.00        |
| 6/11/2025 13:26:14 | 65.80         | 82.90        | 64.70         | 83.00        |
| 6/11/2025 13:26:15 | 67.60         | 88.70        | 68.10         | 88.60        |
| 6/11/2025 13:26:16 | 67.40         | 91.70        | 65.50         | 91.70        |
| 6/11/2025 13:26:17 | 67.20         | 92.30        | 65.90         | 92.30        |
| 6/11/2025 13:26:18 | 65.80         | 81.70        | 63.50         | 81.70        |
| 6/11/2025 13:26:19 | 65.70         | 92.40        | 62.90         | 92.40        |
| 6/11/2025 13:26:20 | 63.50         | 84.00        | 60.10         | 84.10        |
| 6/11/2025 13:26:21 | 64.20         | 92.70        | 62.60         | 92.70        |
| 6/11/2025 13:26:22 | 67.60         | 94.60        | 66.50         | 94.50        |
| 6/11/2025 13:26:23 | 66.60         | 92.60        | 61.10         | 92.60        |
| 6/11/2025 13:26:24 | 66.70         | 86.90        | 65.40         | 86.80        |
| 6/11/2025 13:26:25 | 67.30         | 94.50        | 66.20         | 94.50        |
| 6/11/2025 13:26:26 | 65.80         | 82.40        | 56.50         | 82.40        |
| 6/11/2025 13:26:27 | 62.20         | 70.70        | 53.00         | 70.60        |
| 6/11/2025 13:26:28 | 60.40         | 85.40        | 56.50         | 85.50        |
| 6/11/2025 13:26:29 | 60.40         | 86.50        | 59.00         | 86.50        |
| 6/11/2025 13:26:30 | 58.90         | 82.10        | 55.90         | 82.20        |
| 6/11/2025 13:26:31 | 69.00         | 97.70        | 64.70         | 97.70        |
| 6/11/2025 13:26:32 | 68.70         | 84.40        | 64.30         | 84.60        |

| Timestamp          | Lmax-1 | Lpk-1  | Lavg-2 | Lpk-2  |
|--------------------|--------|--------|--------|--------|
| 6/11/2025 13:26:33 | 73.50  | 103.10 | 71.30  | 103.00 |
| 6/11/2025 13:26:34 | 70.00  | 90.90  | 62.00  | 90.90  |
| 6/11/2025 13:26:35 | 67.30  | 88.50  | 59.90  | 88.60  |
| 6/11/2025 13:26:36 | 77.00  | 104.50 | 75.80  | 104.50 |
| 6/11/2025 13:26:37 | 76.40  | 72.50  | 66.90  | 72.50  |
| 6/11/2025 13:26:38 | 72.10  | 94.30  | 63.80  | 94.30  |
| 6/11/2025 13:26:39 | 75.60  | 103.50 | 72.60  | 103.50 |
| 6/11/2025 13:26:40 | 73.60  | 90.20  | 61.40  | 90.10  |
| 6/11/2025 13:26:41 | 69.60  | 79.40  | 54.70  | 79.20  |
| 6/11/2025 13:26:42 | 65.60  | 89.20  | 59.10  | 89.20  |
| 6/11/2025 13:26:43 | 65.90  | 96.00  | 64.50  | 95.90  |
| 6/11/2025 13:26:44 | 63.50  | 86.40  | 60.80  | 86.30  |
| 6/11/2025 13:26:45 | 62.10  | 93.70  | 60.30  | 93.70  |
| 6/11/2025 13:26:46 | 64.70  | 82.90  | 65.20  | 82.90  |
| 6/11/2025 13:26:47 | 64.70  | 84.10  | 59.90  | 84.10  |
| 6/11/2025 13:26:48 | 69.10  | 98.20  | 68.70  | 98.20  |
| 6/11/2025 13:26:49 | 67.10  | 85.00  | 58.70  | 85.00  |
| 6/11/2025 13:26:50 | 64.10  | 74.20  | 55.20  | 74.60  |
| 6/11/2025 13:26:51 | 63.20  | 91.80  | 61.00  | 91.70  |
| 6/11/2025 13:26:52 | 74.50  | 104.80 | 71.30  | 104.80 |
| 6/11/2025 13:26:53 | 73.90  | 100.20 | 71.20  | 100.20 |
| 6/11/2025 13:26:54 | 73.60  | 76.90  | 66.70  | 77.20  |
| 6/11/2025 13:26:55 | 69.50  | 88.50  | 58.90  | 88.40  |
| 6/11/2025 13:26:56 | 65.90  | 80.40  | 58.00  | 80.20  |
| 6/11/2025 13:26:57 | 65.00  | 93.60  | 62.40  | 93.70  |
| 6/11/2025 13:26:58 | 66.10  | 94.00  | 65.10  | 94.00  |
| 6/11/2025 13:26:59 | 65.60  | 93.40  | 62.70  | 93.40  |
| 6/11/2025 13:27:00 | 65.30  | 91.30  | 60.20  | 91.30  |
| 6/11/2025 13:27:01 | 64.10  | 89.10  | 60.90  | 89.30  |
| 6/11/2025 13:27:02 | 64.50  | 92.30  | 64.60  | 92.20  |
| 6/11/2025 13:27:03 | 64.20  | 76.10  | 57.40  | 75.90  |
| 6/11/2025 13:27:04 | 63.80  | 92.80  | 60.90  | 92.80  |
| 6/11/2025 13:27:05 | 76.80  | 107.20 | 74.80  | 107.20 |
| 6/11/2025 13:27:06 | 77.10  | 107.10 | 71.80  | 107.10 |
| 6/11/2025 13:27:07 | 76.60  | 77.40  | 70.80  | 77.50  |
| 6/11/2025 13:27:08 | 73.00  | 94.50  | 64.30  | 94.40  |
| 6/11/2025 13:27:09 | 69.60  | 95.70  | 58.50  | 95.70  |
| 6/11/2025 13:27:10 | 74.00  | 102.70 | 72.50  | 102.70 |
| 6/11/2025 13:27:11 | 72.50  | 97.30  | 69.10  | 97.20  |
| 6/11/2025 13:27:12 | 72.20  | 98.40  | 70.00  | 98.30  |
| 6/11/2025 13:27:13 | 71.30  | 93.10  | 68.40  | 93.10  |
| 6/11/2025 13:27:14 | 69.00  | 93.60  | 63.10  | 93.60  |
| 6/11/2025 13:27:15 | 73.90  | 103.20 | 72.80  | 103.20 |
| 6/11/2025 13:27:16 | 73.60  | 72.20  | 65.40  | 71.40  |
| 6/11/2025 13:27:17 | 69.60  | 92.80  | 63.40  | 92.80  |
| 6/11/2025 13:27:18 | 66.60  | 93.60  | 57.40  | 93.60  |
| 6/11/2025 13:27:19 | 66.20  | 82.40  | 62.80  | 82.50  |
| 6/11/2025 13:27:20 | 79.60  | 108.30 | 77.60  | 108.20 |
| 6/11/2025 13:27:21 | 75.70  | 96.80  | 64.90  | 96.80  |
| 6/11/2025 13:27:22 | 80.10  | 107.90 | 77.60  | 107.80 |
| 6/11/2025 13:27:23 | 78.00  | 94.50  | 63.90  | 94.40  |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:27:24 | 73.90         | 95.70        | 63.90         | 95.60        |
| 6/11/2025 13:27:25 | 71.10         | 83.90        | 61.70         | 83.90        |
| 6/11/2025 13:27:26 | 67.10         | 72.00        | 56.90         | 72.30        |
| 6/11/2025 13:27:27 | 64.70         | 88.80        | 62.90         | 88.70        |
| 6/11/2025 13:27:28 | 63.70         | 76.80        | 60.10         | 76.80        |
| 6/11/2025 13:27:29 | 62.60         | 81.70        | 57.70         | 81.80        |
| 6/11/2025 13:27:30 | 62.70         | 92.30        | 54.20         | 92.30        |
| 6/11/2025 13:27:31 | 62.80         | 78.80        | 63.00         | 78.90        |
| 6/11/2025 13:27:32 | 71.40         | 99.70        | 69.80         | 99.70        |
| 6/11/2025 13:27:33 | 70.10         | 92.80        | 66.40         | 92.70        |
| 6/11/2025 13:27:34 | 67.70         | 78.70        | 59.40         | 78.70        |
| 6/11/2025 13:27:35 | 64.60         | 71.30        | 56.20         | 71.20        |
| 6/11/2025 13:27:36 | 67.50         | 97.90        | 65.80         | 97.90        |
| 6/11/2025 13:27:37 | 71.00         | 101.40       | 67.50         | 101.40       |
| 6/11/2025 13:27:38 | 70.20         | 88.30        | 63.80         | 88.30        |
| 6/11/2025 13:27:39 | 75.10         | 104.20       | 73.60         | 104.20       |
| 6/11/2025 13:27:40 | 75.20         | 101.10       | 73.50         | 101.10       |
| 6/11/2025 13:27:41 | 74.60         | 103.20       | 71.00         | 103.10       |
| 6/11/2025 13:27:42 | 73.50         | 100.20       | 68.90         | 100.20       |
| 6/11/2025 13:27:43 | 72.30         | 92.00        | 66.70         | 91.90        |
| 6/11/2025 13:27:44 | 71.20         | 100.40       | 67.80         | 100.40       |
| 6/11/2025 13:27:45 | 75.90         | 105.50       | 73.60         | 105.50       |
| 6/11/2025 13:27:46 | 74.10         | 99.20        | 69.70         | 99.20        |
| 6/11/2025 13:27:47 | 74.50         | 99.50        | 72.10         | 99.50        |
| 6/11/2025 13:27:48 | 72.90         | 100.70       | 69.00         | 100.70       |
| 6/11/2025 13:27:49 | 71.30         | 76.70        | 60.80         | 76.30        |
| 6/11/2025 13:27:50 | 67.50         | 90.00        | 60.80         | 90.10        |
| 6/11/2025 13:27:51 | 64.70         | 83.90        | 51.90         | 83.60        |
| 6/11/2025 13:27:52 | 61.10         | 72.10        | 55.50         | 71.90        |
| 6/11/2025 13:27:53 | 63.70         | 94.20        | 59.90         | 94.20        |
| 6/11/2025 13:27:54 | 63.30         | 80.10        | 60.30         | 80.10        |
| 6/11/2025 13:27:55 | 65.10         | 84.70        | 61.90         | 84.70        |
| 6/11/2025 13:27:56 | 65.70         | 82.20        | 64.60         | 82.20        |
| 6/11/2025 13:27:57 | 63.70         | 81.20        | 58.60         | 81.00        |
| 6/11/2025 13:27:58 | 66.80         | 96.70        | 65.50         | 96.60        |
| 6/11/2025 13:27:59 | 71.30         | 89.80        | 69.30         | 89.70        |
| 6/11/2025 13:28:00 | 70.70         | 94.10        | 67.60         | 94.00        |
| 6/11/2025 13:28:01 | 69.00         | 77.00        | 60.80         | 76.80        |
| 6/11/2025 13:28:02 | 65.60         | 78.90        | 63.40         | 79.00        |
| 6/11/2025 13:28:03 | 66.10         | 88.40        | 62.80         | 88.40        |
| 6/11/2025 13:28:04 | 67.50         | 85.80        | 66.20         | 85.80        |
| 6/11/2025 13:28:05 | 64.80         | 85.60        | 56.10         | 85.60        |
| 6/11/2025 13:28:06 | 71.40         | 91.80        | 67.30         | 91.80        |
| 6/11/2025 13:28:07 | 72.90         | 89.20        | 73.50         | 89.20        |
| 6/11/2025 13:28:08 | 72.30         | 93.90        | 68.50         | 93.80        |
| 6/11/2025 13:28:09 | 69.60         | 76.70        | 60.90         | 76.80        |
| 6/11/2025 13:28:10 | 67.10         | 81.50        | 65.20         | 81.50        |
| 6/11/2025 13:28:11 | 65.70         | 79.60        | 62.90         | 79.70        |
| 6/11/2025 13:28:12 | 63.60         | 74.90        | 56.30         | 74.80        |
| 6/11/2025 13:28:13 | 60.80         | 77.10        | 59.00         | 77.00        |
| 6/11/2025 13:28:14 | 61.40         | 78.80        | 61.20         | 78.90        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:28:15 | 61.00         | 74.50        | 59.90         | 74.30        |
| 6/11/2025 13:28:16 | 62.60         | 79.40        | 63.00         | 79.30        |
| 6/11/2025 13:28:17 | 64.20         | 92.10        | 61.80         | 92.10        |
| 6/11/2025 13:28:18 | 62.60         | 81.50        | 58.60         | 81.40        |
| 6/11/2025 13:28:19 | 60.70         | 70.90        | 56.20         | 70.40        |
| 6/11/2025 13:28:20 | 58.70         | 83.20        | 57.40         | 83.20        |
| 6/11/2025 13:28:21 | 60.90         | 84.30        | 60.60         | 84.20        |
| 6/11/2025 13:28:22 | 61.20         | 78.90        | 60.10         | 78.90        |
| 6/11/2025 13:28:23 | 59.70         | 71.00        | 54.80         | 71.30        |
| 6/11/2025 13:28:24 | 57.30         | 73.10        | 54.50         | 72.90        |
| 6/11/2025 13:28:25 | 56.10         | 70.50        | 55.70         | 70.50        |
| 6/11/2025 13:28:26 | 61.00         | 81.90        | 61.50         | 82.00        |
| 6/11/2025 13:28:27 | 63.40         | 87.30        | 63.30         | 87.30        |
| 6/11/2025 13:28:28 | 62.80         | 78.80        | 58.60         | 78.60        |
| 6/11/2025 13:28:29 | 60.30         | 75.50        | 55.60         | 74.90        |
| 6/11/2025 13:28:30 | 59.80         | 84.60        | 58.60         | 84.50        |
| 6/11/2025 13:28:31 | 63.60         | 81.80        | 63.70         | 81.90        |
| 6/11/2025 13:28:32 | 67.10         | 96.80        | 64.80         | 96.80        |
| 6/11/2025 13:28:33 | 66.40         | 96.50        | 64.00         | 96.40        |
| 6/11/2025 13:28:34 | 64.00         | 78.00        | 60.50         | 77.90        |
| 6/11/2025 13:28:35 | 67.20         | 94.70        | 64.60         | 94.70        |
| 6/11/2025 13:28:36 | 66.90         | 79.90        | 64.70         | 79.90        |
| 6/11/2025 13:28:37 | 65.80         | 87.10        | 62.90         | 87.20        |
| 6/11/2025 13:28:38 | 65.20         | 94.20        | 61.90         | 94.20        |
| 6/11/2025 13:28:39 | 63.80         | 80.20        | 63.00         | 79.90        |
| 6/11/2025 13:28:40 | 62.90         | 73.80        | 58.10         | 74.00        |
| 6/11/2025 13:28:41 | 60.80         | 84.00        | 58.10         | 83.90        |
| 6/11/2025 13:28:42 | 59.40         | 77.10        | 56.70         | 77.00        |
| 6/11/2025 13:28:43 | 58.90         | 73.40        | 58.70         | 73.80        |
| 6/11/2025 13:28:44 | 58.50         | 76.10        | 57.70         | 76.10        |
| 6/11/2025 13:28:45 | 58.20         | 70.40        | 55.50         | 70.50        |
| 6/11/2025 13:28:46 | 61.20         | 86.60        | 61.00         | 86.50        |
| 6/11/2025 13:28:47 | 70.30         | 98.70        | 68.40         | 98.70        |
| 6/11/2025 13:28:48 | 68.80         | 76.50        | 57.80         | 76.50        |
| 6/11/2025 13:28:49 | 70.50         | 98.10        | 68.70         | 98.00        |
| 6/11/2025 13:28:50 | 70.30         | 94.80        | 66.30         | 94.80        |
| 6/11/2025 13:28:51 | 69.60         | 98.10        | 66.10         | 98.10        |
| 6/11/2025 13:28:52 | 67.40         | 77.80        | 61.90         | 77.70        |
| 6/11/2025 13:28:53 | 65.10         | 87.80        | 64.00         | 87.90        |
| 6/11/2025 13:28:54 | 64.90         | 80.90        | 62.70         | 80.90        |
| 6/11/2025 13:28:55 | 63.10         | 84.60        | 59.60         | 84.70        |
| 6/11/2025 13:28:56 | 64.30         | 90.80        | 58.50         | 90.90        |
| 6/11/2025 13:28:57 | 65.60         | 86.80        | 66.20         | 86.50        |
| 6/11/2025 13:28:58 | 64.60         | 80.50        | 59.70         | 80.50        |
| 6/11/2025 13:28:59 | 64.20         | 96.60        | 61.40         | 96.50        |
| 6/11/2025 13:29:00 | 68.30         | 97.60        | 61.50         | 97.60        |
| 6/11/2025 13:29:01 | 68.30         | 80.90        | 65.40         | 80.90        |
| 6/11/2025 13:29:02 | 69.10         | 96.50        | 67.70         | 96.50        |
| 6/11/2025 13:29:03 | 68.10         | 94.30        | 65.00         | 94.30        |
| 6/11/2025 13:29:04 | 73.60         | 103.00       | 70.80         | 103.00       |
| 6/11/2025 13:29:05 | 73.20         | 91.90        | 70.90         | 91.90        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:29:06 | 71.30         | 98.10        | 67.90         | 98.10        |
| 6/11/2025 13:29:07 | 72.80         | 101.20       | 71.60         | 101.20       |
| 6/11/2025 13:29:08 | 72.20         | 78.60        | 63.90         | 78.50        |
| 6/11/2025 13:29:09 | 69.00         | 88.80        | 66.60         | 88.70        |
| 6/11/2025 13:29:10 | 69.50         | 91.90        | 67.10         | 91.90        |
| 6/11/2025 13:29:11 | 66.90         | 77.00        | 60.10         | 76.90        |
| 6/11/2025 13:29:12 | 64.80         | 97.00        | 63.00         | 96.90        |
| 6/11/2025 13:29:13 | 64.30         | 78.80        | 62.00         | 78.70        |
| 6/11/2025 13:29:14 | 63.00         | 78.50        | 59.30         | 79.00        |
| 6/11/2025 13:29:15 | 60.80         | 70.70        | 54.00         | 70.80        |
| 6/11/2025 13:29:16 | 57.80         | 72.30        | 55.20         | 72.20        |
| 6/11/2025 13:29:17 | 56.20         | 73.30        | 52.20         | 73.30        |
| 6/11/2025 13:29:18 | 58.90         | 81.80        | 58.70         | 81.80        |
| 6/11/2025 13:29:19 | 61.50         | 90.10        | 55.70         | 90.10        |
| 6/11/2025 13:29:20 | 66.80         | 94.50        | 66.10         | 94.50        |
| 6/11/2025 13:29:21 | 73.50         | 101.90       | 69.90         | 101.80       |
| 6/11/2025 13:29:22 | 72.70         | 74.40        | 64.50         | 74.20        |
| 6/11/2025 13:29:23 | 68.70         | 89.70        | 60.60         | 89.70        |
| 6/11/2025 13:29:24 | 68.30         | 96.90        | 66.40         | 96.80        |
| 6/11/2025 13:29:25 | 67.80         | 95.60        | 65.80         | 95.50        |
| 6/11/2025 13:29:26 | 74.00         | 102.20       | 73.10         | 102.10       |
| 6/11/2025 13:29:27 | 73.20         | 89.00        | 65.10         | 89.00        |
| 6/11/2025 13:29:28 | 69.50         | 89.80        | 63.10         | 89.90        |
| 6/11/2025 13:29:29 | 68.10         | 94.70        | 66.30         | 94.70        |
| 6/11/2025 13:29:30 | 69.40         | 103.60       | 66.90         | 103.60       |
| 6/11/2025 13:29:31 | 67.50         | 83.40        | 58.30         | 83.40        |
| 6/11/2025 13:29:32 | 64.40         | 87.50        | 59.60         | 87.50        |
| 6/11/2025 13:29:33 | 66.60         | 95.10        | 65.60         | 95.10        |
| 6/11/2025 13:29:34 | 68.20         | 96.90        | 67.50         | 96.90        |
| 6/11/2025 13:29:35 | 66.10         | 85.20        | 60.70         | 85.20        |
| 6/11/2025 13:29:36 | 63.60         | 84.80        | 56.80         | 84.80        |
| 6/11/2025 13:29:37 | 60.30         | 72.60        | 53.00         | 72.60        |
| 6/11/2025 13:29:38 | 63.50         | 93.90        | 63.70         | 93.90        |
| 6/11/2025 13:29:39 | 66.00         | 97.20        | 64.20         | 97.20        |
| 6/11/2025 13:29:40 | 67.40         | 95.70        | 64.10         | 95.70        |
| 6/11/2025 13:29:41 | 69.80         | 97.90        | 66.90         | 97.90        |
| 6/11/2025 13:29:42 | 69.50         | 96.10        | 65.70         | 96.10        |
| 6/11/2025 13:29:43 | 71.60         | 99.80        | 68.30         | 99.80        |
| 6/11/2025 13:29:44 | 69.20         | 92.30        | 60.30         | 92.30        |
| 6/11/2025 13:29:45 | 65.80         | 91.80        | 61.20         | 91.70        |
| 6/11/2025 13:29:46 | 69.70         | 98.50        | 67.50         | 98.50        |
| 6/11/2025 13:29:47 | 74.30         | 102.70       | 72.10         | 102.70       |
| 6/11/2025 13:29:48 | 71.30         | 94.50        | 68.70         | 94.50        |
| 6/11/2025 13:29:49 | 71.10         | 98.00        | 69.20         | 97.90        |
| 6/11/2025 13:29:50 | 73.10         | 101.30       | 68.10         | 101.30       |
| 6/11/2025 13:29:51 | 72.60         | 92.50        | 67.10         | 92.40        |
| 6/11/2025 13:29:52 | 68.90         | 69.40        | 53.90         | 69.60        |
| 6/11/2025 13:29:53 | 64.90         | 75.10        | 59.50         | 75.00        |
| 6/11/2025 13:29:54 | 62.40         | 81.70        | 57.30         | 81.50        |
| 6/11/2025 13:29:55 | 59.60         | 77.40        | 54.50         | 77.30        |
| 6/11/2025 13:29:56 | 57.20         | 84.60        | 54.80         | 84.50        |

| Timestamp          | Lmax-1 | Lpk-1  | Lavg-2 | Lpk-2  |
|--------------------|--------|--------|--------|--------|
| 6/11/2025 13:29:57 | 57.20  | 75.50  | 56.80  | 75.20  |
| 6/11/2025 13:29:58 | 57.50  | 76.30  | 55.70  | 76.10  |
| 6/11/2025 13:29:59 | 58.60  | 76.60  | 58.10  | 76.80  |
| 6/11/2025 13:30:00 | 60.20  | 79.20  | 59.60  | 78.90  |
| 6/11/2025 13:30:01 | 61.90  | 89.70  | 61.20  | 89.70  |
| 6/11/2025 13:30:02 | 71.90  | 99.80  | 69.60  | 99.80  |
| 6/11/2025 13:30:03 | 71.00  | 92.40  | 64.40  | 92.40  |
| 6/11/2025 13:30:04 | 75.10  | 104.90 | 69.30  | 104.80 |
| 6/11/2025 13:30:05 | 75.00  | 97.20  | 74.20  | 97.20  |
| 6/11/2025 13:30:06 | 73.40  | 97.20  | 68.90  | 97.10  |
| 6/11/2025 13:30:07 | 72.90  | 98.40  | 72.00  | 98.40  |
| 6/11/2025 13:30:08 | 72.50  | 99.10  | 70.70  | 99.10  |
| 6/11/2025 13:30:09 | 71.80  | 95.80  | 68.80  | 95.70  |
| 6/11/2025 13:30:10 | 71.90  | 97.10  | 70.60  | 97.10  |
| 6/11/2025 13:30:11 | 70.20  | 84.80  | 67.30  | 84.70  |
| 6/11/2025 13:30:12 | 69.60  | 81.00  | 65.70  | 81.00  |
| 6/11/2025 13:30:13 | 67.30  | 82.70  | 65.60  | 82.80  |
| 6/11/2025 13:30:14 | 66.20  | 89.80  | 61.00  | 89.80  |
| 6/11/2025 13:30:15 | 63.30  | 77.20  | 56.10  | 77.00  |
| 6/11/2025 13:30:16 | 60.80  | 71.50  | 56.10  | 71.60  |
| 6/11/2025 13:30:17 | 59.00  | 76.80  | 57.50  | 76.90  |
| 6/11/2025 13:30:18 | 59.30  | 78.20  | 57.90  | 78.10  |
| 6/11/2025 13:30:19 | 58.20  | 73.30  | 57.60  | 73.30  |
| 6/11/2025 13:30:20 | 62.50  | 92.80  | 60.50  | 92.70  |
| 6/11/2025 13:30:21 | 62.10  | 79.70  | 61.00  | 79.80  |
| 6/11/2025 13:30:22 | 61.30  | 75.40  | 56.30  | 75.60  |
| 6/11/2025 13:30:23 | 64.20  | 89.50  | 64.10  | 89.40  |
| 6/11/2025 13:30:24 | 68.40  | 97.00  | 65.20  | 96.90  |
| 6/11/2025 13:30:25 | 68.10  | 76.70  | 63.40  | 76.10  |
| 6/11/2025 13:30:26 | 64.50  | 77.00  | 58.40  | 76.80  |
| 6/11/2025 13:30:27 | 64.90  | 91.90  | 64.50  | 91.80  |
| 6/11/2025 13:30:28 | 68.00  | 92.50  | 67.50  | 92.50  |
| 6/11/2025 13:30:29 | 67.90  | 92.90  | 65.40  | 92.80  |
| 6/11/2025 13:30:30 | 68.00  | 95.70  | 66.80  | 95.70  |
| 6/11/2025 13:30:31 | 67.80  | 94.60  | 64.00  | 94.60  |
| 6/11/2025 13:30:32 | 65.70  | 82.30  | 62.60  | 82.50  |
| 6/11/2025 13:30:33 | 64.80  | 88.40  | 61.30  | 88.40  |
| 6/11/2025 13:30:34 | 62.00  | 78.90  | 57.50  | 79.00  |
| 6/11/2025 13:30:35 | 73.20  | 107.60 | 73.20  | 107.60 |
| 6/11/2025 13:30:36 | 72.10  | 90.20  | 66.30  | 90.30  |
| 6/11/2025 13:30:37 | 71.80  | 85.50  | 71.10  | 85.60  |
| 6/11/2025 13:30:38 | 70.40  | 82.70  | 65.60  | 82.60  |
| 6/11/2025 13:30:39 | 67.90  | 73.60  | 55.50  | 73.90  |
| 6/11/2025 13:30:40 | 63.90  | 77.20  | 58.90  | 77.30  |
| 6/11/2025 13:30:41 | 62.50  | 78.30  | 60.80  | 78.30  |
| 6/11/2025 13:30:42 | 61.00  | 81.90  | 58.30  | 82.00  |
| 6/11/2025 13:30:43 | 61.80  | 86.80  | 61.20  | 86.70  |
| 6/11/2025 13:30:44 | 62.50  | 92.90  | 60.60  | 92.80  |
| 6/11/2025 13:30:45 | 62.10  | 91.50  | 58.30  | 91.50  |
| 6/11/2025 13:30:46 | 70.70  | 96.10  | 69.50  | 96.00  |
| 6/11/2025 13:30:47 | 77.70  | 108.00 | 74.40  | 107.90 |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:30:48 | 76.60         | 77.00        | 65.50         | 77.10        |
| 6/11/2025 13:30:49 | 72.40         | 90.70        | 61.30         | 90.70        |
| 6/11/2025 13:30:50 | 68.60         | 88.00        | 63.60         | 87.90        |
| 6/11/2025 13:30:51 | 73.20         | 100.80       | 71.50         | 100.70       |
| 6/11/2025 13:30:52 | 74.40         | 103.00       | 71.30         | 102.90       |
| 6/11/2025 13:30:53 | 73.80         | 79.40        | 65.30         | 79.30        |
| 6/11/2025 13:30:54 | 70.60         | 92.50        | 64.20         | 92.40        |
| 6/11/2025 13:30:55 | 70.20         | 101.10       | 66.70         | 101.10       |
| 6/11/2025 13:30:56 | 67.20         | 88.10        | 59.20         | 88.10        |
| 6/11/2025 13:30:57 | 64.30         | 76.00        | 60.30         | 75.90        |
| 6/11/2025 13:30:58 | 62.00         | 80.20        | 60.30         | 80.10        |
| 6/11/2025 13:30:59 | 64.70         | 90.80        | 65.00         | 90.70        |
| 6/11/2025 13:31:00 | 64.00         | 85.80        | 60.10         | 85.70        |
| 6/11/2025 13:31:01 | 62.00         | 75.70        | 57.50         | 75.50        |
| 6/11/2025 13:31:02 | 59.50         | 83.80        | 55.70         | 83.70        |
| 6/11/2025 13:31:03 | 58.00         | 71.70        | 52.70         | 71.60        |
| 6/11/2025 13:31:04 | 55.20         | 83.70        | 53.20         | 83.60        |
| 6/11/2025 13:31:05 | 60.60         | 80.90        | 59.20         | 81.10        |
| 6/11/2025 13:31:06 | 60.30         | 68.20        | 54.90         | 68.60        |
| 6/11/2025 13:31:07 | 65.30         | 99.90        | 63.20         | 99.90        |
| 6/11/2025 13:31:08 | 65.00         | 93.30        | 61.70         | 93.20        |
| 6/11/2025 13:31:09 | 66.60         | 93.50        | 64.70         | 93.50        |
| 6/11/2025 13:31:10 | 68.20         | 96.90        | 67.60         | 96.90        |
| 6/11/2025 13:31:11 | 67.10         | 79.40        | 59.20         | 79.60        |
| 6/11/2025 13:31:12 | 64.50         | 90.90        | 61.80         | 90.90        |
| 6/11/2025 13:31:13 | 65.80         | 91.20        | 64.20         | 91.20        |
| 6/11/2025 13:31:14 | 65.40         | 86.30        | 63.60         | 86.30        |
| 6/11/2025 13:31:15 | 63.90         | 77.60        | 59.00         | 77.80        |
| 6/11/2025 13:31:16 | 63.30         | 94.10        | 62.80         | 94.10        |
| 6/11/2025 13:31:17 | 69.20         | 98.10        | 67.30         | 98.10        |
| 6/11/2025 13:31:18 | 67.00         | 87.20        | 61.00         | 87.10        |
| 6/11/2025 13:31:19 | 65.00         | 87.50        | 59.10         | 87.40        |
| 6/11/2025 13:31:20 | 68.20         | 98.40        | 66.00         | 98.40        |
| 6/11/2025 13:31:21 | 65.70         | 86.40        | 59.00         | 86.20        |
| 6/11/2025 13:31:22 | 65.00         | 93.00        | 62.40         | 92.90        |
| 6/11/2025 13:31:23 | 63.60         | 77.50        | 56.80         | 77.40        |
| 6/11/2025 13:31:24 | 62.60         | 93.40        | 60.60         | 93.40        |
| 6/11/2025 13:31:25 | 61.80         | 81.60        | 56.10         | 81.50        |
| 6/11/2025 13:31:26 | 59.10         | 73.70        | 54.80         | 73.40        |
| 6/11/2025 13:31:27 | 62.30         | 92.80        | 60.90         | 92.80        |
| 6/11/2025 13:31:28 | 73.10         | 102.40       | 71.70         | 102.40       |
| 6/11/2025 13:31:29 | 70.80         | 95.00        | 65.70         | 94.90        |
| 6/11/2025 13:31:30 | 69.10         | 77.40        | 62.40         | 77.50        |
| 6/11/2025 13:31:31 | 66.70         | 96.60        | 64.20         | 96.60        |
| 6/11/2025 13:31:32 | 72.90         | 101.20       | 70.60         | 101.20       |
| 6/11/2025 13:31:33 | 70.70         | 90.20        | 60.30         | 90.30        |
| 6/11/2025 13:31:34 | 67.00         | 91.40        | 58.80         | 91.40        |
| 6/11/2025 13:31:35 | 69.50         | 96.40        | 67.80         | 96.40        |
| 6/11/2025 13:31:36 | 72.80         | 101.50       | 70.60         | 101.40       |
| 6/11/2025 13:31:37 | 71.00         | 88.40        | 62.70         | 88.40        |
| 6/11/2025 13:31:38 | 71.30         | 100.70       | 61.80         | 100.70       |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:31:39 | 71.40         | 94.50        | 71.30         | 94.40        |
| 6/11/2025 13:31:40 | 70.60         | 85.30        | 67.50         | 85.20        |
| 6/11/2025 13:31:41 | 68.10         | 80.00        | 60.10         | 79.70        |
| 6/11/2025 13:31:42 | 65.10         | 78.90        | 63.10         | 78.80        |
| 6/11/2025 13:31:43 | 64.90         | 79.40        | 63.70         | 79.50        |
| 6/11/2025 13:31:44 | 64.30         | 79.20        | 61.30         | 79.20        |
| 6/11/2025 13:31:45 | 62.80         | 86.20        | 60.80         | 86.20        |
| 6/11/2025 13:31:46 | 61.70         | 77.20        | 57.40         | 76.80        |
| 6/11/2025 13:31:47 | 59.30         | 73.90        | 55.50         | 73.90        |
| 6/11/2025 13:31:48 | 57.30         | 75.80        | 55.60         | 76.10        |
| 6/11/2025 13:31:49 | 62.00         | 87.00        | 63.40         | 86.90        |
| 6/11/2025 13:31:50 | 63.50         | 80.10        | 63.30         | 80.10        |
| 6/11/2025 13:31:51 | 63.80         | 79.40        | 62.70         | 79.00        |
| 6/11/2025 13:31:52 | 62.80         | 88.80        | 61.90         | 88.80        |
| 6/11/2025 13:31:53 | 62.30         | 79.50        | 60.10         | 79.40        |
| 6/11/2025 13:31:54 | 62.30         | 89.50        | 60.70         | 89.50        |
| 6/11/2025 13:31:55 | 63.50         | 78.60        | 62.80         | 78.40        |
| 6/11/2025 13:31:56 | 68.20         | 98.20        | 66.30         | 98.10        |
| 6/11/2025 13:31:57 | 66.70         | 98.80        | 64.00         | 98.80        |
| 6/11/2025 13:31:58 | 65.80         | 92.40        | 62.50         | 92.40        |
| 6/11/2025 13:31:59 | 65.30         | 94.10        | 62.80         | 94.10        |
| 6/11/2025 13:32:00 | 68.50         | 96.10        | 67.50         | 96.00        |
| 6/11/2025 13:32:01 | 67.60         | 91.60        | 62.40         | 91.50        |
| 6/11/2025 13:32:02 | 67.40         | 98.50        | 66.10         | 98.50        |
| 6/11/2025 13:32:03 | 66.00         | 90.50        | 62.50         | 90.50        |
| 6/11/2025 13:32:04 | 73.00         | 102.70       | 71.30         | 102.60       |
| 6/11/2025 13:32:05 | 72.40         | 89.00        | 72.10         | 88.90        |
| 6/11/2025 13:32:06 | 71.40         | 84.30        | 65.60         | 84.20        |
| 6/11/2025 13:32:07 | 70.70         | 85.40        | 70.20         | 85.50        |
| 6/11/2025 13:32:08 | 69.70         | 79.10        | 59.00         | 79.20        |
| 6/11/2025 13:32:09 | 65.80         | 77.10        | 56.80         | 77.30        |
| 6/11/2025 13:32:10 | 62.50         | 81.80        | 61.30         | 81.80        |
| 6/11/2025 13:32:11 | 62.30         | 72.60        | 58.00         | 72.50        |
| 6/11/2025 13:32:12 | 71.30         | 102.40       | 69.10         | 102.30       |
| 6/11/2025 13:32:13 | 69.90         | 94.80        | 65.50         | 94.80        |
| 6/11/2025 13:32:14 | 68.50         | 74.90        | 61.10         | 75.10        |
| 6/11/2025 13:32:15 | 64.90         | 87.10        | 57.80         | 87.10        |
| 6/11/2025 13:32:16 | 64.90         | 97.10        | 61.20         | 97.10        |
| 6/11/2025 13:32:17 | 69.30         | 98.60        | 68.40         | 98.60        |
| 6/11/2025 13:32:18 | 67.80         | 77.90        | 56.30         | 78.10        |
| 6/11/2025 13:32:19 | 63.90         | 79.10        | 58.00         | 78.70        |
| 6/11/2025 13:32:20 | 62.10         | 92.90        | 57.70         | 92.80        |
| 6/11/2025 13:32:21 | 61.70         | 88.00        | 59.10         | 88.00        |
| 6/11/2025 13:32:22 | 64.10         | 91.00        | 63.50         | 91.00        |
| 6/11/2025 13:32:23 | 69.30         | 98.20        | 67.20         | 98.10        |
| 6/11/2025 13:32:24 | 67.50         | 68.20        | 56.10         | 68.40        |
| 6/11/2025 13:32:25 | 63.50         | 64.20        | 51.10         | 64.00        |
| 6/11/2025 13:32:26 | 59.60         | 78.20        | 51.50         | 78.00        |
| 6/11/2025 13:32:27 | 56.60         | 67.90        | 53.30         | 68.10        |
| 6/11/2025 13:32:28 | 57.00         | 85.20        | 55.80         | 85.10        |
| 6/11/2025 13:32:29 | 58.30         | 87.20        | 58.20         | 87.20        |

| Timestamp          | Lmax-1 | Lpk-1  | Lavg-2 | Lpk-2  |
|--------------------|--------|--------|--------|--------|
| 6/11/2025 13:32:30 | 58.80  | 72.70  | 58.50  | 72.80  |
| 6/11/2025 13:32:31 | 64.60  | 92.70  | 63.60  | 92.80  |
| 6/11/2025 13:32:32 | 67.00  | 98.70  | 64.40  | 98.70  |
| 6/11/2025 13:32:33 | 70.20  | 98.30  | 67.50  | 98.30  |
| 6/11/2025 13:32:34 | 68.70  | 95.80  | 65.60  | 95.80  |
| 6/11/2025 13:32:35 | 69.60  | 101.20 | 68.00  | 101.20 |
| 6/11/2025 13:32:36 | 75.30  | 106.20 | 69.50  | 106.20 |
| 6/11/2025 13:32:37 | 75.20  | 98.20  | 70.70  | 98.10  |
| 6/11/2025 13:32:38 | 71.20  | 92.90  | 61.90  | 92.90  |
| 6/11/2025 13:32:39 | 68.30  | 90.00  | 62.60  | 90.00  |
| 6/11/2025 13:32:40 | 79.20  | 109.00 | 76.80  | 109.00 |
| 6/11/2025 13:32:41 | 76.60  | 96.00  | 65.10  | 96.00  |
| 6/11/2025 13:32:42 | 74.40  | 90.70  | 71.30  | 90.70  |
| 6/11/2025 13:32:43 | 72.60  | 80.30  | 64.10  | 80.30  |
| 6/11/2025 13:32:44 | 69.10  | 90.00  | 64.20  | 89.90  |
| 6/11/2025 13:32:45 | 66.90  | 84.10  | 61.10  | 84.10  |
| 6/11/2025 13:32:46 | 64.50  | 77.60  | 58.40  | 77.70  |
| 6/11/2025 13:32:47 | 61.30  | 76.70  | 56.70  | 76.90  |
| 6/11/2025 13:32:48 | 59.70  | 73.70  | 56.10  | 73.70  |
| 6/11/2025 13:32:49 | 57.10  | 82.90  | 54.00  | 83.00  |
| 6/11/2025 13:32:50 | 62.10  | 85.50  | 61.90  | 85.40  |
| 6/11/2025 13:32:51 | 61.30  | 82.30  | 55.80  | 82.40  |
| 6/11/2025 13:32:52 | 66.50  | 98.00  | 64.80  | 98.00  |
| 6/11/2025 13:32:53 | 70.10  | 97.10  | 68.90  | 97.10  |
| 6/11/2025 13:32:54 | 71.90  | 102.60 | 68.60  | 102.60 |
| 6/11/2025 13:32:55 | 71.70  | 99.30  | 68.50  | 99.30  |
| 6/11/2025 13:32:56 | 70.00  | 97.70  | 66.00  | 97.70  |
| 6/11/2025 13:32:57 | 70.00  | 100.20 | 66.40  | 100.20 |
| 6/11/2025 13:32:58 | 69.20  | 94.50  | 65.90  | 94.40  |
| 6/11/2025 13:32:59 | 66.90  | 79.70  | 59.50  | 79.80  |
| 6/11/2025 13:33:00 | 63.60  | 89.00  | 58.80  | 89.00  |
| 6/11/2025 13:33:01 | 62.50  | 79.70  | 57.60  | 79.40  |
| 6/11/2025 13:33:02 | 59.40  | 69.60  | 51.70  | 68.90  |
| 6/11/2025 13:33:03 | 56.80  | 78.80  | 54.80  | 78.70  |
| 6/11/2025 13:33:04 | 56.70  | 71.20  | 54.70  | 70.90  |
| 6/11/2025 13:33:05 | 55.60  | 71.70  | 54.40  | 71.10  |
| 6/11/2025 13:33:06 | 58.10  | 86.60  | 57.50  | 86.50  |
| 6/11/2025 13:33:07 | 61.90  | 85.30  | 61.20  | 85.10  |
| 6/11/2025 13:33:08 | 64.50  | 93.30  | 63.70  | 93.30  |
| 6/11/2025 13:33:09 | 64.10  | 90.30  | 61.80  | 90.20  |
| 6/11/2025 13:33:10 | 68.60  | 99.30  | 65.30  | 99.20  |
| 6/11/2025 13:33:11 | 68.40  | 91.50  | 63.60  | 91.50  |
| 6/11/2025 13:33:12 | 68.60  | 99.50  | 66.90  | 99.40  |
| 6/11/2025 13:33:13 | 69.40  | 98.60  | 65.80  | 98.60  |
| 6/11/2025 13:33:14 | 66.70  | 89.40  | 62.80  | 89.40  |
| 6/11/2025 13:33:15 | 64.60  | 76.70  | 61.20  | 76.50  |
| 6/11/2025 13:33:16 | 62.60  | 70.90  | 55.90  | 71.00  |
| 6/11/2025 13:33:17 | 60.10  | 72.90  | 58.50  | 72.80  |
| 6/11/2025 13:33:18 | 58.90  | 76.60  | 54.00  | 76.60  |
| 6/11/2025 13:33:19 | 56.60  | 70.40  | 54.70  | 70.00  |
| 6/11/2025 13:33:20 | 55.50  | 73.60  | 54.60  | 73.70  |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:33:21 | 55.40         | 79.40        | 54.90         | 79.10        |
| 6/11/2025 13:33:22 | 55.00         | 81.70        | 53.30         | 81.80        |
| 6/11/2025 13:33:23 | 53.80         | 81.70        | 52.40         | 81.80        |
| 6/11/2025 13:33:24 | 64.80         | 94.70        | 63.50         | 94.70        |
| 6/11/2025 13:33:25 | 65.80         | 90.60        | 64.80         | 90.60        |
| 6/11/2025 13:33:26 | 64.00         | 69.80        | 53.80         | 70.10        |
| 6/11/2025 13:33:27 | 64.50         | 96.20        | 63.80         | 96.10        |
| 6/11/2025 13:33:28 | 69.60         | 97.10        | 66.50         | 97.00        |
| 6/11/2025 13:33:29 | 74.40         | 102.90       | 73.40         | 102.90       |
| 6/11/2025 13:33:30 | 72.20         | 97.50        | 64.40         | 97.50        |
| 6/11/2025 13:33:31 | 73.90         | 100.20       | 72.70         | 100.20       |
| 6/11/2025 13:33:32 | 71.90         | 92.50        | 62.80         | 92.40        |
| 6/11/2025 13:33:33 | 71.30         | 100.30       | 70.30         | 100.30       |
| 6/11/2025 13:33:34 | 69.60         | 93.80        | 65.40         | 93.80        |
| 6/11/2025 13:33:35 | 72.20         | 100.40       | 70.90         | 100.30       |
| 6/11/2025 13:33:36 | 78.90         | 107.70       | 77.10         | 107.60       |
| 6/11/2025 13:33:37 | 78.50         | 101.10       | 73.20         | 101.10       |
| 6/11/2025 13:33:38 | 77.70         | 104.60       | 73.10         | 104.60       |
| 6/11/2025 13:33:39 | 81.20         | 109.80       | 80.00         | 109.80       |
| 6/11/2025 13:33:40 | 80.00         | 96.00        | 70.60         | 96.00        |
| 6/11/2025 13:33:41 | 76.20         | 97.00        | 66.00         | 97.10        |
| 6/11/2025 13:33:42 | 72.60         | 84.50        | 58.80         | 84.50        |
| 6/11/2025 13:33:43 | 68.70         | 94.10        | 63.80         | 94.10        |
| 6/11/2025 13:33:44 | 68.10         | 94.60        | 65.80         | 94.70        |
| 6/11/2025 13:33:45 | 66.20         | 77.50        | 61.70         | 77.50        |
| 6/11/2025 13:33:46 | 64.30         | 82.30        | 60.60         | 82.20        |
| 6/11/2025 13:33:47 | 62.40         | 81.50        | 62.00         | 81.40        |
| 6/11/2025 13:33:48 | 64.40         | 88.50        | 64.10         | 88.50        |
| 6/11/2025 13:33:49 | 63.50         | 81.70        | 62.40         | 81.60        |
| 6/11/2025 13:33:50 | 62.70         | 83.10        | 58.90         | 83.00        |
| 6/11/2025 13:33:51 | 60.50         | 72.70        | 57.80         | 72.80        |
| 6/11/2025 13:33:52 | 62.30         | 78.40        | 62.50         | 78.40        |
| 6/11/2025 13:33:53 | 62.40         | 87.20        | 61.00         | 87.20        |
| 6/11/2025 13:33:54 | 63.00         | 83.90        | 63.70         | 83.90        |
| 6/11/2025 13:33:55 | 64.80         | 82.40        | 65.30         | 82.30        |
| 6/11/2025 13:33:56 | 64.60         | 83.10        | 63.30         | 83.10        |
| 6/11/2025 13:33:57 | 67.30         | 94.70        | 67.50         | 94.70        |
| 6/11/2025 13:33:58 | 77.00         | 107.50       | 75.70         | 107.50       |
| 6/11/2025 13:33:59 | 74.90         | 96.10        | 68.90         | 96.10        |
| 6/11/2025 13:34:00 | 72.10         | 95.20        | 66.80         | 95.20        |
| 6/11/2025 13:34:01 | 72.90         | 98.80        | 72.70         | 98.80        |
| 6/11/2025 13:34:02 | 76.20         | 104.90       | 74.70         | 104.90       |
| 6/11/2025 13:34:03 | 74.40         | 97.50        | 69.50         | 97.40        |
| 6/11/2025 13:34:04 | 73.40         | 102.20       | 70.30         | 102.20       |
| 6/11/2025 13:34:05 | 72.10         | 93.80        | 65.00         | 93.80        |
| 6/11/2025 13:34:06 | 74.60         | 104.10       | 72.40         | 104.10       |
| 6/11/2025 13:34:07 | 74.40         | 102.40       | 70.10         | 102.40       |
| 6/11/2025 13:34:08 | 71.80         | 91.60        | 65.90         | 91.60        |
| 6/11/2025 13:34:09 | 68.90         | 75.20        | 60.50         | 75.50        |
| 6/11/2025 13:34:10 | 65.40         | 84.70        | 60.60         | 84.40        |
| 6/11/2025 13:34:11 | 64.80         | 88.60        | 62.20         | 88.50        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:34:12 | 64.70         | 80.10        | 63.10         | 80.20        |
| 6/11/2025 13:34:13 | 63.70         | 86.00        | 60.40         | 86.00        |
| 6/11/2025 13:34:14 | 65.00         | 92.20        | 65.00         | 92.10        |
| 6/11/2025 13:34:15 | 65.20         | 92.80        | 62.20         | 92.70        |
| 6/11/2025 13:34:16 | 64.40         | 94.70        | 61.50         | 94.70        |
| 6/11/2025 13:34:17 | 63.10         | 70.50        | 56.00         | 69.90        |
| 6/11/2025 13:34:18 | 64.80         | 91.10        | 64.30         | 91.10        |
| 6/11/2025 13:34:19 | 71.70         | 100.30       | 69.60         | 100.30       |
| 6/11/2025 13:34:20 | 70.20         | 96.40        | 65.50         | 96.30        |
| 6/11/2025 13:34:21 | 69.30         | 87.80        | 67.90         | 87.70        |
| 6/11/2025 13:34:22 | 68.00         | 92.30        | 64.90         | 92.30        |
| 6/11/2025 13:34:23 | 66.40         | 78.90        | 61.20         | 79.00        |
| 6/11/2025 13:34:24 | 63.30         | 76.50        | 59.20         | 76.30        |
| 6/11/2025 13:34:25 | 66.60         | 94.00        | 66.40         | 93.90        |
| 6/11/2025 13:34:26 | 66.20         | 73.80        | 59.70         | 74.10        |
| 6/11/2025 13:34:27 | 65.90         | 92.80        | 63.30         | 92.80        |
| 6/11/2025 13:34:28 | 63.90         | 90.10        | 57.30         | 90.10        |
| 6/11/2025 13:34:29 | 61.50         | 77.50        | 55.20         | 77.10        |
| 6/11/2025 13:34:30 | 61.50         | 89.10        | 60.50         | 89.00        |
| 6/11/2025 13:34:31 | 60.40         | 87.70        | 58.60         | 87.60        |
| 6/11/2025 13:34:32 | 64.30         | 89.70        | 64.40         | 89.60        |
| 6/11/2025 13:34:33 | 63.60         | 91.30        | 60.60         | 91.30        |
| 6/11/2025 13:34:34 | 64.80         | 92.90        | 62.70         | 92.90        |
| 6/11/2025 13:34:35 | 67.60         | 96.40        | 66.40         | 96.40        |
| 6/11/2025 13:34:36 | 70.80         | 98.70        | 68.60         | 98.70        |
| 6/11/2025 13:34:37 | 72.80         | 90.50        | 70.50         | 90.60        |
| 6/11/2025 13:34:38 | 70.20         | 77.60        | 56.30         | 77.30        |
| 6/11/2025 13:34:39 | 66.10         | 92.20        | 60.20         | 92.10        |
| 6/11/2025 13:34:40 | 63.90         | 86.80        | 60.30         | 86.70        |
| 6/11/2025 13:34:41 | 63.80         | 77.00        | 62.60         | 76.80        |
| 6/11/2025 13:34:42 | 62.70         | 79.80        | 57.90         | 79.60        |
| 6/11/2025 13:34:43 | 60.30         | 70.70        | 53.10         | 70.90        |
| 6/11/2025 13:34:44 | 57.00         | 76.10        | 53.00         | 75.90        |
| 6/11/2025 13:34:45 | 56.70         | 64.50        | 52.00         | 65.90        |
| 6/11/2025 13:34:46 | 53.80         | 71.10        | 50.50         | 70.90        |
| 6/11/2025 13:34:47 | 55.40         | 73.20        | 54.50         | 73.70        |
| 6/11/2025 13:34:48 | 59.50         | 85.90        | 57.20         | 85.90        |
| 6/11/2025 13:34:49 | 59.60         | 77.00        | 58.90         | 77.00        |
| 6/11/2025 13:34:50 | 58.00         | 70.20        | 53.80         | 69.90        |
| 6/11/2025 13:34:51 | 58.30         | 76.80        | 58.00         | 77.00        |
| 6/11/2025 13:34:52 | 58.80         | 86.00        | 56.30         | 85.90        |
| 6/11/2025 13:34:53 | 63.10         | 91.40        | 62.20         | 91.30        |
| 6/11/2025 13:34:54 | 64.70         | 93.50        | 63.70         | 93.50        |
| 6/11/2025 13:34:55 | 72.90         | 102.10       | 72.70         | 102.10       |
| 6/11/2025 13:34:56 | 70.90         | 97.10        | 62.40         | 97.10        |
| 6/11/2025 13:34:57 | 71.50         | 102.40       | 70.60         | 102.40       |
| 6/11/2025 13:34:58 | 71.30         | 95.60        | 67.70         | 95.60        |
| 6/11/2025 13:34:59 | 68.70         | 88.60        | 63.70         | 88.60        |
| 6/11/2025 13:35:00 | 74.20         | 104.00       | 71.50         | 103.90       |
| 6/11/2025 13:35:01 | 72.70         | 90.00        | 66.20         | 89.90        |
| 6/11/2025 13:35:02 | 70.10         | 90.60        | 63.90         | 90.50        |

| Timestamp          | Lmax-1 | Lpk-1  | Lavg-2 | Lpk-2  |
|--------------------|--------|--------|--------|--------|
| 6/11/2025 13:35:03 | 66.70  | 77.80  | 59.50  | 77.70  |
| 6/11/2025 13:35:04 | 66.60  | 88.90  | 65.70  | 88.90  |
| 6/11/2025 13:35:05 | 66.50  | 79.70  | 62.50  | 79.80  |
| 6/11/2025 13:35:06 | 63.80  | 84.00  | 59.00  | 83.90  |
| 6/11/2025 13:35:07 | 67.30  | 100.00 | 66.30  | 100.00 |
| 6/11/2025 13:35:08 | 67.50  | 82.70  | 64.10  | 82.60  |
| 6/11/2025 13:35:09 | 69.50  | 96.40  | 67.20  | 96.40  |
| 6/11/2025 13:35:10 | 68.80  | 80.60  | 63.30  | 80.50  |
| 6/11/2025 13:35:11 | 65.50  | 73.90  | 53.30  | 73.90  |
| 6/11/2025 13:35:12 | 61.90  | 87.30  | 59.40  | 87.30  |
| 6/11/2025 13:35:13 | 61.90  | 89.50  | 58.50  | 89.50  |
| 6/11/2025 13:35:14 | 71.10  | 101.80 | 69.60  | 101.80 |
| 6/11/2025 13:35:15 | 70.30  | 96.80  | 67.90  | 96.70  |
| 6/11/2025 13:35:16 | 68.80  | 84.00  | 61.80  | 83.70  |
| 6/11/2025 13:35:17 | 65.70  | 70.20  | 53.90  | 70.30  |
| 6/11/2025 13:35:18 | 66.80  | 95.80  | 66.30  | 95.80  |
| 6/11/2025 13:35:19 | 66.70  | 88.30  | 63.50  | 88.20  |
| 6/11/2025 13:35:20 | 66.10  | 97.10  | 63.00  | 97.10  |
| 6/11/2025 13:35:21 | 63.50  | 76.90  | 58.80  | 76.80  |
| 6/11/2025 13:35:22 | 61.20  | 77.40  | 56.90  | 76.90  |
| 6/11/2025 13:35:23 | 60.40  | 75.60  | 59.50  | 75.50  |
| 6/11/2025 13:35:24 | 62.00  | 86.80  | 60.00  | 86.80  |
| 6/11/2025 13:35:25 | 68.00  | 96.40  | 66.00  | 96.30  |
| 6/11/2025 13:35:26 | 67.50  | 82.70  | 62.30  | 82.70  |
| 6/11/2025 13:35:27 | 68.60  | 96.20  | 67.60  | 96.20  |
| 6/11/2025 13:35:28 | 72.50  | 100.30 | 70.40  | 100.30 |
| 6/11/2025 13:35:29 | 70.40  | 89.20  | 66.60  | 89.20  |
| 6/11/2025 13:35:30 | 70.20  | 91.60  | 69.00  | 91.60  |
| 6/11/2025 13:35:31 | 68.70  | 92.80  | 64.60  | 92.70  |
| 6/11/2025 13:35:32 | 68.40  | 83.40  | 65.50  | 83.20  |
| 6/11/2025 13:35:33 | 66.00  | 87.70  | 62.60  | 87.70  |
| 6/11/2025 13:35:34 | 69.30  | 97.60  | 68.60  | 97.60  |
| 6/11/2025 13:35:35 | 67.90  | 93.10  | 65.80  | 93.00  |
| 6/11/2025 13:35:36 | 67.70  | 90.50  | 67.30  | 90.50  |
| 6/11/2025 13:35:37 | 69.50  | 97.20  | 68.30  | 97.20  |
| 6/11/2025 13:35:38 | 71.90  | 95.70  | 70.40  | 95.70  |
| 6/11/2025 13:35:39 | 73.10  | 97.20  | 71.20  | 97.20  |
| 6/11/2025 13:35:40 | 71.10  | 84.10  | 65.60  | 84.10  |
| 6/11/2025 13:35:41 | 68.60  | 81.90  | 65.50  | 81.80  |
| 6/11/2025 13:35:42 | 69.70  | 100.10 | 68.70  | 100.10 |
| 6/11/2025 13:35:43 | 69.50  | 97.00  | 66.80  | 96.90  |
| 6/11/2025 13:35:44 | 69.40  | 84.50  | 64.20  | 84.40  |
| 6/11/2025 13:35:45 | 71.50  | 89.80  | 71.60  | 89.80  |
| 6/11/2025 13:35:46 | 69.90  | 94.80  | 65.90  | 94.80  |
| 6/11/2025 13:35:47 | 68.60  | 92.10  | 66.00  | 92.00  |
| 6/11/2025 13:35:48 | 68.50  | 90.80  | 66.60  | 90.70  |
| 6/11/2025 13:35:49 | 66.10  | 93.20  | 60.50  | 93.10  |
| 6/11/2025 13:35:50 | 66.30  | 94.60  | 65.00  | 94.60  |
| 6/11/2025 13:35:51 | 66.50  | 83.70  | 64.70  | 83.70  |
| 6/11/2025 13:35:52 | 67.90  | 87.40  | 66.70  | 87.40  |
| 6/11/2025 13:35:53 | 66.00  | 84.00  | 63.10  | 83.70  |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:35:54 | 70.80         | 102.00       | 69.20         | 102.00       |
| 6/11/2025 13:35:55 | 70.10         | 96.80        | 66.20         | 96.70        |
| 6/11/2025 13:35:56 | 70.20         | 93.00        | 69.20         | 92.90        |
| 6/11/2025 13:35:57 | 68.40         | 81.30        | 65.90         | 81.40        |
| 6/11/2025 13:35:58 | 68.00         | 81.30        | 63.40         | 81.20        |
| 6/11/2025 13:35:59 | 68.50         | 95.50        | 63.30         | 95.40        |
| 6/11/2025 13:36:00 | 68.50         | 87.90        | 67.00         | 87.90        |
| 6/11/2025 13:36:01 | 67.00         | 91.20        | 66.30         | 91.20        |
| 6/11/2025 13:36:02 | 66.60         | 88.60        | 63.60         | 88.60        |
| 6/11/2025 13:36:03 | 69.70         | 93.30        | 69.50         | 93.30        |
| 6/11/2025 13:36:04 | 69.70         | 85.40        | 68.30         | 85.50        |
| 6/11/2025 13:36:05 | 68.00         | 87.20        | 61.10         | 87.10        |
| 6/11/2025 13:36:06 | 66.40         | 93.10        | 63.50         | 93.00        |
| 6/11/2025 13:36:07 | 71.70         | 100.20       | 67.30         | 100.20       |
| 6/11/2025 13:36:08 | 71.30         | 80.60        | 66.40         | 80.70        |
| 6/11/2025 13:36:09 | 70.30         | 96.90        | 66.90         | 96.90        |
| 6/11/2025 13:36:10 | 70.10         | 80.10        | 65.90         | 80.00        |
| 6/11/2025 13:36:11 | 70.30         | 97.40        | 68.50         | 97.40        |
| 6/11/2025 13:36:12 | 71.20         | 97.70        | 71.10         | 97.70        |
| 6/11/2025 13:36:13 | 70.40         | 95.00        | 68.20         | 95.00        |
| 6/11/2025 13:36:14 | 70.70         | 100.50       | 67.60         | 100.40       |
| 6/11/2025 13:36:15 | 68.40         | 91.90        | 64.80         | 91.90        |
| 6/11/2025 13:36:16 | 71.10         | 99.00        | 70.30         | 98.90        |
| 6/11/2025 13:36:17 | 71.70         | 86.40        | 71.30         | 86.40        |
| 6/11/2025 13:36:18 | 71.10         | 86.40        | 67.20         | 86.40        |
| 6/11/2025 13:36:19 | 69.70         | 86.50        | 68.50         | 86.40        |
| 6/11/2025 13:36:20 | 69.20         | 81.50        | 66.40         | 81.50        |
| 6/11/2025 13:36:21 | 67.80         | 80.90        | 67.60         | 80.90        |
| 6/11/2025 13:36:22 | 67.50         | 76.40        | 61.20         | 76.50        |
| 6/11/2025 13:36:23 | 64.20         | 78.70        | 62.30         | 78.40        |
| 6/11/2025 13:36:24 | 63.30         | 75.40        | 59.00         | 75.40        |
| 6/11/2025 13:36:25 | 60.90         | 77.30        | 55.80         | 77.50        |
| 6/11/2025 13:36:26 | 64.00         | 90.50        | 64.40         | 90.40        |
| 6/11/2025 13:36:27 | 63.50         | 90.60        | 60.60         | 90.50        |
| 6/11/2025 13:36:28 | 62.90         | 78.40        | 61.60         | 78.40        |
| 6/11/2025 13:36:29 | 61.70         | 73.30        | 57.20         | 73.20        |
| 6/11/2025 13:36:30 | 66.50         | 93.30        | 65.20         | 93.20        |
| 6/11/2025 13:36:31 | 66.10         | 97.00        | 64.30         | 97.00        |
| 6/11/2025 13:36:32 | 67.90         | 96.60        | 65.00         | 96.60        |
| 6/11/2025 13:36:33 | 66.20         | 95.70        | 60.80         | 95.70        |
| 6/11/2025 13:36:34 | 69.70         | 96.10        | 70.10         | 96.10        |
| 6/11/2025 13:36:35 | 68.90         | 78.40        | 63.40         | 78.70        |
| 6/11/2025 13:36:36 | 65.90         | 71.70        | 54.30         | 71.30        |
| 6/11/2025 13:36:37 | 63.40         | 87.10        | 62.30         | 87.00        |
| 6/11/2025 13:36:38 | 68.10         | 96.40        | 68.10         | 96.30        |
| 6/11/2025 13:36:39 | 72.70         | 102.20       | 67.90         | 102.10       |
| 6/11/2025 13:36:40 | 76.70         | 104.90       | 75.30         | 104.80       |
| 6/11/2025 13:36:41 | 75.40         | 94.90        | 67.90         | 94.80        |
| 6/11/2025 13:36:42 | 72.00         | 91.20        | 65.90         | 91.10        |
| 6/11/2025 13:36:43 | 70.60         | 97.20        | 67.10         | 97.10        |
| 6/11/2025 13:36:44 | 68.70         | 89.90        | 61.30         | 89.90        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:36:45 | 65.20         | 77.30        | 59.30         | 77.10        |
| 6/11/2025 13:36:46 | 62.40         | 85.40        | 57.20         | 85.30        |
| 6/11/2025 13:36:47 | 60.70         | 73.70        | 59.40         | 73.70        |
| 6/11/2025 13:36:48 | 62.10         | 79.60        | 61.60         | 79.30        |
| 6/11/2025 13:36:49 | 66.70         | 95.90        | 65.50         | 95.90        |
| 6/11/2025 13:36:50 | 68.70         | 98.50        | 66.50         | 98.50        |
| 6/11/2025 13:36:51 | 67.80         | 75.30        | 60.50         | 75.30        |
| 6/11/2025 13:36:52 | 66.30         | 90.60        | 65.40         | 90.60        |
| 6/11/2025 13:36:53 | 65.60         | 75.60        | 59.20         | 75.90        |
| 6/11/2025 13:36:54 | 67.50         | 93.60        | 65.40         | 93.60        |
| 6/11/2025 13:36:55 | 67.00         | 79.50        | 60.50         | 79.30        |
| 6/11/2025 13:36:56 | 63.60         | 85.10        | 59.00         | 85.10        |
| 6/11/2025 13:36:57 | 67.10         | 94.10        | 66.00         | 94.10        |
| 6/11/2025 13:36:58 | 65.80         | 78.50        | 61.60         | 78.40        |
| 6/11/2025 13:36:59 | 66.70         | 91.20        | 64.30         | 91.20        |
| 6/11/2025 13:37:00 | 66.90         | 85.70        | 65.30         | 85.60        |
| 6/11/2025 13:37:01 | 64.70         | 75.40        | 60.40         | 75.20        |
| 6/11/2025 13:37:02 | 63.10         | 79.90        | 60.50         | 79.80        |
| 6/11/2025 13:37:03 | 66.30         | 82.90        | 66.30         | 82.70        |
| 6/11/2025 13:37:04 | 66.50         | 93.30        | 65.10         | 93.30        |
| 6/11/2025 13:37:05 | 66.30         | 92.20        | 64.00         | 92.10        |
| 6/11/2025 13:37:06 | 64.90         | 92.50        | 63.40         | 92.50        |
| 6/11/2025 13:37:07 | 67.80         | 99.70        | 66.20         | 99.70        |
| 6/11/2025 13:37:08 | 72.50         | 101.80       | 71.00         | 101.80       |
| 6/11/2025 13:37:09 | 75.70         | 104.00       | 73.90         | 104.00       |
| 6/11/2025 13:37:10 | 73.70         | 92.90        | 67.40         | 92.90        |
| 6/11/2025 13:37:11 | 75.50         | 102.30       | 73.10         | 102.30       |
| 6/11/2025 13:37:12 | 82.20         | 111.90       | 78.30         | 111.80       |
| 6/11/2025 13:37:13 | 81.10         | 93.70        | 71.90         | 93.70        |
| 6/11/2025 13:37:14 | 77.10         | 87.00        | 63.70         | 86.90        |
| 6/11/2025 13:37:15 | 73.10         | 76.20        | 60.90         | 76.10        |
| 6/11/2025 13:37:16 | 69.20         | 96.20        | 65.20         | 96.20        |
| 6/11/2025 13:37:17 | 67.30         | 83.00        | 64.10         | 83.00        |
| 6/11/2025 13:37:18 | 65.80         | 76.80        | 61.20         | 76.60        |
| 6/11/2025 13:37:19 | 63.30         | 74.00        | 58.00         | 73.90        |
| 6/11/2025 13:37:20 | 61.20         | 83.50        | 58.60         | 83.60        |
| 6/11/2025 13:37:21 | 69.90         | 99.00        | 66.90         | 98.90        |
| 6/11/2025 13:37:22 | 69.70         | 82.10        | 68.40         | 82.10        |
| 6/11/2025 13:37:23 | 67.50         | 87.60        | 63.30         | 87.80        |
| 6/11/2025 13:37:24 | 69.00         | 95.70        | 66.90         | 95.60        |
| 6/11/2025 13:37:25 | 72.50         | 102.60       | 70.20         | 102.60       |
| 6/11/2025 13:37:26 | 70.40         | 79.30        | 61.90         | 79.30        |
| 6/11/2025 13:37:27 | 71.30         | 99.00        | 68.90         | 98.90        |
| 6/11/2025 13:37:28 | 70.90         | 90.00        | 64.80         | 90.00        |
| 6/11/2025 13:37:29 | 67.20         | 85.90        | 60.20         | 85.90        |
| 6/11/2025 13:37:30 | 64.20         | 75.90        | 60.20         | 75.70        |
| 6/11/2025 13:37:31 | 62.50         | 73.40        | 56.80         | 73.30        |
| 6/11/2025 13:37:32 | 63.80         | 81.40        | 64.60         | 81.40        |
| 6/11/2025 13:37:33 | 64.30         | 79.00        | 63.00         | 78.80        |
| 6/11/2025 13:37:34 | 66.60         | 84.60        | 63.00         | 84.50        |
| 6/11/2025 13:37:35 | 66.70         | 88.20        | 65.10         | 88.10        |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:37:36 | 67.10         | 96.10        | 65.50         | 96.10        |
| 6/11/2025 13:37:37 | 65.50         | 85.20        | 59.90         | 85.20        |
| 6/11/2025 13:37:38 | 63.80         | 82.80        | 61.10         | 82.60        |
| 6/11/2025 13:37:39 | 61.40         | 74.80        | 56.00         | 74.70        |
| 6/11/2025 13:37:40 | 62.10         | 86.50        | 62.00         | 86.40        |
| 6/11/2025 13:37:41 | 63.70         | 85.70        | 62.60         | 85.70        |
| 6/11/2025 13:37:42 | 64.60         | 91.10        | 64.10         | 91.10        |
| 6/11/2025 13:37:43 | 64.80         | 96.10        | 61.80         | 96.10        |
| 6/11/2025 13:37:44 | 68.70         | 97.70        | 67.20         | 97.60        |
| 6/11/2025 13:37:45 | 73.60         | 102.50       | 72.40         | 102.50       |
| 6/11/2025 13:37:46 | 73.90         | 101.90       | 71.00         | 101.90       |
| 6/11/2025 13:37:47 | 71.90         | 88.90        | 70.80         | 88.90        |
| 6/11/2025 13:37:48 | 72.40         | 92.30        | 72.30         | 92.20        |
| 6/11/2025 13:37:49 | 72.10         | 84.60        | 66.30         | 84.50        |
| 6/11/2025 13:37:50 | 71.10         | 99.10        | 67.40         | 99.00        |
| 6/11/2025 13:37:51 | 68.40         | 85.80        | 60.80         | 85.90        |
| 6/11/2025 13:37:52 | 69.00         | 97.60        | 65.60         | 97.60        |
| 6/11/2025 13:37:53 | 69.10         | 87.10        | 65.30         | 87.10        |
| 6/11/2025 13:37:54 | 67.00         | 93.60        | 63.80         | 93.50        |
| 6/11/2025 13:37:55 | 71.10         | 99.80        | 70.90         | 99.80        |
| 6/11/2025 13:37:56 | 73.70         | 102.00       | 73.20         | 102.00       |
| 6/11/2025 13:37:57 | 73.70         | 82.50        | 67.30         | 82.60        |
| 6/11/2025 13:37:58 | 70.00         | 85.00        | 63.30         | 84.90        |
| 6/11/2025 13:37:59 | 67.60         | 89.20        | 64.30         | 89.40        |
| 6/11/2025 13:38:00 | 72.10         | 95.80        | 71.50         | 95.80        |
| 6/11/2025 13:38:01 | 71.70         | 79.30        | 63.30         | 79.30        |
| 6/11/2025 13:38:02 | 67.80         | 74.10        | 59.10         | 73.90        |
| 6/11/2025 13:38:03 | 64.50         | 76.80        | 56.80         | 77.30        |
| 6/11/2025 13:38:04 | 61.20         | 79.50        | 55.40         | 79.30        |
| 6/11/2025 13:38:05 | 58.40         | 74.80        | 55.70         | 74.80        |
| 6/11/2025 13:38:06 | 57.60         | 72.30        | 55.80         | 72.30        |
| 6/11/2025 13:38:07 | 56.90         | 68.10        | 53.80         | 67.80        |
| 6/11/2025 13:38:08 | 61.80         | 89.90        | 59.20         | 89.90        |
| 6/11/2025 13:38:09 | 61.50         | 72.80        | 59.60         | 72.70        |
| 6/11/2025 13:38:10 | 71.30         | 102.00       | 63.40         | 102.00       |
| 6/11/2025 13:38:11 | 71.10         | 89.90        | 67.80         | 89.90        |
| 6/11/2025 13:38:12 | 71.30         | 98.00        | 68.20         | 98.00        |
| 6/11/2025 13:38:13 | 67.90         | 92.70        | 63.10         | 92.70        |
| 6/11/2025 13:38:14 | 78.90         | 109.00       | 76.30         | 108.90       |
| 6/11/2025 13:38:15 | 77.80         | 91.70        | 70.60         | 91.70        |
| 6/11/2025 13:38:16 | 74.10         | 97.50        | 64.90         | 97.40        |
| 6/11/2025 13:38:17 | 72.60         | 75.30        | 65.00         | 75.20        |
| 6/11/2025 13:38:18 | 68.70         | 88.20        | 65.10         | 88.20        |
| 6/11/2025 13:38:19 | 67.10         | 83.80        | 60.50         | 83.70        |
| 6/11/2025 13:38:20 | 66.00         | 93.40        | 63.40         | 93.40        |
| 6/11/2025 13:38:21 | 67.90         | 96.30        | 64.40         | 96.20        |
| 6/11/2025 13:38:22 | 67.10         | 89.40        | 62.70         | 89.40        |
| 6/11/2025 13:38:23 | 66.70         | 94.20        | 64.30         | 94.20        |
| 6/11/2025 13:38:24 | 70.00         | 97.20        | 67.60         | 97.20        |
| 6/11/2025 13:38:25 | 68.00         | 91.20        | 62.70         | 91.20        |
| 6/11/2025 13:38:26 | 65.30         | 89.80        | 62.30         | 89.80        |

| Timestamp          | Lmax-1 | Lpk-1 | Lavg-2 | Lpk-2 |
|--------------------|--------|-------|--------|-------|
| 6/11/2025 13:38:27 | 64.00  | 86.70 | 57.50  | 86.60 |
| 6/11/2025 13:38:28 | 60.80  | 84.30 | 53.60  | 84.40 |
| 6/11/2025 13:38:29 | 58.30  | 84.70 | 55.80  | 84.60 |
| 6/11/2025 13:38:30 | 59.40  | 84.70 | 58.40  | 84.50 |
| 6/11/2025 13:38:31 | 63.80  | 91.80 | 63.20  | 91.80 |
| 6/11/2025 13:38:32 | 64.60  | 82.80 | 63.60  | 82.70 |
| 6/11/2025 13:38:33 | 67.60  | 94.70 | 67.80  | 94.70 |
| 6/11/2025 13:38:34 | 67.20  | 94.20 | 65.00  | 94.20 |
| 6/11/2025 13:38:35 | 71.40  | 99.50 | 69.90  | 99.50 |
| 6/11/2025 13:38:36 | 70.90  | 91.10 | 64.90  | 91.00 |
| 6/11/2025 13:38:37 | 68.10  | 98.90 | 64.00  | 98.80 |
| 6/11/2025 13:38:38 | 66.90  | 72.50 | 56.80  | 72.50 |
| 6/11/2025 13:38:39 | 67.60  | 95.00 | 65.80  | 95.00 |
| 6/11/2025 13:38:40 | 65.70  | 87.80 | 59.70  | 87.70 |
| 6/11/2025 13:38:41 | 62.80  | 78.30 | 56.10  | 78.20 |
| 6/11/2025 13:38:42 | 62.10  | 86.60 | 61.20  | 86.50 |
| 6/11/2025 13:38:43 | 62.20  | 88.40 | 61.20  | 88.40 |
| 6/11/2025 13:38:44 | 65.10  | 92.20 | 62.40  | 92.20 |
| 6/11/2025 13:38:45 | 65.90  | 92.80 | 64.10  | 92.70 |
| 6/11/2025 13:38:46 | 65.00  | 93.30 | 62.90  | 93.20 |
| 6/11/2025 13:38:47 | 63.50  | 85.50 | 57.20  | 85.50 |
| 6/11/2025 13:38:48 | 69.50  | 97.60 | 67.30  | 97.50 |
| 6/11/2025 13:38:49 | 70.40  | 96.70 | 67.80  | 96.60 |
| 6/11/2025 13:38:50 | 67.50  | 82.50 | 64.20  | 82.50 |
| 6/11/2025 13:38:51 | 65.50  | 74.70 | 54.90  | 74.10 |
| 6/11/2025 13:38:52 | 61.70  | 75.70 | 55.90  | 75.50 |
| 6/11/2025 13:38:53 | 59.20  | 69.40 | 54.00  | 69.40 |
| 6/11/2025 13:38:54 | 57.00  | 67.20 | 53.10  | 66.90 |
| 6/11/2025 13:38:55 | 54.40  | 67.90 | 51.40  | 66.90 |
| 6/11/2025 13:38:56 | 54.30  | 69.20 | 53.00  | 69.60 |
| 6/11/2025 13:38:57 | 52.70  | 66.10 | 50.80  | 65.40 |
| 6/11/2025 13:38:58 | 59.30  | 80.10 | 60.30  | 80.00 |
| 6/11/2025 13:38:59 | 58.60  | 67.90 | 53.70  | 68.00 |
| 6/11/2025 13:39:00 | 57.30  | 71.50 | 55.30  | 71.90 |
| 6/11/2025 13:39:01 | 61.70  | 89.90 | 59.80  | 89.90 |
| 6/11/2025 13:39:02 | 62.10  | 91.30 | 59.40  | 91.20 |
| 6/11/2025 13:39:03 | 61.50  | 68.90 | 54.80  | 69.60 |
| 6/11/2025 13:39:04 | 61.90  | 90.70 | 60.70  | 90.70 |
| 6/11/2025 13:39:05 | 61.10  | 93.30 | 60.10  | 93.30 |
| 6/11/2025 13:39:06 | 67.40  | 97.00 | 65.40  | 96.90 |
| 6/11/2025 13:39:07 | 64.30  | 89.40 | 59.70  | 89.40 |
| 6/11/2025 13:39:08 | 62.90  | 88.40 | 60.80  | 88.40 |
| 6/11/2025 13:39:09 | 65.00  | 90.80 | 63.10  | 90.70 |
| 6/11/2025 13:39:10 | 62.50  | 85.90 | 58.10  | 85.90 |
| 6/11/2025 13:39:11 | 67.70  | 98.30 | 66.90  | 98.20 |
| 6/11/2025 13:39:12 | 67.50  | 94.40 | 65.60  | 94.30 |
| 6/11/2025 13:39:13 | 66.00  | 79.10 | 58.40  | 78.90 |
| 6/11/2025 13:39:14 | 64.80  | 94.20 | 62.10  | 94.20 |
| 6/11/2025 13:39:15 | 63.00  | 74.80 | 56.00  | 74.70 |
| 6/11/2025 13:39:16 | 64.00  | 80.70 | 62.90  | 80.60 |
| 6/11/2025 13:39:17 | 63.10  | 76.30 | 56.70  | 76.30 |

| <b>Timestamp</b>   | <b>Lmax-1</b> | <b>Lpk-1</b> | <b>Lavg-2</b> | <b>Lpk-2</b> |
|--------------------|---------------|--------------|---------------|--------------|
| 6/11/2025 13:39:18 | 59.80         | 69.90        | 52.70         | 69.90        |
| 6/11/2025 13:39:19 | 56.80         | 74.60        | 53.00         | 73.90        |
| 6/11/2025 13:39:20 | 54.90         | 73.60        | 53.70         | 74.00        |
| 6/11/2025 13:39:21 | 57.50         | 81.70        | 57.20         | 81.60        |
| 6/11/2025 13:39:22 | 64.50         | 92.30        | 62.40         | 92.20        |
| 6/11/2025 13:39:23 | 64.00         | 75.70        | 58.10         | 75.80        |
| 6/11/2025 13:39:24 | 60.60         | 85.50        | 56.20         | 85.40        |
| 6/11/2025 13:39:25 | 63.10         | 91.90        | 61.80         | 91.90        |
| 6/11/2025 13:39:26 | 68.60         | 100.70       | 61.80         | 100.70       |
| 6/11/2025 13:39:27 | 68.70         | 82.10        | 66.20         | 82.20        |
| 6/11/2025 13:39:28 | 70.50         | 100.90       | 67.40         | 100.90       |
| 6/11/2025 13:39:29 | 69.70         | 78.90        | 62.30         | 78.70        |
| 6/11/2025 13:39:30 | 65.90         | 84.80        | 58.00         | 84.70        |
| 6/11/2025 13:39:31 | 62.50         | 77.30        | 56.50         | 77.70        |
| 6/11/2025 13:39:32 | 60.00         | 70.70        | 54.50         | 70.80        |
| 6/11/2025 13:39:33 | 60.40         | 78.70        | 59.40         | 78.80        |
| 6/11/2025 13:39:34 | 59.10         | 90.20        | 56.90         | 90.10        |
| 6/11/2025 13:39:35 | 57.30         | 70.70        | 53.30         | 70.70        |
| 6/11/2025 13:39:36 | 61.30         | 89.20        | 60.70         | 89.30        |
| 6/11/2025 13:39:37 | 65.20         | 92.20        | 63.10         | 92.20        |
| 6/11/2025 13:39:38 | 65.90         | 95.60        | 65.50         | 95.50        |
| 6/11/2025 13:39:39 | 67.20         | 92.10        | 64.70         | 92.10        |
| 6/11/2025 13:39:40 | 71.50         | 101.00       | 68.80         | 101.00       |
| 6/11/2025 13:39:41 | 70.70         | 94.40        | 65.70         | 94.40        |
| 6/11/2025 13:39:42 | 67.70         | 85.60        | 58.90         | 85.60        |
| 6/11/2025 13:39:43 | 64.60         | 87.50        | 58.90         | 87.50        |
| 6/11/2025 13:39:44 | 62.30         | 90.40        | 58.70         | 90.40        |
| 6/11/2025 13:39:45 | 64.50         | 92.60        | 63.70         | 92.60        |
| 6/11/2025 13:39:46 | 66.40         | 93.80        | 64.60         | 93.70        |
| 6/11/2025 13:39:47 | 69.90         | 95.80        | 68.20         | 95.80        |
| 6/11/2025 13:39:48 | 73.60         | 103.40       | 71.00         | 103.30       |
| 6/11/2025 13:39:49 | 69.80         | 87.10        | 58.80         | 87.00        |
| 6/11/2025 13:39:50 | 66.30         | 95.50        | 59.70         | 95.40        |
| 6/11/2025 13:39:51 | 65.70         | 77.40        | 62.50         | 77.10        |
| 6/11/2025 13:39:52 | 62.80         | 84.40        | 58.30         | 84.40        |
| 6/11/2025 13:39:53 | 60.40         | 79.50        | 58.10         | 79.50        |
| 6/11/2025 13:39:54 | 62.30         | 78.90        | 62.30         | 79.10        |
| 6/11/2025 13:39:55 | 61.30         | 70.90        | 53.20         | 71.20        |
| 6/11/2025 13:39:56 | 66.80         | 95.00        | 64.90         | 95.00        |
| 6/11/2025 13:39:57 | 64.30         | 86.30        | 56.60         | 86.30        |
| 6/11/2025 13:39:58 | 61.20         | 71.50        | 52.70         | 71.40        |
| 6/11/2025 13:39:59 | 57.70         | 72.70        | 54.10         | 72.90        |
| 6/11/2025 13:40:00 | 61.00         | 78.90        | 61.20         | 78.80        |
| 6/11/2025 13:40:01 | 62.20         | 89.40        | 60.70         | 89.40        |
| 6/11/2025 13:40:02 | 60.40         | 70.70        | 53.70         | 70.50        |
| 6/11/2025 13:40:03 | 57.40         | 78.70        | 55.10         | 78.50        |
| 6/11/2025 13:40:04 | 56.40         | 74.50        | 55.20         | 74.50        |
| 6/11/2025 13:40:05 | 60.90         | 89.40        | 59.60         | 89.30        |
| 6/11/2025 13:40:06 | 58.60         | 77.70        | 53.70         | 77.80        |
| 6/11/2025 13:40:07 | 56.50         | 67.60        | 52.30         | 67.90        |
| 6/11/2025 13:40:08 | 61.00         | 76.20        | 58.70         | 76.00        |

| Timestamp          | Lmax-1 | Lpk-1  | Lavg-2 | Lpk-2  |
|--------------------|--------|--------|--------|--------|
| 6/11/2025 13:40:09 | 61.40  | 77.10  | 60.70  | 77.00  |
| 6/11/2025 13:40:10 | 64.60  | 82.50  | 64.90  | 82.30  |
| 6/11/2025 13:40:11 | 65.50  | 88.30  | 64.10  | 88.30  |
| 6/11/2025 13:40:12 | 65.90  | 93.10  | 65.10  | 93.10  |
| 6/11/2025 13:40:13 | 76.50  | 106.50 | 75.20  | 106.40 |
| 6/11/2025 13:40:14 | 74.80  | 91.90  | 68.00  | 91.90  |
| 6/11/2025 13:40:15 | 72.60  | 91.00  | 68.20  | 90.90  |
| 6/11/2025 13:40:16 | 71.00  | 95.30  | 65.30  | 95.30  |
| 6/11/2025 13:40:17 | 76.50  | 103.10 | 74.40  | 103.10 |
| 6/11/2025 13:40:18 | 75.40  | 98.20  | 69.80  | 98.10  |
| 6/11/2025 13:40:19 | 72.90  | 96.00  | 64.00  | 96.00  |
| 6/11/2025 13:40:20 | 68.90  | 93.80  | 62.60  | 93.70  |
| 6/11/2025 13:40:21 | 67.10  | 88.20  | 63.90  | 88.00  |
| 6/11/2025 13:40:22 | 66.30  | 85.70  | 62.60  | 85.60  |
| 6/11/2025 13:40:23 | 64.60  | 84.30  | 58.20  | 84.40  |
| 6/11/2025 13:40:24 | 63.40  | 91.10  | 62.10  | 91.10  |
| 6/11/2025 13:40:25 | 64.70  | 96.90  | 62.00  | 96.80  |
| 6/11/2025 13:40:26 | 63.20  | 90.80  | 60.80  | 90.80  |
| 6/11/2025 13:40:27 | 67.90  | 100.10 | 65.90  | 100.10 |
| 6/11/2025 13:40:28 | 66.00  | 76.40  | 57.00  | 76.90  |
| 6/11/2025 13:40:29 | 63.10  | 77.30  | 61.10  | 77.40  |
| 6/11/2025 13:40:30 | 61.90  | 74.20  | 57.50  | 74.40  |
| 6/11/2025 13:40:31 | 60.10  | 77.30  | 59.10  | 77.50  |
| 6/11/2025 13:40:32 | 61.30  | 88.10  | 59.40  | 88.10  |
| 6/11/2025 13:40:33 | 63.70  | 90.60  | 62.00  | 90.50  |
| 6/11/2025 13:40:34 | 62.00  | 91.20  | 59.90  | 91.20  |
| 6/11/2025 13:40:35 | 65.60  | 95.40  | 62.90  | 95.30  |
| 6/11/2025 13:40:36 | 69.90  | 97.40  | 70.40  | 97.40  |
| 6/11/2025 13:40:37 | 70.00  | 92.20  | 66.40  | 92.20  |
| 6/11/2025 13:40:38 | 69.90  | 94.00  | 69.20  | 93.90  |
| 6/11/2025 13:40:39 | 74.10  | 102.40 | 72.80  | 102.40 |
| 6/11/2025 13:40:40 | 75.00  | 88.30  | 72.80  | 88.20  |
| 6/11/2025 13:40:41 | 72.90  | 95.00  | 66.20  | 94.90  |
| 6/11/2025 13:40:42 | 69.60  | 89.90  | 62.30  | 89.90  |
| 6/11/2025 13:40:43 | 68.10  | 91.50  | 65.10  | 91.40  |
| 6/11/2025 13:40:44 | 65.50  | 69.20  | 55.80  | 69.40  |
| 6/11/2025 13:40:45 | 61.90  | 78.50  | 59.40  | 78.60  |
| 6/11/2025 13:40:46 | 61.20  | 82.10  | 58.60  | 82.00  |
| 6/11/2025 13:40:47 | 59.30  | 76.40  | 56.60  | 76.40  |
| 6/11/2025 13:40:48 | 58.40  | 71.80  | 55.90  | 71.50  |
| 6/11/2025 13:40:49 | 57.40  | 72.40  | 56.20  | 72.30  |
| 6/11/2025 13:40:50 | 59.40  | 86.50  | 58.90  | 86.40  |
| 6/11/2025 13:40:51 | 71.40  | 100.50 | 69.60  | 100.50 |
| 6/11/2025 13:40:52 | 68.90  | 76.60  | 55.20  | 76.50  |
| 6/11/2025 13:40:53 | 65.50  | 86.50  | 60.70  | 86.40  |
| 6/11/2025 13:40:54 | 68.30  | 98.00  | 67.90  | 98.00  |
| 6/11/2025 13:40:55 | 67.30  | 90.50  | 62.40  | 90.40  |
| 6/11/2025 13:40:56 | 66.80  | 92.20  | 64.50  | 92.20  |
| 6/11/2025 13:40:57 | 68.80  | 93.20  | 68.10  | 93.10  |
| 6/11/2025 13:40:58 | 67.80  | 90.00  | 65.30  | 90.00  |
| 6/11/2025 13:40:59 | 71.70  | 100.20 | 69.60  | 100.20 |

| Timestamp          | Lmax-1 | Lpk-1  | Lavg-2 | Lpk-2  |
|--------------------|--------|--------|--------|--------|
| 6/11/2025 13:41:00 | 70.10  | 96.20  | 67.00  | 96.20  |
| 6/11/2025 13:41:01 | 67.80  | 94.80  | 65.00  | 94.80  |
| 6/11/2025 13:41:02 | 67.40  | 82.50  | 65.60  | 82.50  |
| 6/11/2025 13:41:03 | 66.10  | 78.00  | 60.50  | 77.90  |
| 6/11/2025 13:41:04 | 63.30  | 72.50  | 56.40  | 72.20  |
| 6/11/2025 13:41:05 | 60.00  | 77.50  | 57.00  | 77.20  |
| 6/11/2025 13:41:06 | 59.70  | 75.80  | 58.30  | 75.70  |
| 6/11/2025 13:41:07 | 70.40  | 88.50  | 65.30  | 88.50  |
| 6/11/2025 13:41:08 | 70.30  | 83.20  | 68.90  | 83.30  |
| 6/11/2025 13:41:09 | 68.00  | 82.40  | 61.80  | 82.20  |
| 6/11/2025 13:41:10 | 67.80  | 84.20  | 66.70  | 84.30  |
| 6/11/2025 13:41:11 | 65.90  | 80.90  | 62.90  | 81.00  |
| 6/11/2025 13:41:12 | 65.10  | 85.60  | 62.70  | 85.60  |
| 6/11/2025 13:41:13 | 63.00  | 77.90  | 61.50  | 77.80  |
| 6/11/2025 13:41:14 | 62.00  | 83.20  | 57.00  | 83.20  |
| 6/11/2025 13:41:15 | 67.20  | 95.60  | 65.10  | 95.50  |
| 6/11/2025 13:41:16 | 66.40  | 89.50  | 63.60  | 89.50  |
| 6/11/2025 13:41:17 | 67.10  | 90.60  | 67.50  | 90.50  |
| 6/11/2025 13:41:18 | 70.40  | 99.70  | 70.00  | 99.70  |
| 6/11/2025 13:41:19 | 69.80  | 93.60  | 65.80  | 93.60  |
| 6/11/2025 13:41:20 | 68.70  | 91.50  | 66.40  | 91.40  |
| 6/11/2025 13:41:21 | 68.90  | 82.00  | 66.40  | 81.80  |
| 6/11/2025 13:41:22 | 70.70  | 99.90  | 68.30  | 99.90  |
| 6/11/2025 13:41:23 | 69.20  | 82.20  | 63.60  | 82.10  |
| 6/11/2025 13:41:24 | 68.30  | 96.40  | 65.30  | 96.30  |
| 6/11/2025 13:41:25 | 65.60  | 94.10  | 61.00  | 94.10  |
| 6/11/2025 13:41:26 | 65.40  | 77.00  | 61.60  | 77.30  |
| 6/11/2025 13:41:27 | 63.60  | 87.60  | 62.60  | 87.70  |
| 6/11/2025 13:41:28 | 63.80  | 88.90  | 62.10  | 89.00  |
| 6/11/2025 13:41:29 | 67.70  | 97.40  | 64.90  | 97.40  |
| 6/11/2025 13:41:30 | 69.10  | 93.90  | 69.80  | 93.80  |
| 6/11/2025 13:41:31 | 70.90  | 97.50  | 69.00  | 97.50  |
| 6/11/2025 13:41:32 | 68.90  | 77.90  | 61.40  | 77.90  |
| 6/11/2025 13:41:33 | 67.40  | 90.00  | 66.30  | 90.00  |
| 6/11/2025 13:41:34 | 67.00  | 91.20  | 65.20  | 91.10  |
| 6/11/2025 13:41:35 | 72.90  | 101.00 | 72.80  | 100.90 |
| 6/11/2025 13:41:36 | 72.10  | 97.10  | 67.30  | 97.10  |
| 6/11/2025 13:41:37 | 69.70  | 89.90  | 67.90  | 89.90  |
| 6/11/2025 13:41:38 | 69.00  | 94.60  | 64.70  | 94.60  |
| 6/11/2025 13:41:39 | 67.10  | 89.60  | 65.00  | 89.50  |
| 6/11/2025 13:41:40 | 70.30  | 96.40  | 68.10  | 96.40  |

|      |       |     |      |
|------|-------|-----|------|
|      |       | Min | 50.5 |
|      |       | Leq | 66.0 |
| Lmax | 82.20 | Max | 80.0 |